

**COMPLIANCE REPORT FOR
DEVELOPMENT OF IT/ITES OFFICE
BUILDING PROJECT**

[January 2019 – June 2019]

AT

**SY. NO's 217P, 353P, 221P, 222, 223, 224, 225, 226P,
238, 239/1P, 239/2P, 245/1P, 245/2P, 245/3P, 246/1P, 246/2P,
246/3P, 247/1P, 247/2P, 248P, 254P, 257/3P and 257/4P
OF GOKUL VILLAGE,
HUBBALLI TALUK,
DHARWAD DISTRICT**

PROMOTER:

**M/s. INFOSYS LIMITED,
BENGALURU**

PREPARED BY:

**M/S. THE AQUA ENGINEERING SOLUTIONS
BENGALURU
PH: 080-2860 3932**

PROJCET AT A GLANCE

1.	Name & address of the project proponent	M/s. Infosys Limited, 44, Electronic city, Hosur Road, Bengaluru – 560 100
2.	Name & address of the project location	Development of IT/ITES Office Building project at Sy. No 217P, 353P, 221P, 222, 223, 224, 225, 226P, 238, 239/1P, 239/2P, 245/1P, 245/2P, 245/3P, 246/1P, 246/2P, 246/3P, 247/1P, 247/2P, 248P, 254P, 257/3P and 257/4P of Gokul Village, Hubballi Taluk, Dharwad District
3.	Type of the project	Development of IT/ITES Office Building
4.	Project description	Proposed Building consists of 2 Nos. of Software Development (Building -1 & 3), Building in G+5UF, Food court & Customer Care centre (Building -2) in G+2UF & Employee Care centre (Building – 4) in G+3UF.
5.	Cost of the project	Rs.322 Crores
6.	Total Site area	1,74,215.82 Sqmt
7.	Total Built up area	66,795 Sqmt
8.	Environmental clearance No.	No. SEIAA 182 CON 2015 Dated 21 st Dec 2015
9.	Status of Construction	<ul style="list-style-type: none"> - Food court & Customer Care centre [building 2] -BUA of 68,609 Sq ft Completed - Software Development blocks [building 1&3] -288430 Sq ft is Under progress - Employee Care centre (Building – 4)- yet to be started

COMPLIANCE TO EC CONDITIONS

PART A – SPECIFIC CONDITIONS:

I.	CONSTRUCTION PHASE			
Sl. No.	EC Conditions	Action taken	Compliance	Remarks
1.	Set up an environment management cell and ensure that the cell manages/ maintains all the environmental aspects such as sewage treatment, solid waste disposal, maintenance of green belt areas, etc., and in case the commercial space is sold/ leased, then enter into an agreement with the prospective buyers to ensure that they maintain the cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied so as to raise a corpus fund to maintain the Environment cell.	All environmental aspects such as sewage treatment, solid waste disposal, maintenance of green belt areas are being maintaining by the contractors in the site. Environmental Management cell has been setup and continued for operation phase. Sufficient fund will be allotted to maintain the Environment management cell.	Achieved the EC condition.	--
2.	Appoint an Environment and safety engineer during the construction phase to take care of environment and safety aspects.	We have safety engineers in the project site to take care of environment and safety aspects.	Achieved the EC condition.	--
3.	The project proponent should ensure that during the construction phase utmost care is taken to ensure that there is no noise nuisance, no air and water pollution and no disturbance to the nearby inhabitants. In case of violation, the project construction activity may have to be directed to be stopped.	Precautionary measures are taken to avoid nuisance, air and water pollution. The DG sets are provided with adequate stacks to reduce the effect of air pollutants emitted. The acoustic enclosures have been provided to avoid the nuisance due to noise generated from the DG sets. Major construction activities are carrying in day time to avoid the noise nuisance. Air and Noise quality analysis were conducted in the project	Achieved the EC condition.	--

		site. The analysis reports are enclosed as Annexure – A.		
4.	The project proponent should cover the project site from all sides by raising sufficiently tall barricades with sheets to ensure that pollutants do not spill to the surroundings.	Project site is covered by compound wall with barricades to curtail the spilling of pollutants to the surrounding. Photos of project site are enclosed	Achieved the EC condition.	--
5.	Provide at the main entrances bell gates, which are located at least 12' inside the boundary of the project to enable smooth flow of traffic on the main road leading to the entrance.	Provision is made at the main entrance to enable smooth flow of traffic on the main road leading to the entrance.	Achieved the EC condition.	--
6.	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction work force.	All required sanitary and hygienic measures are adopted & will be maintained throughout the construction phase. Sufficient numbers of toilets & bathrooms are provided for the labours & the generated sewage is being treated in mobile STP STP treated water test reports are enclosed as Annexure – B.	Achieved the EC condition.	--
7.	A First Aid Room should be provided in the Project both during construction and operation of the project.	The first aid room is provided in the project site & this facility will be continued during operation phase also.	Achieved the EC condition.	--
8.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Drinking water for the construction labours is sourced through external agencies & the analysis report for the same is enclosed as Annexure – C. The generated sewage is treating in mobile STP. Dust bins are provided in the site for collection of domestic solid waste and collected waste is bifurcated as organic & recyclable waste and handed over to local vendors	Achieved the EC condition.	--

9.	Provision shall be made for the housing of construction labourers within the site with all necessary infrastructures. The housing may be in the form of temporary structures to be removed after the completion of the project. The facilities shall include the crèche.	For the construction labours, temporary housing facilities are made within the project site & same will be removed once after the completion of the project.	Achieved the EC condition.	--
10.	Provision should be made for the supply of fuel (kerosene or cooking gas); utensils such as pressure cookers etc. to the labourers during construction phase.	LPG is provided as fuel for cooking.	Alternative provisions are made.	--
11.	All the labourers to be engaged for construction should be screened for health and adequately treated before engaging them to work at the site and detailed report submitted to SEIAA. Safety standards as per National Building Code (NBC) should be ensured.	The labours health screening was done before appointing them for construction work. Periodic medical evaluation camp is conducting for all the labours working in the project site. Medical camp certificate is enclosed as Annexure D	Achieved the EC condition.	--
12.	For dis-infection of wastewater which is not meant for recycling for toilet flushing, use ultra violet radiation and not chlorination. For treated wastewater meant for reuse for toilet flushing, disinfect by using chlorination.	Sewage generated from the labourers during construction is treating in mobile STP. Treated water is using for construction after disinfection. During operation phase, treated water will be used for flushing after disinfect by using chlorination	Achieved the EC condition	--
13.	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	We have used the generated top soil for backfilling, for landscaping and for road formation.	Achieved the EC condition.	--
14.	Disposal of muck, construction debris during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary	The generated construction debris is used within the site for roads & pavement formation; hence there is no possibility of adverse effect on the neighbouring communities.	Achieved the EC condition.	--

	precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.			
15.	Soil and ground water samples should be tested at the project site during the construction phase to ascertain that there is no threat to ground water quality by leaching of heavy metals and or other toxic contaminants and report submitted to SEIAA.	The ground water samples near project site are tested	Achieved the EC condition.	--
16.	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.	Ready mix concrete is using for construction activity & other similar activities are carried out on impervious floors. Hence there are no possibilities of leaching of pollutants.	Achieved the EC condition.	--
17.	The diesel generator sets to be used during construction phase should be of low sulphur diesel type and should conform to E (P) Rules prescribed for air and noise emission standards.	The fuel using for DG sets is of low sulphur content & conforms to E (P) Rules prescribed for air and noise emission standards.	Achieved the EC condition.	--
18.	Vehicles hired for bringing construction material to the site should be in good condition and should conform to the applicable air and noise emission standards and should be operated only during non-peak hours.	The vehicles using during construction are maintained in good condition & are operated during non- peak hours. To comply air & noise emission standards, emission test are conducted for construction vehicles. Emission test reports are enclosed as Annexure-E .	Achieved the EC condition.	--
19.	Ambient noise levels should conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored	<ul style="list-style-type: none"> • The site is periodically watered to reduce emissions of dust particles. • Site is barricaded all along the boundary to avoid fugitive dust emission. 	Achieved the EC condition.	--

	during construction phase. Adequate measures to reduce air and noise pollution during construction keeping in mind CPCB norms on noise limits.	<ul style="list-style-type: none"> • Less noise generating equipments are using for construction. • Ambient air and noise test were conducted in the project site and the reports are enclosed in Annexure – A. 		
20.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on August 2003.	As there is no availability of fly ash made building materials, no usage of such materials in the construction work.	--	--
21.	Ready mixed concrete must be used in building construction.	Ready mixed concrete is being used in building construction.	Achieved the EC condition.	--
22.	Storm water control and its re-use as per CGWB and BIS standards for various applications.	Storm water control and its re-use are adopted in the proposed project; as the stage wise construction is going on, it will be implemented accordingly.	Achieved the EC condition.	--
23.	Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices and only tertiary treated water shall be used for construction as per G.O. No. FEE 188 ENV 2003 dated 14.08.2003.	To reduce water demand ready mixed concrete, precast concrete blocks etc, are using in construction; & water requirement for construction is being sourced from KUWS&DB and bills for the same is enclosed as Annexure-G.	Achieved the EC condition.	--
24.	No ground water is to be drawn without permission from the Central Ground Water Authority.	No ground water is using in the project site.	Achieved the EC condition.	--
25.	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Dual plumbing plan is implemented in the proposed project.	Achieved the EC condition.	--
26.	Treatment of 100% grey water by decentralized treatment should be done.	Sewage Treatment plant has been proposed and its construction work is completed. Equipment	Achieved the EC condition.	--

		installation will be done in later stages.		
27.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Pressure reducing devices will be installed in various plumbing fixtures.	Will achieve the EC condition	--
28.	Use of glass shall not exceed 40% of exposed area to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	All vision glass panels used are dark tinted, reflective and tinted with low- E coating with the U-value of 1.80. Spandrel Glass panels are dark tinted. Clear glass being used only for the entrance lobby which is covered and thus protected from solar heat gain by the building natural shading	Will achieve the EC condition	--
29.	The provision of Energy Conservation Building code, 2007 shall be fully complied with.	Whole Building Simulation route was selected for ECBC compliance instead of prescriptive route.	Will achieve the EC condition	--
30.	Roof should meet prescriptive requirement as per Energy Conservation Building Code, 2007 by using appropriate thermal insulation material.	As per Energy Conservation Building Code, thermal insulation techniques & materials are being used in construction	Will achieve the EC condition	--
31.	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, 2007 which is proposed to be mandatory for all air conditioned spaces while it is optional for non-air conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.	The opaque wall is proposed to meet prescriptive requirement. The U & R values are proposed to achieve as per ECBC guidelines.	Will achieve the EC condition	--
32.	Facilities such as ramps and separate parking shall be provided for the benefit of physically challenged.	Provision will be made for physically challenged people.	Will achieve the EC condition	--

33.	The project shall be made operational only after necessary infrastructure/connection for water supply and sewerage line is provided and commissioned by the Competent Authorities.	The project will commence its operation only after obtaining necessary infrastructure/ connection for water supply and sewerage line from the Competent Authorities. We have obtained NOC from KIADB for water supply	Will achieve the EC condition	--
34.	The project authority shall maintain and operate the common infrastructure facilities created including STP and solid waste management facility efficiently.	We will maintain and operate the STP with other related issues and solid waste management facility efficiently	Will achieve the EC condition	--
35.	The project authority shall incorporate a suitable condition in the Sale Agreement/Deed to be made with the buyers that the occupier/buyer holds the responsibilities jointly with other users to maintain common infrastructure facilities created including STP and solid waste management facility.	As the project is proposed for our own use we will maintain all infrastructure and other facilities throughout the operation phase.	Will achieve the EC condition	--
36.	The Proponent shall obtain the construction material such as stones and jelly etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/traders.	The materials using for construction are being obtained from approved quarries & from the authorized agencies/traders	Achieved the EC condition.	--
37.	The proponent shall obtain approval from the competent authorities for structural safety of the building due to earthquake, adequacy of fire fighting equipment etc. as per the National Building Code (NBC) including protection measures for lightening etc.	The project is planned as per the NBC Standards; necessary protection measures are adopted & we have obtained approval from the competent authorities for structural safety of the building.	Achieved the EC condition.	--

38.	The project authorities shall ensure that no water bodies are polluted due to project activities.	It is ensured that no water bodies will be polluted from the project.	Will achieve the EC condition	--
39.	Safety standards as per National Building Code (NBC), 2005 should be followed and ensured.	NBC safety standards will be followed.	Achieved the EC condition.	--
40.	The project Authorities shall ensure that the National Building Code, 2005 is fully complied with and adhered to.	It is ensured that proposed project is planned as per NCB and it fully complied with.	Will achieve the EC condition	--
41.	The project authorities shall not use Kharab land if any for any purpose and keep available to the general public duly displaying a board as public property. No structure of any kind be put up in the Kharab land and shall be afforested and maintained as green belt only.	No Kharab land has been used in the proposed project.	Achieved the EC condition.	--
42.	The project authority shall obtain NOC before commencement of the construction activity and clearance after the completion of the construction from the Fire and Emergency Services Department, if applicable.	We have obtained NOC before commencement of the construction activity from Fire and Emergency Services Department. And we will get clearance after the completion of the construction	Will achieve the EC condition	--
43.	The project Authorities shall ensure the time specification prescribed the Honourable High Court of Karnataka in W.P. No. 1958/2011 (LB-RES-PIL) on 04.12.2012 for different activities involved in construction work.	Time specification prescribed by the Honorable High Court of Karnataka on 04.12.2012 for different activities involved in construction work is being followed	Achieving the EC condition	--
44.	The proponent shall take up the construction activity only after obtaining NOC clearance from the competent authority for assured supply of water as the case may be.	We have obtained the NOC from KIADB for the supply of water.	Achieved the EC condition.	--

45.	The project authorities shall ensure that the construction activity is undertaken strictly in accordance with the approved site plan / layout drawing annexed to this Environmental Clearance letter. However, it is subject to compliance to the provisions of local authorities regarding setbacks, FAR etc. Shall be adhered to.	We will obey the EC condition.	Will achieve the EC condition	--
46.	The existing water body, canals and rajakaluve and other drainage and water bound structures shall be retained unaltered with due buffer zone as applicable and maintained under tree cover.	There is no existing water body, canals and rajakaluve near the project site. Water body, canals, rajakaluve and other drainage and water bound structures will be unaltered.	Will achieve the EC condition	--
47.	The project authorities shall leave the appropriate buffer from the boundary lake and on either side of the channel / nala and other water bodies as per the norms of the local planning Authority and this shall be free from any permanent structures. The buffer so maintained shall be planted with indigenous tree species such as Neem, Akash Mallige, Mahagoni, Honge, Kadamba Ficus, etc and maintained as green belt.	There is no existing water body, canals and rajakaluve near the project site.	Will achieve the EC condition	--
48.	The natural sloping pattern of the project site shall remain unaltered and the natural hydrology of the area be maintained as it is to ensure natural flow of storm water.	No alteration will be made for the natural sloping pattern of the project site and the natural hydrology of the area will be maintained as it is to ensure natural flow of storm water.	Will achieve the EC condition	--
49.	Lakes and other water bodies within and/or at the vicinity of the project area shall be protected	Lakes and other water bodies within and / or at the vicinity of the project area will be protected	Will achieve the EC condition	--

	and conserved.	and conserved.		
II.	OPERATION PHASE			
1.	The installation of the Sewage Treatment Plant (STP) of total capacity 276 KLD should be carried out before the construction of the second floor of the main structure is commenced and the plant shall be got certified by an independent expert and a report in this regard should be submitted to the SEIAA immediately. Discharge of treated sewage shall conform to the norms & standards of the Karnataka State Pollution Control Board. Treated sewage should be used for flushing, gardening, etc. as proposed, using dual plumbing line.	Sewage Treatment plant has been proposed and its construction works are completed. Equipment installation will be done in later stages. Once it is certified by the expert, report of the same will be submitted to SEIAA. STP is designed to treat the sewage to meet the KSPCB urban reuse standards and the treated sewage will be reused for flushing and for gardening.	Will achieve the EC condition	--
2.	Rainwater harvesting for roof run-off with 330 Cum capacity of tanks at ground level for rainwater collection and also surface run-off harvesting as per the plan submitted should be implemented with 122 Nos. of recharge pits and pre-treatment must be done to remove suspended matter, oil and grease before recharging the surface run off.	The rain water harvesting plan is implemented in the project site; stage wise construction is going on	Will achieve the EC condition	--
3.	Ensure that the excess runoff rainwater from the greenbelt area, which is irrigated by treated water, does not get into recharge pits and contaminate the ground water. Such excess flow should be safely let in to the storm water drains.	Proper care has been taken, not to contaminate the ground water from the excess runoff rainwater from the greenbelt area, which is irrigated by treated water; and excess runoff will be safely collected in a pond. Photographs of the same are enclosed.	Will achieve the EC condition	--

4.	The solid waste generated should be properly collected and segregated insitu. The Biodegradable organic waste be composted by installing bio-converter in site and used. The non-biodegradable waste be disposed to the authorized recyclers.	The generated solid waste will be collected in separate bins & the organic waste will be processed in proposed organic waste converter within the project site & recyclable will be handed over to authorized recyclers.	Will achieve the EC condition	--
5.	Any hazardous waste including biomedical waste should be disposed off as per the applicable Rules and norms with necessary approvals of the Karnataka State Pollution Control Board.	The hazardous waste i.e. waste oil, generated from the proposed project will be from DG sets. This will be stored in leak proof containers & will be hand over to KSPCB authorized waste oil recyclers.	Will achieve the EC condition	--
6.	The project proponent shall develop a minimum of 33% of the project area for green belt. The proposed Greenscape is 1,23,561.32 Sqm (70.92% of total plot area). The proponent shall undertake Plantation of heavy foliage indigenous tree species such as Mahagoni, Honge, Neem, Akash Mallige, Kadamba, Ficus and Ashoka, etc at an espacement of 3mts x 3 mts i.e. 1111 plants/hectare. The green belt design along the periphery of the plot shall achieve attenuation factor confirming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.	Green belt is planned accordingly for 70.92% of the project site area with native species. Photographs of the landscape developed are enclosed	Achieved the EC condition	--
7.	Incremental pollution loads on the ambient air quality; noise and water quality should be periodically monitored after commissioning of	Regular monitoring of ambient air, noise and water quality analysis will be carried out after commissioning of the project.	Will achieve the EC condition	--

	the project.			
8.	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for the complex should be provided. Details in this regard should be submitted to the SEIAA.	Solar photo voltaic plants will be established on the roof tops and the same will be utilized in the buildings for meeting electricity needs. The proposed project will comprise of solar street lightings in common area, landscape area, hence will utilize maximum solar energy.	Will achieve the EC condition	--
9.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Surface car parking facility will be provided & no public space will be used for parking.	Will achieve the EC condition	--
10.	A Report on the energy conservation measures confirming to energy conservation norms finalized by the Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the SEIAA in three months time.	Whole Building Simulation route was selected for ECBC compliance instead of prescriptive route.	Achieved the EC condition	--
11.	All toilets should have dual plumbing line for using treated water and no wastewater is discharged from the unit.	Dual piping system has been implemented in the proposed project.	Achieved the EC condition	--
12.	The Environment Management Plan including the human health and Safety management plan and Fire Safety and Protection plan proposed by the proponent shall be strictly implemented.	Environment Management Plan including the human health and Safety management plan and Fire Safety and Protection plan will be implemented.	Will achieve the EC condition	--

13.	The proposed building shall have D.G. Set of 2 Nos. x 1010 KVA and 1No. X 750 KVA as an alternate power supply source as proposed.	The proposed building will have D.G. Set of 2 Nos. X 1010 KVA and 1 No. X 750 KVA as an alternate power supply source as proposed.	Will achieve the EC condition	--
PART B – GENERAL CONDITIONS				
1.	The Environmental safeguards contained in the application should be implemented in letter and spirit.	The Environmental safeguards as mentioned in the application have been implemented effectively during construction phase and The same will be implemented with true spirit in operation phase also.	Will achieve the EC condition	--
2.	All commitments made by the proponents in their application, and subsequent letters addressed to the SEAC/SEIAA should be accomplished before the construction work of the project is completed.	It is being followed.	Will achieve the EC condition	--
3.	Half yearly monitoring reports should be submitted to the SEIAA and the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office, MoEF, Bengaluru.	Six monthly monitoring reports along with the compliance to the Environmental clearance conditions are being submitted to R.O, MoEF and KSEIAA. Acknowledgement copy of recently submitted half yearly compliance to EC conditions are enclosed as Annexure F .	Achieving the EC condition	--
4.	Officials from the Department of Environment and Ecology, Bengaluru/ Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office of MoEF, Bengaluru who would be monitoring the implementation of Environmental safeguards should be given	Will adhere to EC condition.	Will achieve the EC condition	--

	full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF / SEIAA should be forwarded to the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office of MoEF, Bengaluru / Department of Environment and Ecology, Bengaluru.			
5.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.	Will adhere to EC condition.	--	
6.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.	Will adhere to EC condition.	--	--
7.	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Same will be followed, if any.	--	--
8.	All other statutory clearances such as the approvals for storage of diesel from Chief	All necessary permissions have been obtained from the competent authorities	Achieved the EC condition	--

	Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.			
9.	<p>The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Karnataka State Pollution Control board and may also be seen on the website of the SEIAA, Karnataka at http://www.seiaa.kar.nic.in. Or http://seiaa.karnataka.gov.in , http://environmentclearance.nic.in .</p> <p>The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office , MoEF at Bengaluru/ Department of Environment and Ecology, Bengaluru.</p>	Already complied.	Achieved the EC condition	--
10.	The project proponent should display the conditions prominently at the entrance of the project on a suitable size board for the information of the public.	We have displayed the conditions on the board at the entrance of the project.	Achieved the EC condition	--

11.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted	--	--
12.	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	For the proposed project, CFE has been obtained under Water act & Air act; EC has been obtained under EIA notification and as per these stipulations, development is schedule in the project site.	--	--
13.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.	Construction work for the proposed project has been started after obtaining the environmental clearance.	Achieved the EC condition	--
14.	The issuance of Environment Clearance doesn't confer any right to the project proponent to operate/run the project without obtaining Statutory clearances/sanctions from all other concerned authorities.	We will obey the EC condition.	--	--

ANNEXURE – A: Air & Noise analysis reports

**ANNEXURE – B: Mobile STP inlet and outlet water test reports-
Construction phase**

ANNEXURE – C: Construction labours drinking Water analysis report

ANNEXURE – D: Labours health screening certificate

ANNEXURE – E: Construction vehicles emission test reports

ANNEXURE – F: Acknowledgment copies

ANNEXURE – G : KUWS&DB water supply bills

PHOTOGRAPHS OF PROJECT SITE

CONTENTS

Description	Page No.
Project at Glance	1
Part A: Specific conditions	2-14
Part B: General conditions	14-17
Annexure-A	18
Annexure-B	19
Annexure-C	20
Annexure-D	21
Annexure-E	22
Annexure-F	23
Annexure-G	24
Photographs	25