

KSPCB/BMW/ANNUAL-RETURNS/2022/01

28<sup>th</sup> June 2023

The Environmental Officer  
Parisara Bhavan, No.49, Church Street  
Karnataka State Pollution Control Board  
Bengaluru – 560001


Dear Sir/Madam,

**Subject: Submission of Form 4 Annual returns regarding disposal of Biomedical waste**  
**Ref: No. KSPCB/YELAHANKA (BYT)/EO/DEO/2019-20/760 dtd. 13.11.2019**

We are here with submitting the FORM 4 Annual returns for disposal of Biomedical waste for the period from January to December 2022 for Infosys Limited (Bharatiya Milestone Buildcon Pvt. Ltd ) Situated at Sy. No. 32/1(P), 32/2(P), 32/3, 32/4, 35, 37, 38, 39, 40, 41, 42/1, 42/2, 42/3, 44, 45, 46, 47, 48, 49 & 50 of Chockkanahalli Village, Yelahanka Hobli, North Taluk, Bengaluru.

Kindly accept and acknowledge the receipt of the same.

Yours sincerely,  
For INFOSYS LIMITED



**VIKRANT KUDIGI**  
**AVP-SR. REGIONAL HEAD – FACILITIES**

**Enclosure:**

1. Copy of Form 4 Annual report
2. Copy of Biomedical Waste Authorization
3. Training Sheets

CC to: The Regional Officer, Bangalore North (Yelahanka RO.)



**INFOSYS LIMITED**  
CIN: L85110KA1981PLC013115  
44, Infosys Avenue  
Electronics City, Hosur Road  
Bengaluru 560 100, India  
T 91 80 2852 0261  
F 91 80 2852 0362  
askus@infosys.com  
www.infosys.com

**Form - IV**  
(See rule 13)  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No.	Particulars	
1.	Particulars of the Occupier	: <b>M/s Infosys Limited</b>
	(i) Name of the authorized person (occupier or operator of facility)	: <b>Mr. Vikrant Kudigi</b> AVP - Sr. Regional Head-Facilities
	(ii) Name of HCF or CBMWTF	: <b>Infosys Health Care (First aid Centre only)</b>
	(iii) Address for Correspondence	: <b>M/s Infosys Limited,</b> <b>Plot No 44, Electronic City, Hosur Road,</b> <b>Bengaluru -560100</b>
	(iv) Address of Facility	: <b>M/s Infosys Health Care,</b> Bharatiya Milestone Buildcon Pvt. Ltd., Sy. No. 32/1(P), 32/2(P), 32/3, 32/4, 35, 37, 38, 39, 40, 41, 42/1, 42/2, 42/3, 44, 45, 46, 47, 48, 49 & 50 of Chockkanahalli Village, Yelahanka Hobli, North Taluk, Bengaluru. (First aid Centre only)
	(v) Tel. No, Fax. No	: Ph. : 080 28520261, Fax No: 080- 28520339
	(vi) E-mail ID	: <u>infosys@infosys.com</u>
	(vii) URL of Website	: <u>www.infosys.com</u>
	(viii) GPS coordinates of HCF or CBMWTF	: <b>Latitude: 13.084027 &amp; Longitude: 77.640010</b>
	(ix) Ownership of HCF or CBMWTF	: State Government
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: Authorization No: <b>KSPCB/YELAHANKA(BYT)/EO/DEO/2019-20/760</b> Dtd: 13.11.2019 – One-time approved license
(xi). Status of Consents under Water Act and Air Act	: <b>Valid up to: 30.06.2026</b>	
2.	Type of Health Care Facility	: Consultation Centre (Basic first aid only)
	(i) Bedded Hospital	: No. of Beds : 01
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: -NA-
	(iii) License number and its date of expiry	: Reg No: <b>BLU028334AACD</b> Valid up to: 29.09.2024
3.	Details of CBMWTF	: -NA-
	(i) Number healthcare facilities covered by CBMWTF	: -NA-
	(ii) No of beds covered by CBMWTF	: -NA-
	(iii) Installed treatment and disposal capacity of CBMWTF:	: -NA-

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	-NA-								
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	<table border="1"> <tr> <td>Yellow Category</td> <td>: 4.0 Kgs/A</td> </tr> <tr> <td>Red Category</td> <td>: 2.42 Kgs/A</td> </tr> <tr> <td>White Category</td> <td>: 3.0 Kgs/A</td> </tr> <tr> <td>Blue Category</td> <td>: 2.68 Kgs/A</td> </tr> </table>	Yellow Category	: 4.0 Kgs/A	Red Category	: 2.42 Kgs/A	White Category	: 3.0 Kgs/A	Blue Category	: 2.68 Kgs/A
Yellow Category	: 4.0 Kgs/A										
Red Category	: 2.42 Kgs/A										
White Category	: 3.0 Kgs/A										
Blue Category	: 2.68 Kgs/A										
5	Details of the Storage, treatment, transportation, processing and Disposal Facility										
	(i) Details of the on-site storage facility	:	<table border="1"> <tr> <td>Size:</td> <td>60Sq.ft</td> </tr> <tr> <td>Capacity:</td> <td>12ltrs of bins</td> </tr> <tr> <td colspan="2">Provision of on-site storage: Designated area is made available for storage of Bio-medical waste.</td> </tr> </table>	Size:	60Sq.ft	Capacity:	12ltrs of bins	Provision of on-site storage: Designated area is made available for storage of Bio-medical waste.			
Size:	60Sq.ft										
Capacity:	12ltrs of bins										
Provision of on-site storage: Designated area is made available for storage of Bio-medical waste.											
	(ii) Details of the treatment or disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated/disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:</td> <td></td> <td></td> <td>-NA-</td> </tr> </tbody> </table>	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity treated/disposed in kg per annum	Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			-NA-
Type of treatment equipment	No of Units	Capacity Kg/day	Quantity treated/disposed in kg per annum								
Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			-NA-								
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	<table border="1"> <tr> <td>Red Category (like plastic, glass etc.)</td> </tr> <tr> <td>-NA-</td> </tr> </table>	Red Category (like plastic, glass etc.)	-NA-						
Red Category (like plastic, glass etc.)											
-NA-											
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1 Vehicle								
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:	<table border="1"> <thead> <tr> <th></th> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration Ash ETP Sludge</td> <td></td> <td>NA – The waste is sent to authorized KSPCB recycler</td> </tr> </tbody> </table>		Quantity generated	Where disposed	Incineration Ash ETP Sludge		NA – The waste is sent to authorized KSPCB recycler		
	Quantity generated	Where disposed									
Incineration Ash ETP Sludge		NA – The waste is sent to authorized KSPCB recycler									

	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	: M/s Medicare Environmental Management Pvt. Ltd., No.39, KIADB Industrial Area, Dobaspet, Nelamangala taluk, Bengaluru.
	(vii) List of member HCF not handed over bio-medical waste.	-NA-
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	-NA-
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	04
	(ii) Number of personnel trained	49
	(iii) Number of personnel trained at the time of induction	NIL
	(iv) Number of personnel not undergone any training so far	NIL
	(v) Whether standard manual for training is available?	-NA-
	(vi) any other information)	
8	Details of the accidents occurred during the year	NIL
	(i) Number of Accidents occurred	0
	(ii) Number of the persons affected	0
	(iii) Remedial Action taken (Please attach details if any)	-NA-
	(iv) Any Fatality occurred, details.	-NA-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	-NA-
	Details of Continuous online emission monitoring systems installed	-NA-
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	-NA-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	-NA-
12.	Any other relevant information	: (Air Pollution Control Devices attached with the Incinerator) - NA

Certified that the above report is for the period from 1<sup>st</sup> January 2022 to 31<sup>st</sup> December 2022

Date: 28-Jun-2023

Name: Vikrant Kudigi, AVP-Sr. Regional Head - Facilities

Place: Bengaluru

  
Signature of the Head of the Institution