

KSPCB/BMW/ANNUAL-RETURNS/2021/05

23<sup>rd</sup> June 2022

The Environmental Officer  
Parisara Bhavan, No.49, Church Street  
Karnataka State Pollution Control Board  
Bengaluru – 560001

Dear Sir/Madam,

**Subject: Submission of Form 4 Annual returns regarding disposal of Biomedical waste**

**Ref: No. KSPCB/BOM/DEO/2019-20/850 dtd. 29.07.2019**

We are here with submitting the FORM 4 Annual returns for disposal of Biomedical waste from our JP IT Park at Plot No.23, KEONICS, Sy. No. 13,14, 17, & 18, Konappana Agrahara Village, Begur Hobli, Electronic City 1st Phase, Bengaluru-560100.

Kindly accept and acknowledge the receipt of the same.

Yours sincerely,

For INFOSYS LIMITED



**VIKRANT KUDIGI**

**SR. REGIONAL HEAD – FACILITIES**



**Enclosure:**

1. Copy of Form 4 Annual report
2. Copy of Biomedical Waste Authorization
3. Training Sheets

CC to: The Regional Officer, Bangalore South (Bommanahalli RO.)

**INFOSYS LIMITED**

CIN: L85110KA1981PLC013115

44, Infosys Avenue  
Electronics City, Hosur Road  
Bengaluru 560 100, India

T 91 80 2852 0261

F 91 80 2852 0362

askus@infosys.com

**Form - IV**  
**(See rule 13)**  
**ANNUAL REPORT**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No.	Particulars	
1.	Particulars of the Occupier	: <b>M/s Infosys Limited</b>
	(i) Name of the authorized person (occupier or operator of facility)	: <b>Mr. Vikrant Kudigi</b> Sr. Regional Head-Facilities
	(ii) Name of HCF or CBMWTF	: <b>Infosys Health Care (First aid Centre only)</b>
	(iii) Address for Correspondence	: <b>Infosys Limited,</b> <b>Electronic City, Hosur Road,</b> <b>Bengaluru – 560100</b>
	(iv) Address of Facility	: <b>JP IT Park – Plot No.23, KEONICS</b> Sy No. 13, 14, 17 & 18, Konappana Agrahara Village, Begur Hobli, Electronic City Phase -1 Bengaluru – 560100
	(v) Tel. No, Fax. No	: Ph. : 080 28520261, Fax No: 080- 28520339
	(vi) E-mail ID	: <a href="mailto:infosys@infosys.com">infosys@infosys.com</a>
	(vii) URL of Website	: <a href="http://www.infosys.com">www.infosys.com</a>
	(viii) GPS coordinates of HCF or CBMWTF	: Latitude: <b>13.0836</b> and Longitude: <b>77.6426</b>
	(ix) Ownership of HCF or CBMWTF	: State Government
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	: Authorization No: <b>KSPCB/BOM/DEO/2019-20/850</b> <b>Dtd. 29.07.2019 – One-time approved license</b>
	(xi). Status of Consents under Water Act and Air Act	: <b>Valid up to: 30-09-2031</b>
2.	Type of Health Care Facility	: Consultation Centre (Basic first aid only)
	(i) Bedded Hospital	: No. of Beds : <b>01</b>
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: <b>-NA-</b>
	(iii) License number and its date of expiry	: Reg No: <b>BLU02533AACD</b> <b>Valid up to: 27.06.2024</b>
3.	Details of CBMWTF	: <b>-NA-</b>
	(i) Number healthcare facilities covered by CBMWTF	: <b>-NA-</b>
	(ii) No of beds covered by CBMWTF	: <b>-NA-</b>
	(iii) Installed treatment and disposal capacity of CBMWTF:	: <b>-NA-</b>



	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	-NA-			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 0 Kgs/A			
			Red Category : 0 Kgs/A			
			White Category : 0 Kgs/A			
			Blue Category : 0 Kgs/A			
			Sanitary Waste : 0 Kgs/A			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the on-site storage facility	:	Size: 66 Sq.ft			
			Capacity: 40 ltrs of bins			
			Provision of on-site storage: Designated area at main campus is made available for storage of Bio-medical waste.			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity treated/disposed in kg per annum
			Incinerators Plasma	}		-NA-
			Pyrolysis Autoclaves			
			Microwave Hydroclave			
			Shredder			
			Needle tip cutter or destroyer			
			Sharps			
			encapsulation or concrete pit			
			Deep burial pits:			
			Chemical disinfection:			
			Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)			
			-NA-			
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1 Vehicle			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	:		Quantity generated	Where disposed	
			Incineration	}	NA – The waste is sent to authorized KSPCB recycler	
			Ash			
			ETP Sludge			

	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	<b>M/s Maridi Bio Industries Pvt. Ltd</b> No-1/37 & 1/38, Gabbadikaval Village 35 <sup>th</sup> Mile Stone, Kanakapura Road Bengaluru-561112
	(vii) List of member HCF not handed over bio-medical waste.		-NA-
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		-NA-
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		01
	(ii) Number of personnel trained		04
	(iii) Number of personnel trained at the time of induction		NIL
	(iv) Number of personnel not undergone any training so far		NIL
	(v) Whether standard manual for training is available?		-NA-
	(vi) any other information)		
8	Details of the accidents occurred during the year		NIL
	(i) Number of Accidents occurred		0
	(ii) Number of the persons affected		0
	(iii) Remedial Action taken (Please attach details if any)		-NA-
	(iv) Any Fatality occurred, details.		-NA-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		-NA-
	Details of Continuous online emission monitoring systems installed		-NA-
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		-NA-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		-NA-
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) - NA

Certified that the above report is for the period from **1<sup>st</sup> January 2021 to 31<sup>st</sup> December 2021**

Date: **23-Jun-2022**

Name: **Vikrant Kudigi, Sr. Regional Head - Facilities**

Place: **Bengaluru**

Signature of the Head of the Institution

