

## KSPCB/BMW/ANNUAL-RETURNS/2022/06

28th June 2023

The Environmental Officer Parisara Bhavan, No.49, Church Street Karnataka State Pollution Control Board Bengaluru – 560001

Dear Sir/Madam,

<u>Subject: Submission of Form 4 Annual returns regarding disposal of Biomedical waste</u> <u>Ref: No. KSPCB/BOM/DEO/2019-20/849 dtd. 29.07.2019</u>

We are here with submitting the FORM 4 Annual returns for disposal of Biomedical waste for the period of January to December 2022 for Infosys Limited (Orion) situated at Sy. No 157 (P), Plot No.53, Electronics City Phase 1, Konappana Agrahara, Begur Hobli, Bengaluru – 560100.

Kindly accept and acknowledge the receipt of the same.

Yours sincerely,

For INFOSYS LIMITED

VIKRANT KUDIGI

AVP-SR. REGIONAL HEAD – FACILITIES

2 8 JUN 2023
KSPCB, Bangalore

## Enclosure:

- 1. Copy of Form 4 Annual report
- 2. Copy of Biomedical Waste Authorization
- 3. Training Sheets

CC to: The Regional Officer, Bangalore South (Bommanahalli RO)



INFOSYS LIMITED
CIN: L85110KA1981PLC013115
44. Infosys Avenue

44, Infosys Avenue Electronics City, Hosur Road Bengaluru 560 100, India T 91 80 2852 0261 F 91 80 2852 0362

askus@infosys.com www.infosys.com

## Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.No.	Particulars		10(533
1.	Particulars of the Occupier	:	M/s Infosys Limited
	(i) Name of the authorized person	:	Mr. Vikrant Kudigi
	(occupier or operator of facility)		AVP-Sr. Regional Head-Facilities
	(ii) Name of HCF or CBMWTF		Infosys Health Care (First aid Centre only)
	(iii) Address for Correspondence	:	M/s Infosys Limited,
			Plot No 44, Electronic City, Hosur Road,
			Bengaluru -560100
	(iv) Address of Facility		M/s Infosys Health Care,
			Sy. No. 157(P), Plot No.53, Electronic City,
		$\Box$	Bengaluru-560100 (First aid Centre only)
	(v)Tel. No, Fax. No	:	Ph.: 080 28520261, Fax No: 080- 28520339
	(vi) E-mail ID	:	infosys@infosys.com
	(vii) URL of Website		www.infosys.com
	(viii) GPS coordinates of HCF or CBMWTF		Latitude: 77. 6426 and Longitude: 77. 6426
	(ix) Ownership of HCF or CBMWTF	:	State Government
	•		
	(x). Status of Authorization under the	:	Authorization No: KSPCB/BOM/DEO/2019-20/849
	Bio-Medical Waste (Management and		Dtd. 29.07.2019 – One-time approved license
	Handling) Rules		Deta 25.072015 One time approved medica
	(xi). Status of Consents under Water	:	Valid Till 31.12.2022 (Applied for Renewal)
2.	Act and Air Act Type of Health Care Facility	:	Consultation Centre (Basic first aid only)
- 9	(i) Bedded Hospital	:	No. of Beds : 01
	(ii) Non-bedded hospital		-NA-
	(Clinic or Blood Bank or Clinical	.	-IVA-
	Laboratory or Research Institute or		
	Veterinary Hospital or any other)		
	(iii) License number and its date of expiry	-	Reg No:
100			BLU02532AACD
11 00	- Carlotte Comment		Valid up to: 27.06.2024
3./	Details of CBMWTF	:	-NA-
EJ (	(i) Number healthcare facilities	:	-NA-
JK /	covered by CBMWTF		
The case	(ii) No of beds covered by CBMWTF	:	-NA-
2.3	(iii) Installed treatment and disposal	:	-NA-
	capacity of CBMWTF:		

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	-NA-		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		Yellow Category : 5.417 Kgs/A  Red Category : 1.18 Kgs/A  White Category : 2.438 Kgs/A  Blue Category : 1.17 Kgs/A		
5	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	:	Size: 66 Sq.ft Capacity: 40 ltrs of bins		
		5)	Provision of on-site storage: Designated area is made available for storage of Bio-medical waste.		
	(ii) Details of the treatment or disposal facilities	:	Type of treatment No of Capacity Quantity equipment Units Kg/day treated/disposed in kg per annum		
			Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or		
			destroyer -NA- Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection:		
	P		Any other treatment equipment:		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) -NA-		
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	1 Vehicle		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Where generated disposed		
			Incineration Ash NA – The waste is sent to authorized KSPCB recycler		

	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s Maridi Bio Industries Pvt. Ltd No-1/37 & 1/38, Gabbadikaval Village 35 <sup>th</sup> Mile Stone, Kanakapura Road Bengaluru-561112
	(vii) List of member HCF not handed over bio-medical waste.	-	-NA-
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		-NA-
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		01
	(ii) Number of personnel trained		12
	(iii) Number of personnel trained at the time of induction		NIL
	(iv) Number of personnel not undergone any training so far		NIL.
	(v) Whether standard manual for training is available?		-NA-
	(vi) any other information)	L	
8	Details of the accidents occurred during the year		NIL
	(i) Number of Accidents occurred	,	0
	(ii) Number of the persons affected		0
	(iii) Remedial Action taken (Please attach details if any)		-NA-
	(iv) Any Fatality occurred, details.		-NA-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		-NA-
	Details of Continuous online emission monitoring systems installed		-NA-
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		-NA-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		-NA-
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) - NA

Certified that the above report is for the period from 1st January 2022 to 31st December 2022

Date: 28-Jun-2023

Name: Vikrant Kudigi, AVP Sr. Regional Head - Facilities

Place: Bengaluru

Signature of the Head of the Institution