

Date: 25th June 2019

To,

Member Secretary
Chandigarh Pollution Control Committee
Chandigarh

Sub: Annual Report for Biomedical waste in Form IV

Dear Sir,

In reference to subject we hereby submit the annual report for the Bio-Medical Waste generated in the calendar year **2018(January 2018 to December 2018) under Biomedical waste Management Rules, 2016**. We have disposed of **454.92 Kg** of biomedical waste including blue, yellow category waste along with sanitary waste from the campus to Alliance Envirocare Co Pvt Ltd.

Form IV is attached with all details.

Thanking you,

For Infosys Limited,



Shantanu Ghosh

Regional Manager-Facilities



INFOSYS LIMITED

CIN: L85110KA1981PLC013115

Plot No. 1

Rajiv Gandhi Technology Park

Chandigarh 160 101, India

T 91 172 503 8000

F 91 172 504 6860

Corporate Office:

44, Infosys Avenue

Electronics City, Hosur Road

Bangalore 560 100, India

T 91 80 2852 0261

F 91 80 2852 0362

askus@infosys.com

www.infosys.com

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	Mr. Puneet Singh Randhawa (Regional Head-Facilities)
	(ii) Name of HCF or CBMWTF	Infosys Limited
	(iii) Address for Correspondence	Infosys Limited, Plot No-1, Rajeev Gandhi Chandigarh Technology park, Kishangarh, Chandigarh-160101
	(iv) Address of Facility	Infosys Limited, Plot No-1, Rajeev Gandhi Chandigarh Technology park, Kishangarh, Chandigarh-160101
	(v) Tel. No, Fax. No	Tel: 0172-5038500 Fax: 0172-5046860
	(vi) E-mail ID	Puneet_randhawa@infosys.com
	(vii) URL of Website	-----
	(viii) GPS coordinates of HCF or CBMWTF	-----
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other): Not Applicable
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorization No.: CPCC/BMW/102/2017/49/501 dated 24/05/2017
(xi). Status of Consents under Water Act and Air Act	Valid up to: CPCC/GLIT/0522/2017/330/3787 dated 19/01/2017 valid up to 31.01.2027	
2.	Type of Health Care Facility	
	(i) Bedded Hospital	No. of Beds: NIL
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	First Aid Center
	(iii) License number and its date of expiry	Not Applicable
3.	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	Not Applicable
	(ii) No of beds covered by CBMWTF	Not Applicable
	(iii) Installed treatment and disposal capacity of CBMWTF:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category : 13.05 Kg per annum
		Red Category :
		White:
		Blue Category : 19.90 Kg per annum
		General Solid waste: 35.16 Kg/month (Sanitary pads)

		Training for the Biomedical waste generated in Medical center given to the Nurses who is in charge of the First Aid center.
	(ii) number of personnel trained	--
	(iii) number of personnel trained at the time of induction	--
	(iv) number of personnel not undergone any training so far	--
	(v) whether standard manual for training is available?	--
	(vi) any other information)	--
8.	Details of the accident occurred during the year	NIL
	(i) Number of Accidents occurred	--
	(ii) Number of the persons affected	--
	(iii) Remedial Action taken (Please attach details if any)	--
	(iv) Any Fatality occurred, details.	--
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12.	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from **January 2018 to December 2018**

.....



Name and Signature of the Head of the Institution

Date: 25th June 2019
 Place: Chandigarh