

Rajashekar Rao Brahmarauthu01

From: Rajashekar Rao Brahmarauthu01
Sent: Monday, May 4, 2020 10:52 PM
To: 'rr1.ro.ee@gmail.com'
Cc: Srinivas Chintam; Latha Ramasubramanyam; Venkatesh Sangam; dassgunalan
Subject: Annual Report - BMW - CY - 2019
Attachments: Infosys BPM SEZ Mantri - BMW - FORM-IV.PDF

Dear Sir/Madam,

Kind Atten: Environmental Engineer, RO-I, TSPCB, Begumpet, Hyderabad.

With reference to the above subject, herewith we are submitting the Annual Report (FORM-IV) towards Biomedical Medical Waste handled for the CY - 2019 (January to December) in respect of:

Infosys BPM Limited and Subsidiaries

**Survey No: 126, 127, 130, 131, 132 & 133, 11th & 10th and 9th Floor,
Mantri Cosmos, Nanakramguda Village, Serilingampally Mandal,
Rangareddy District, Telangana – 500008.**

Due to pandemic situation of Covid – 19, we are unable to submit returns at your good office. Kindly accept the returns as per attachment and acknowledge the same. Once the lockdown is released we will submit the returns copy to your office.

Kindly do the needful.

Regards,
Rajashekar Rao B
Sr. Manager – Facilities
Infosys Limited
9701474442
rajashekar_b01@infosys.com

INFOSYS BPM LIMITED
(Formerly Known as Infosys BPO Limited)
SEZ Unit in Mantri Developers Pvt Ltd
Tower A & B of Mantri Cosmos, 11th Floor,
Serilingampally Mandal, Nanakramguda Village
Rangareddy District, Telangana - 500032

de

Infosys®

IBPM-SEZ/HYD/FAC-PER/040520

May 4, 2020

The Environmental Engineer
Telangana State Pollution Control Board
Ward No.91, 2nd Floor, H-No.6-3-1219, Block C, Backside of country club,
Kundanbagh, Umanagar, Begumpet,
Hyderabad

Dear Sir,

Sub: Submission of Annual Report - Bio Medical Waste (Hazardous Waste Management (HWM)) for the period of 1st January 2019 to 31st December 2019 - M/s Infosys BPM Limited and Subsidiaries, Survey No: 126, 127, 130, 131, 132 & 133, 11th & 10th and 9th Floor, Mantri Cosmos, Nanakramguda Village, Serilingampally Mandal, Rangareddy District, Telangana - 500008 -- Reg.

With reference to the above subject, we are hereby submitting Annual report regarding disposal of Bio Medical Waste (Hazardous Waste Management) handled from 1st January 2019 to 31st December 2019 in FORM - IV.

Infosys BPM Limited and Subsidiaries
Survey No: 126, 127, 130, 131, 132 & 133, 11th & 10th and 9th Floor,
Mantri Cosmos, Nanakramguda Village, Serilingampally Mandal,
Rangareddy District, Telangana - 500008

Kindly acknowledge the receipt of the same.

Thanking you,

Yours sincerely,
for Infosys BPM Limited

(Dass Gunalan)
Associate Vice President & Regional Head - Facilities

Encl: a/a



Form – IV
(See rule 13)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCCF) or common bio-medical waste treatment facility (CBWTF)]

| Si. No | Particulars | | |
|--------|--|---|---|
| 1. | Particulars of the Occupier | : | |
| - | (i) Name of the authorized person (Occupier of operator of facility) | : | Infosys BPM Limited and Subsidiaries, represented by Mr. Dass Gunalan, Associate Vice President & Regional Head Facilities |
| | (ii) Name of HCF of CBMWTF | : | Disposing to Medicare Environmental Management Private Limited |
| | (iii) Address for Correspondence | : | Infosys BPM Limited and Subsidiaries - HYD SEZ Mantri Cosmos Tower A & B Survey No: 126, 127, 130,131, 132 & 133 10 & 11 th and 9 th floor, ISB Road, Financial District, Nanakramguda village, Serlingampally Mandal, Ranga Reddy Dist. Telangana, 500008. |
| | (iv) Address of Facility | : | Infosys BPM Limited and Subsidiaries - HYD SEZ Mantri Cosmos Tower A & B Survey No: 126, 127, 130,131, 132 & 133 10 & 11 th and 9 th floor, ISB Road, Financial District, Nanakramguda village, Serlingampally Mandal, Ranga reddy Dist. Telangana, 500008. |
| | (v) Tel. No, Fax. No | : | 040 4060 0000 |
| | (vi) E-Mail ID | : | rajashekar_b01@infosys.com |
| | (vii) URL of Website | : | www.infosys.com |
| | (viii) GPS coordinates of HCF of CBMWTF | : | NA |
| | (ix) Ownership of HCF or CBMWTF | : | (State Government or Private or Semi Govt. or any other) - NA |
| | (x) Status of Authorization under the Bio – Medical Waste (Management and Handling) Rules | : | Order No. 709/RR-I/TSPCB/RO-I/RRD/BMWA/2020-285 17.02.2020 |
| | (xi) Status of Consents under Water Act and Air Act | : | Valid up to: 31 st January 2024 |
| 2 | Type of Health Care Facility | : | |
| | (i) Bedded Hospital | : | No. of Beds: Observations Beds 01 |
| | (ii) Non – bedded hospital (Clinic of Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) | : | First Aid Center having tie up with Artmed Healthcare Private Limited |


| | | |
|----|---|--|
| | (iii) License number and its date of expiry | 414 /DM/&HO/RR/2008/ 10.10.2019 to expires 09.10.2024 |
| 3 | Details of CBMWTF | NA |
| | (i) Number healthcare facilities covered by CBMWTF | : 1 |
| | (ii) No of beds covered by CBMWTF | : 1 |
| | (iii) Installed treatment and disposal capacity of CBMWTF: | : _____ Kg per day |
| | (iv) Quantity of biomedical waste treated or disposed By CBMWTF | : 2 Kg/day |
| 4. | Quantity of waste generated of disposed in Kg per annum (on monthly average basis) | : Yellow Category : 1375.85 Red Category : 64.04 White: 1 kg Blue Category: 421 General Solid waste: |
| 5 | Details of the Storage, treatment, transportation, processing and Disposal Facility | |
| | (I) Details of the on - site storage facility | Size : 50 sft Capacity: NA Provision of on – site storage : (cold storage of any other provision) - NA- |
| | (ii) Details of the treatment or disposal facilities | : Type pf treatment No of acit treatedor Equipment Units Kg/day disposed In Kg annum -NA- Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer - Sharps Encapsulation or Concrete pit - Deep burial pits: Chemical Disinfection: - Any other treatment Equipment |
| | (iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg annum. | : Red Category (like plastic, glass etc.) |
| | (iv) No of vehicles used for collection and transportation of biomedical waste | Vendor will collect the bio medical waste |
| | (v) Details of incineration ash and ETP sludge generated and disposed | Quantity Where - NA- Generated disposed |

| | | |
|----|---|---|
| | During the treatment of wastes in Kg per annum | Incineration Ash - NA- ETP Sludge |
| | (vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of. | Medicare Environmental management Private Limited |
| | (vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of | Medicare Environmental management Private Limited |
| | (vii) List of member HCF not handed over bio – medical waste | NA |
| 6 | Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period | Safety Committee will discuss every quarter/month |
| 7 | Details trainings conducted in BMW | YES |
| | (i) Number of trainings conducted on BMW Management. | |
| | (ii) number of personnel trained | Concerned Personnel undergone for training |
| | (iii) number of personnel trained at the time of induction | As on when required |
| | (iv) number of personnel not undergone any training so far | NA |
| | (v) Whether standard manual for training is available? | YES |
| | (vi) any other information | |
| 8 | Details of the accident occurred during the year. | NIL |
| | (i) Number of Accidents occurred | NA |
| | (ii) Number of the persons affected | NA |
| | (iii) Remedial Action taken (please attach details if any) | NA |
| | (iv) Any Fatality occurred, details. | NA |
| 9 | Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? | NA |
| | Details of Continuous online emission monitoring systems installed | NA |
| 10 | Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? | NA |
| 11 | Is the disinfection method of sterilization meeting the log 4 standards? How many times you have not met the standards in a year? | NA |
| 12 | Any other relevant information | (Air pollution Control Devices attached with the Incinerator) - NA- Note: This is the new leased facility we have received the BMW authorization in the year 2020. We are filing the returns for the CY-2019. |

Certified that the above report is for the period from January 2019 to December 2019.

Date: 04/05/2020

Place: Hyderabad

 Name and Signature of the Head of the Institution