

IBPM-SEZ/HYD/FAC-PER/260623

June 26, 2023

The Environmental Engineer
Telangana State Pollution Control Board
Ward No.91, 2nd Floor, H-No.6-3-1219, Block C, Backside of country club,
Kundanbagh, Umanagar, Begumpet,
Hyderabad

Dear Sir,

Sub: Submission of Annual Report - Bio Medical Waste (Hazardous Waste Management (HWM)) for the period of **1st January 2022 to 31st December 2022** - M/s Infosys BPM Limited and Subsidiaries, Survey No: 126, 127, 130, 131, 132 & 133, 11th & 10th and 9th Floor, Mantri Cosmos, Nanakramguda Village, Serilingampally Mandal, Rangareddy District, Telangana - 500008 - Reg.


With reference to the above subject, we are hereby submitting Annual report regarding disposal of Bio Medical Waste (Hazardous Waste Management) handled from **1st January 2022 to 31st December 2022** in FORM - IV.


Infosys BPM Limited and Subsidiaries
Survey No: 126, 127, 130, 131, 132 & 133, 11th & 10th and 9th Floor,
Mantri Cosmos, Nanakramguda Village, Serilingampally Mandal,
Rangareddy District, Telangana - 500008

Kindly acknowledge the receipt of the same.

Thanking you,

Yours sincerely,
for Infosys BPM Limited


(Authorized Signatory)



Encl: a/a

(See rule 13)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		
1.	Particulars of the Occupier	:	
-	(i) Name of the authorized person (Occupier of operator of facility)	:	Mr. Venkatesh Sangam Regional Head - Facilities Tel: +91 40 30967463 Fax: 040-66341356 / 040-67011096
	(ii) Name of HCF of CBMWTF	:	Disposing to Medicare Environmental management Private Limited
	(iii) Address for Correspondence	:	Infosys BPM Limited- HYD SEZ and Subsidiaries, Mantri Cosmos Tower A & B Survey No: 126, 127, 130,131, 132 & 133 10 & 11 th floor, 9 th Floor, ISB Road, Financial District, Nanakramguda village, Serilingampally Mandal, Ranga reddy Dist. Telangana, 500032.
	(iv) Address of Facility	:	Infosys BPM Limited- HYD SEZ and Subsidiaries, Mantri Cosmos Tower A & B Survey No: 126, 127, 130,131, 132 & 133 10 & 11 th floor, 9 th Floor, ISB Road, Financial District, Nanakramguda village, Serilingampally Mandal, Ranga reddy Dist. Telangana, 500032.
	(v) Tel. No, Fax. No	:	040 4060 0000
	(vi) E-Mail ID	:	k.basha@infosys.com
	(vii) URL of Website	:	www.infosys.com
	(viii) GPS coordinates of HCF of CBMWTF	:	NA
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) – NA
	(x) Status of Authorization under the Bio – Medical Waste (Management and Handling) Rules	:	Authorization No.: Lr. No. TSPCB/BMWM/CBMWTF/S-1-1855 to 21.09.2019
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 31 st AUG 2026
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: Observations Beds 01
	(ii) Non – bedded hospital (Clinic of Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	First Aid Center having tie up with Lifetime Wellness Rx International Limited
	(iii) License number and its date of expiry	:	414/DM&HO/RR/2008/ 10.10.219 to expires 09.10.2024
3	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	1


	(ii) No of beds covered by CBMWTF	:	1
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	_0_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed By CBMWTF	:	0 Kg/day
4.	Quantity of waste generated of disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 3.15 KG Red Category: NIL White: NIL Blue Category: NIL General Solid waste: NIL
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on - site storage facility		Size : 50 sft Capacity: NA Provision of on-site storage: (cold storage of any other provision) - NA-
	(ii) Details of the treatment or disposal facilities	:	Type pf treatment No Cap Quantity of acit treated or Equipment Units Kg/day disposed annum In Kg -NA- Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer - Sharps Encapsulation or - Concrete pit Deep burial pits: Chemical Disinfection: - Any other treatment Equipment
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg annum.	:	Red Category (like plastic, glass etc.)
	(iv) No of vehicles used for collection and transportation of biomedical waste		Vendor will collect the bio medical waste
	(v) Details of incineration ash and ETP sludge generated and disposed		Quantity Where - NA- Generated disposed
	During the treatment of wastes in Kg per annum		Incineration Ash - NA- ETP Sludge
	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of.		Medicare Environmental management Private Limited
	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of		Medicare Environmental management Private Limited

	(vii) List of member HCF not handed over bio – medical waste		NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period		Safety Committee will discuss every quarter/month
7	Details trainings conducted in BMW		YES
	(i) Number of trainings conducted on BMW Management.		
	(ii) number of personnel trained		Concerned Personnel undergone for training
	(iii) number of personnel trained at the time of induction		As on when required
	(iv) number of personnel not undergone any training so far		NA
	(v) Whether standard manual for training is available?		YES
	(vi) any other information		
8	Details of the accident occurred during the year.		NIL
	(i) Number of Accidents occurred		NA
	(ii) Number of the persons affected		NA
	(iii) Remedial Action taken (please attach details if any)		NA
	(iv) Any Fatality occurred, details.		NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA
	Details of Continuous online emission monitoring systems installed		NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		NA
11	Is the disinfection method of sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12	Any other relevant information	:	(Air pollution Control Devices attached with the Incinerator) - NA -

Certified that the above report is for the period from January 2022 to December 2022.

Date: 26/06/2023

Place: Hyderabad


Name and Signature of the Head of the Institution