

IL-STPI/HYD/FAC-PER/280721

July 28, 2021

The Environmental Engineer
Telangana State Pollution Control Board
Ward No.91, 2nd Floor, H-No.6-3-1219, Block C, Backside of country club,
Kundanbagh, Umanagar, Begumpet,
Hyderabad

Dear Sir,

Sub: Re-Submission of Annual Report – Bio Medical Waste (Hazardous Waste

Management (HWM)) for the period of 1st January 2020 to 31st December 2020

- M/s Infosys Limited, # 210, Manikonda Village, Rajendranagar (m),

Lingampally, Rangareddy District, Hyderabad - 500 032 - Reg.

Ref: Our email dated and by courier dated 23.04.2021.

With reference to the above subject, we are hereby re-submitting Annual report as there is a discrepancy in BMW waste generated and disposal of Bio Medical Waste (Hazardous Waste Management) handled from 1st January 2020 to 31st December 2020 in FORM – IV.

Kindly acknowledge the receipt of the same.

Thanking you,

Yours sincerely, for Infosys Limited

Authorized Signatory

Encl: a/a

Form – IV (See rule 13)

[**To** be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCCF) or common bio-medical waste treatment facility (CBWTF)]

| Si. No | Particulars | | |
|--------|--|---|--|
| 1. | Particulars of the Occupier | : | |
| | (i) Name of the authorized person (Occupier of operator of facility) | : | Infosys Limited, represented by Mr. Dass Gunalan, Associate Vice President & Regional Head Facilities |
| | (ii) Name of HCF of CBMWTF | : | Disposing to CBMWTF M/s. M/s. Medicare Environmental Management Pvt ltd. |
| | (iii) Address for Correspondence | : | Infosys Limited, Sy. No. 210, Mandkonda Village, Rajendranagar Mandal, Lingampally, Gachibowli, RR District, Hyderabad - 500032. |
| | (iv) Address of Facility | | Infosys Limited, Sy. No. 210, Mandkonda Village, Rajendranagar Mandal, Lingampally, Gachibowli, RR District, Hyderabad - 500032. |
| | (v) Tel. No, Fax. No | : | 040 4060 0000 |
| | (vi) E-Mail ID | : | rajashekar_b01@infosys.com |
| | (vii) URL of Website | | www.infosys.com |
| | (viii) GPS coordinates of HCF of CBMWTF | | NA |
| | (ix) Ownership of HCF or CBMWTF | : | (State Government or Private or Semi Govt. or any other) - NA |
| | (x) Status of Authorization under the Bio – Medical | : | Authorization No.: Lr. No. 156/APPCB/BMW |
| | Waste (Management and Handling) Rules | | /H13/RO.1-RRD/2016-6369 20.01.2016 to 31.01.2018 |
| | (xi) Status of Consents under Water Act and Air Act | : | Valid up to: 31.03.2022 |
| 2 | Type of Health Care Facility | : | |
| | (i) Bedded Hospital | : | No. of Beds: Observations Beds 01 |
| | (ii) Non – bedded hospital (Clinic of Blood Bank or Clinical Laboratory or Research | : | First Aid Center having tie up with Lifetime Wellness RX international Ltd |
| | Institute or Veterinary Hospital or any other) | | |
| | (iii) License number and its date of expiry | | 414 /DM/&HO/RR/2008/ 19.10.2016 to expires 20.12.2021 |
| 3 | Details of CBMWTF | | NA |
| | (i) Number healthcare facilities covered by CBMWTF | : | |
| | (ii) No of beds covered by CBMWTF | : | |
| | (iii) Installed treatment and disposal capacity of CBMWTF: | - | Kg per day |

| | (iv) Quantity of biomedical waste treated or disposed By CBMWTF | | Kg/day | | | |
|----|--|---|--|--|--|--|
| 4. | Quantity of waste generated of disposed in Kg per annum (on monthly average basis) | : | Yellow Category: 1945.575 Kgs Red Category: 26.25 Kgs White: 0 kg | | | |
| | | | Blue Category: 479.095 kgs | | | |
| 5 | Details of the Storage, treatment, transportation, processing and Disposal Facility | | | | | |
| | (I) Details of the on - site storage facility | | Size: 150 Sq. ft Capacity: NA Provision of on – site storage: (cold storage of | | | |
| | (ii) Details of the treatment or disposal facilities | : | any other provision) - NA- Type pf treatment No Cap Quantity of acit treatedor Equipment Units Kg/day disposed In Kg | | | |
| | | | -NA- annum Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer - Sharps Encapsulation or - Concrete pit Deep burial pits: Chemical Disinfection: - Any other treatment | | | |
| | (iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg annum. (iv) No of vehicles used for collection and | : | Red Category (like plastic, glass etc.) Vendor will collect the bio medical waste | | | |
| | transportation of biomedical waste (v) Details of incineration ash and ETP sludge generated and disposed | | Quantity Where - NA- Generated disposed | | | |
| | During the treatment of wastes in Kg per annum | | Incineration Ash - NA- ETP Sludge | | | |
| | (vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of. | 1 | M/s. Medicare Environmental Management Pvt ltd. | | | |

| | (vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of | | M/s. Medicare Environmental Management Pvt ltd. |
|----|---|---|---|
| | (vii) List of member HCF not handed over bio – medical waste | | NA |
| 6 | Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period | | Safety Committee will discuss every quarter/month |
| 7 | Details trainings conducted in BMW (i) Number of trainings conducted on BMW Management. | | YES |
| | (ii) number of personnel trained | | Concerned Personnel undergone for training |
| | (iii) number of personnel trained at the time of induction | | As on when required |
| | (iv) number of personnel not undergone any training so far | | NA |
| | (v) Whether standard manual for training is available? (vi) any other information | | YES |
| 8 | Details of the accident occurred during the year. | | NIL |
| | (i) Number of Accidents occurred | | NA |
| | (ii)Number of the persons affected | | NA |
| | (iii) Remedial Action taken (please attach details if any) | | NA |
| | (iv) Any Fatality occurred, details. | | NA |
| 9 | Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? | | NA ** |
| | Details of Continuous online emission monitoring systems installed | | NA |
| 10 | Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? | | NA |
| 11 | Is the disinfection method of sterilization meeting the log 4 standards? How many times you have not met the standards in a year? | | NA |
| 12 | Any other relevant information | : | (Air pollution Control Devices attached with the Incinerator) - NA- |

Certified that the above report is for the period from January 2020 to December 7020.

Name and Signature of the Head of the Institution

Date: 28/04/2021 Place: Hyderabad