

IL-SEZ/HYD/FAC/280623

June 28, 2023

✓ Environmental Engineer
Telangana State Pollution Control Board,
Regional Office – I, Ranga Reddy District,
H.No- 6-3-1219, Block C, Ward No.91,
2nd floor, Backside of Country Club,
Kundanbagh, Umanagar, Begumpet,
Hyderabad- 500016

Dear Sir,

Sub: Submission of Annual Report – Bio Medical Waste - Hazardous Waste Management (HWM) for the period of 1st January 2022 to 31st December 2022 – Survey No. 50 (part) 51, 54, 49, 48, 44 & 45 (part) 41 (part), 36 (part), 58 (part), 60 (part), Pocharam Village, Ghatkesar Mandal, Medchal - Malkajgiri District – 500 088- Reg.


With reference to the above subject, we are hereby submitting Annual Report regarding disposal of Bio-Medical Waste (Hazardous Waste Management) handled from 1st January 2022 to 31st December 2022 in FORM – IV.

Infosys Limited, SEZ
Survey Nos. 50 (part) 51, 54, 49, 48, 44 & 45 (part), 41 (part), 36(part), 58 (part), 60 (part),
Pocharam Village, Ghatkesar Mandal,
Medchal – Malkajgiri District - 500 088

Kindly acknowledge the receipt of the same.

Thanking you,

Yours sincerely,
for Infosys Limited


Authorized Signatory



Encl: a/a

INFOSYS LIMITED
SEZ Survey No. 41 (pt) 50 (pt)
Pocharam Village
Singapore Township PO
Ghatkesar Mandal
Malkajgiri – Medchal District
Hyderabad 500 088, India
T 91 40 4060 0000
F 91 40 6634 1356

Corporate Office:
CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com

Form – IV
(See rule 13)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCCF) or common bio-medical waste treatment facility (CBWTF)]

Si. No	Particulars	
1.	Particulars of the Occupier	:
-	(i) Name of the authorized person (Occupier of operator of facility)	: Infosys Limited, represented by Mr. Venkatesh Sangam, Regional Head - Facilities
	(ii) Name of HCF of CBMWTF	: Disposing to CBMWTF M/s. GJ Multiclaves (india) pvt.ltd.
	(iii) Address for Correspondence	: SEZ Survey No. 41 (pt) 50 (pt), Pocharam Village, Singapore Township PO, Ghatkesar Mandal, Rangareddy District, Hyderabad, Telangana 500088
	(iv) Address of Facility	: SEZ Survey No. 41 (pt) 50 (pt), Pocharam Village, Singapore Township PO, Ghatkesar Mandal, Rangareddy District, Hyderabad, Telangana 500088
	(v) Tel. No, Fax. No	: 040 66341356
	(vi) E-Mail ID	: Rajashekar.kataram@infosys.com
	(vii) URL of Website	: www.infosys.com
	(viii) GPS coordinates of HCF of CBMWTF	: NA
	(ix) Ownership of HCF or CBMWTF	: (State Government or Private or Semi Govt. or any other) - NA
	(x) Status of Authorization under the Bio – Medical Waste (Management and Handling) Rules	: Authorization No.: Lr. No. 272/PCB/RO/RRD/BMWM/AUTH/2023-1735
	(xi) Status of Consents under Water Act and Air Act	: Valid up to: 31.08.2023
2	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: Observation Beds 04
	(ii) Non – bedded hospital (Clinic of Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: First Aid Center having tie up with Lifetime wellness RX international limited
	(iii) License number and its date of expiry	: 6367/DMHO/MDCL/2022 EXP:17.09.2027
3	Details of CBMWTF	: NA
	(i) Number healthcare facilities covered by CBMWTF	:
	(ii) No of beds covered by CBMWTF	:
	(iii) Installed treatment and disposal capacity of CBMWTF:	: NA
	(iv) Quantity of biomedical waste treated or disposed By CBMWTF	: NA
4.	Quantity of waste generated of disposed in Kg per annum (on monthly average basis)	: Yellow Category : 6954.85 (Include Covid Waste) Red Category : 1.595

		White : 10.11
		Blue Category : 0.00
5	Details of the Storage, treatment, transportation, processing, and Disposal Facility	
	(I) Details of the on - site storage facility	Size : 150 Sq. ft
		Capacity : NA
		Provision of on – site storage: (cold storage of any other provision) - NA-
	(ii) Details of the treatment or disposal facilities	: Type of treatment No Cap Quantity of acity treated or Equipment Units Kg/day disposed In Kg annum -NA- Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer - Sharps Encapsulation or - Concrete pit Deep burial pits: Chemical Disinfection: - Any other treatment Equipment
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg annum.	: Red Category (like plastic, glass etc.) - NA-
	(iv) No of vehicles used for collection and transportation of biomedical waste	Vendor will collect the bio medical waste (GJ Multiclave - TS 09UC 2908)
	(v) Details of incineration ash and ETP sludge generated and disposed	Quantity Where Generated disposed - NA-
	(vi) During the treatment of wastes in Kg per annum	Incineration Ash - NA- ETP Sludge
	(vii) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of.	M/s. GJ Multiclaves (india) pvt.ltd.
	(vii) List of member HCF not handed over bio – medical waste	NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period	will discuss in Safety Committee every quarter/month
7	Details trainings conducted in BMW	1. BIO MEDICAL HANDLING TRAINING 2. GENERATION AND COLLECTION OF BIO MEDICAL WASTE

	(i) Number of trainings conducted on BMW Management.	12
	(ii) number of personnel trained	7
	(iii) number of personnel trained at the time of induction	1
	(iv) number of personnel not undergone any training so far	NA
	(v) Whether standard manual for training is available?	YES
	(vi) any other information	
8	Details of the accident occurred during the year.	NIL
	(i) Number of Accidents occurred	NA
	(ii) Number of the persons affected	NA
	(iii) Remedial Action taken (please attach details if any)	NA
	(iv) Any Fatality occurred, details.	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11	Is the disinfection method of sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	: (Air pollution Control Devices attached with the Incinerator) - NA-

Certified that the above report is for the period from January 2022 to December 2022

Date: 28-Jun-23

Place: Hyderabad



Venkatesh Sangam

Regional Head-Facilities