

IL-SEZ/HYD/FAC-PER/090519

May 9, 2019

Environmental Engineer
Telangana State Pollution Control Board,
Regional Office – I, Ranga Reddy District,
H.No- 6-3-1219, Block C, Ward No.91,
2nd floor, Backside of Country Club,
Kundanbagh, Umanagar, Begumpet,
Hyderabad- 500016

Dear Sir,

Sub: Submission of Annual Report – Bio Medical Waste - Hazardous Waste Management (HWM) for the period of 1st January 2018 to 31st December 2018 – Survey No. 50 (part) 51, 54, 49, 48, 44 & 45 (part) 41 (part), 36 (part), 58 (part), 60 (part), Pocharam Village, Ghatkesar Mandal, Medchal District, Hyderabad – 500 088- Reg.

With reference to the above subject, we are hereby submitting Annual report regarding disposal of Bio-Medical Waste (Hazardous Waste Management) handled from 1st January 2018 to 31st December 2018 in FORM – IV.

Kindly acknowledge the receipt of the same.

Thanking you,

Yours sincerely, For Infosys Limited

(Dass Gunalan)

Associate Vice President & Regional Head - Facilities

Encl: a/a



INFOSYS LIMITED

SEZ Survey No. 41 (pt) 50 (pt)
Pocharam Village, Singapore Township PO
Ghatkesar Mandal, Rangareddy (Dist.)
Hyderabad 500 088, India
T 91 40 4060 0000
F 91 40 6634 1356

Corporate Office: CIN: L85110KA1981PLC013115

44, Infosys Avenue Electronics City, Hosur Road Bengaluru 560 100, India T 91 80 2852 0261 F 91 80 2852 0362 askus@infosys.com

www.infosys.com

Form – IV (See rule 13)

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCCF) or common bio-medical waste treatment facility (CBWTF)]

Si. No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (Occupier of operator of facility)	:	Infosys Limited, represented by Mr. Dass Gunalan, Associate Vice President & Regional Head Facilities
	(ii) Name of HCF of CBMWTF	:	Disposing to CBMWTF M/s. GJ Multiclaves (India) Pvt. Ltd.
	(iii) Address for Correspondence	•	SEZ Survey No. 41 (pt) 50 (pt), Pocharam Village, Singapore Township PO, Ghatkesar Mandal, Rangareddy District, Hyderabad, Telangana 500088
	(iv) Address of Facility		SEZ Survey No. 41 (pt) 50 (pt), Pocharam Village, Singapore Township PO, Ghatkesar Mandal, Rangareddy District, Hyderabad, Telangana 500088
	(v) Tel. No, Fax. No	:	040 4060 0000
	(vi) E-Mail ID	:	rajashekar b01@infosys.com
	(vii) URL of Website		www.infosys.com
	(viii) GPS coordinates of HCF of CBMWTF		NA
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) - NA
	(x) Status of Authorization under the Bio – Medical Waste (Management and Handling) Rules	:	Authorization No.: Lr. No. 272/BMW/PCB/RO.I-RRD/2018-2322
	(xi) Status of Consents under Water Act and Air Act	:	Valid up to: 30.06.2023
2	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds: Observations Beds 04
	(ii) Non – bedded hospital	;	First Aid Center having tie up with Lifetime welleness Rx International Limtied
	(Clinic of Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		,
	(iii) License number and its date of expiry	-	414/DM&HO/MED/2008 EXP:17.09.2022
3	Details of CBMWTF		NA
 	(i) Number healthcare facilities covered by CBMWTF	+	197
	(ii) No of beds covered by CBMWTF	 :	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day

	(iv) Quantity of biomedical waste treated or disposed By CBMWTF	;	Kg/day
4.	Quantity of waste generated of disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 650Kgs
			Red Category :39 Kgs
			White: 1 kg
			Blue Category: 47 kgs
			General Solid waste: 60,000
5	Details of the Storage, treatment, transportation, process	sin	
	(I) Details of the on - site storage facility		Size: 150 Sq. ft
	. ,		Capacity: NA
			Provision of on – site storage: (cold storage of
			any other provision) - NA-
	(ii) Details of the treatment or disposal facilities	;	Type pf treatment No Cap Quantity
			of acit treated or
			Equipment Units Kg/day disposed In Kg
			-NA- annum
			Incinerators
			Plasma Pyrolysis
			Autoclaves
			Microwave
			Hydroclave
			Shredder
			Needle tip cutter or
	·		Destroyer -
			Sharps
			Encapsulation or -
	·		Concrete pit
			Deep burial pits:
			Chemical
			Disinfection: -
			Any other treatment
	.=	į	Equipment
	(iii) Quantity of recyclable wastes sold to authorized	:	Red Category (like plastic, glass etc.)
	recyclers after treatment in kg annum.		
	(iv) No of vehicles used for collection and		Vendor will collect the bio medical waste
	transportation of biomedical waste		
	(v) Details of incineration ash and ETP sludge generated		Quantity Where - NA-
	and disposed		Generated disposed
	During the treatment of wastes in Kg per annum		Incineration Ash - NA- ETP Sludge
	(vi) Name of the Common Bio Medical Waste		M/s. GJ Multiclaves (India) Pvt.Ltd.
	Treatment Facility Operator through which wastes are		
	disposed of.		

	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of	M/s. GJ Multiclaves (India) Pvt.Ltd.
	(vii) List of member HCF not handed over bio – medical waste	NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period	Safety Committee will discuss every quarter/month
7	Details trainings conducted in BMW (i) Number of trainings conducted on BMW Management.	YES
	(ii) number of personnel trained	Concerned Personnel undergone for training
	(iii) number of personnel trained at the time of induction	As on when required
	(iv) number of personnel not undergone any training so far	NA
	(v) Whether standard manual for training is available? (vi) any other information	YES
8	Details of the accident occurred during the year.	NIL
	(i) Number of Accidents occurred	NA
	(ii)Number of the persons affected	NA
	(iii) Remedial Action taken (please attach details if any)	NA
	(iv) Any Fatality occurred, details.	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11	Is the disinfection method of sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	: (Air pollution Control Devices attached with the Incinerator) - NA-

Certified that the above report is for the period from January 2018 to December 2018.

Name and Signature of the Head of the Institution

YS LIM

Date: 09/05/2019 Place: Hyderabad