

O/C

IL-STP/HYD/FAC/BMW RETURNS/300623

June 30, 2023

Environmental Engineer  
Telangana State Pollution Control Board,  
Regional Office – I, Ranga Reddy District,  
H. No- 6-3-1219, Block C, Ward No.91,  
2nd floor, Backside of Country Club,  
Kundanbagh, Umanagar, Begumpet,  
Hyderabad- 500016

Dear Sir,


Sub: Submission of Annual Report – Bio Medical Waste - Hazardous Waste Management (HWM) for the period of 1st January 2022 to 31st December 2022 – M/s Infosys Limited #210, Manikonda Village, Lingampally, Ranga Reddy District, Hyderabad – 500 032 – Reg.

With reference to the above subject, we are hereby submitting Annual Report regarding disposal of Bio-Medical Waste (Hazardous Waste Management) handled from 1st January 2022 to 31st December 2022 in FORM – IV.

Infosys Limited  
#210, Manikonda Village, Lingampally,  
Ranga Reddy District, Hyderabad – 500 032

Thanking you,

Yours sincerely,  
for Infosys Limited



Authorized Signatory



Encl: a/a

**INFOSYS LIMITED**  
Survey No. 210  
Manikonda Village, Lingampally  
Rangareddy (Dist.)  
Hyderabad 500 032, India  
T 91 40 6642 0000  
F 91 40 2300 5223

Corporate Office:  
CIN: L85110KA1981PLC013115  
44, Infosys Avenue  
Electronics City, Hosur Road  
Bengaluru 560 100, India  
T 91 80 2852 0261  
F 91 80 2852 0362  
askus@infosys.com  
www.infosys.com

Form – IV  
(See rule 13)  
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCCF) or common bio-medical waste treatment facility (CBMWTF)]

Si. No	Particulars	
1.	Particulars of the Occupier	: <b>M/s Infosys Limited</b>
-	(i) Name of the authorized person (Occupier of operator of facility)	: Mr. Venkatesh Sangam Regional Head - Facilities
	(ii) Name of HCF of CBMWTF	: Disposing to CBMWTF M/s. Medicare Environmental Management Pvt Ltd
	(iii) Address for Correspondence	: Infosys Limited, Sy. No. 210, Manikonda village, Rajendranagar Mandal, Lingampally, Gachibowli, RR District, Hyderabad- 500032
	(iv) Address of Facility	: Infosys Limited, Sy. No. 210, Manikonda village, Rajendranagar Mandal, Lingampally, Gachibowli, RR District, Hyderabad- 500032
	(v) Tel. No, Fax. No	: 040 67022096
	(vi) E-Mail ID	: Kavitha_chinta@infosys.com
	(vii) URL of Website	: www.infosys.com
	(viii) GPS coordinates of HCF of CBMWTF	: NA
	(ix) Ownership of HCF or CBMWTF	: (State Government or Private or Semi Govt. or any other) - NA
	(x) Status of Authorization under the Bio – Medical Waste (Management and Handling) Rules	: Authorization No.: Lr. No. 156/APPCB/BMW/H13/RO.1 RRD/2016-6369 20.01.2016 to 31.01.2018
	(xi) Status of Consents under Water Act and Air Act	: Valid up to: 31.03.2023
2	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: Observation Beds 01
	(ii) Non – bedded hospital (Clinic of Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: First Aid Center having tie up with Lifetime wellness RX international limited
	(iii) License number and its date of expiry	: 414/DM&HO/MED/2008 EXP:20.12.2026
3	Details of CBMWTF	: NA
	(i) Number healthcare facilities covered by CBMWTF	:
	(ii) No of beds covered by CBMWTF	:
	(iii) Installed treatment and disposal capacity of CBMWTF:	: _____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed By CBMWTF	: _____ Kg/day

4.	Quantity of waste generated of disposed in Kg per annum (on monthly average basis)	: Yellow Category: 3622 Kgs / annum Red Category : 10.99 Kgs/ annum White : 0.3 Kgs/annum Blue Category : 22.07 Kgs/annum
5	Details of the Storage, treatment, transportation, processing, and Disposal Facility	
	(i) Details of the on - site storage facility	Size : 150 Sq. ft Capacity : NA Provision of on – site storage: (cold storage of any other provision) - NA-
	(ii) Details of the treatment or disposal facilities	: Type of treatment No of Cap Quantity Equipment Units Kg/day treated or disposed In Kg annum -NA- Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or Destroyer - Sharps Encapsulation or - Concrete pit Deep burial pits: Chemical Disinfection: - Any other treatment Equipment
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg annum.	: Red Category (like plastic, glass etc.) - NA-
	(iv) No of vehicles used for collection and transportation of biomedical waste	Vendor will collect the bio medical waste
	(v) Details of incineration ash and ETP sludge generated and disposed	Quantity Where Generated disposed - NA-
	During the treatment of wastes in Kg per annum	Incineration Ash - NA- ETP Sludge
	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of.	M/s. Medicare Environmental Management Pvt ltd.

	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of	M/s. Medicare Environmental Management Pvt Ltd.
	(vii) List of member HCF not handed over bio – medical waste	NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period	Safety Committee will discuss every quarter/month
7	Details trainings conducted in BMW	YES
	(i) Number of trainings conducted on BMW Management.	
	(ii) number of personnel trained	Concerned Personnel undergone for training
	(iii) number of personnel trained at the time of induction	As on when required
	(iv) number of personnel not undergone any training so far	NA
	(v) Whether standard manual for training is available?	YES
	(vi) any other information	
8	Details of the accident occurred during the year.	NIL
	(i) Number of Accidents occurred	NA
	(ii) Number of the persons affected	NA
	(iii) Remedial Action taken (please attach details if any)	NA
	(iv) Any Fatality occurred, details.	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11	Is the disinfection method of sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	: (Air pollution Control Devices attached with the Incinerator) - NA-

Certified that the above report is for the period from 1<sup>st</sup> January 2022 to 31<sup>st</sup> December 2022

Date: 30-June-2023  
Place: Hyderabad

Name and Signature of the Head of the Institution



Venkatesh Sangam  
Regional Head Facilities