

KSPCB/BMW/ANNUAL-RETURNS/2025/07

25th June 2026

The Environmental Officer
Bio Medical Waste Management Cell
Karnataka State Pollution Control Board
Parisara Bhavan, No.49, Church Street
Bengaluru – 560001

Dear Sir/Madam,

Subject: Submission of Form 4 Annual returns regarding disposal of Biomedical waste

Authorization No:- 203772 dtd 27.09.2023

We are here with submitting the FORM 4 Annual returns for disposal of Biomedical Waste Annual returns for our campus located at Infosys Limited (Northgate), Khata No 1325/2/2, Sy.No.2/2, Venkata Village, Yelahanka hobli, Bangalore.

Kindly accept and acknowledge the receipt of the same.

Yours Sincerely,

For INFOSYS LIMITED



AUTHORIZED SIGNATORY

Enclosure:

1. Copy of Form 4
2. Copy of Biomedical Waste Authorization
3. Training Sheets & Annexure-1

CC to: The Regional Officer, Bangalore North (Yelahanka RO.)



INFOSYS LIMITED
CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No.	Particulars		
1.	Name of the Occupier	:	M/s Infosys Limited
	(i) Name of the authorized person (occupier or operator of facility)	:	Sriram M D, Sr. Regional Manager –Facilities
	(ii) Name of HCF or CBMWTF	:	Infosys Health Care (First aid Centre only)
	(iii) Address for Correspondence	:	Infosys Limited, Plot No 44, Electronic City, Hosur Road, Bengaluru - 560100
	(iv) Address of Facility	:	Northgate - Khata No 1325/2/2, Sy.No.2/2, Venkatala Village, Yelahanka hobli, Bangalore
	(v) Tel. No, Fax. No	:	Ph. : 080 28520261, Fax No: 080- 28520339
	(vi) E-mail ID	:	<u>infosys@infosys.com</u>
	(vii) URL of Website	:	<u>www.infosys.com</u>
	(viii) GPS coordinates of HCF or CBMWTF	:	Latitude: 13.1167 and Longitude: 77. 6056
	(ix) Ownership of HCF or CBMWTF	:	State Government
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No: 203772 Dtd. 27.09.2023 – One-time approved license
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 30/06/2025 (Under renewal)
2.	Type of Health Care Facility	:	Consultation Centre (Basic first aid only)
	(i) Bedded Hospital	:	No. of Beds : 01
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	-NA-
	(iii) License number and its date of expiry	:	Reg No: BLU06746ALCOC Valid up to: 08.02.2029
3.	Details of CBMWTF	:	-NA-
	(i) Number healthcare facilities covered by CBMWTF	:	-NA-
	(ii) No of beds covered by CBMWTF	:	-NA-
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	-NA-

	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	: M/s Medicare Environmental Management Pvt Limited Ramky House, 4th floor, Site No 25 to 30, Raghavendra Nagar, Kalyan Nagar (Post) Bangalore-560 043
	(vii) List of member HCF not handed over bio-medical waste.	-NA-
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, attached as Annexure-1
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	01
	(ii) Number of personnel trained	01
	(iii) Number of personnel trained at the time of induction	NIL
	(iv) Number of personnel not undergone any training so far	NIL
	(v) Whether standard manual for training is available?	-NA-
	(vi) any other information)	
8	Details of the accidents occurred during the year	NIL
	(i) Number of Accidents occurred	0
	(ii) Number of the persons affected	0
	(iii) Remedial Action taken (Please attach details if any)	-NA-
	(iv) Any Fatality occurred, details.	-NA-
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	-NA-
	Details of Continuous online emission monitoring systems installed	-NA-
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	-NA-
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	-NA-
12.	Any other relevant information	: (Air Pollution Control Devices attached with the Incinerator) - NA

Certified that the above report is for the period from 1st January 2025 to 31st December 2025

Date: 25-Jun-2026

Name: Sriram M D, Sr. Regional Manager - Facilities

Place: Bengaluru

Signature of the Head of the Institution