

IL-STP/HYD/FAC/BMW RETURNS/2906256

June 29, 2026

Environmental Engineer
Telangana State Pollution Control Board,
Regional Office – I, Ranga Reddy District,
H. No- 6-3-1219, Block C, Ward No.91,
2nd floor, Backside of Country Club,
Kundanbagh, Umanagar, Begumpet,
Hyderabad- 500016.

Dear Sir,

Sub: Submission of Annual Report – Bio Medical Waste - Hazardous Waste
Management (HWM) for the period of 1st January 2025 to 31st December 2025 –
M/s Infosys Limited #210, Manikonda Village, Lingampally, Ranga Reddy
District, Hyderabad – 500 032 – Reg.

With reference to the above subject, we are hereby submitting Annual Report regarding
disposal of Bio-Medical Waste (Hazardous Waste Management) handled from 1st January 2025
to 31st December 2025 in FORM – IV.

Infosys Limited
#210, Manikonda Village, Lingampally,
Ranga Reddy District, Hyderabad – 500 032

Thanking you,

Yours sincerely,

For Infosys Limited



Authorized Signatory



CC: TSPCB, Sanathnagar, Hyderabad

INFOSYS LIMITED

Survey No. 210
Manikonda Village, Lingampally
Rangareddy (Dist.)
Hyderabad 500 032, India
T 91 40 6642 0000
F 91 40 2300 5223

Corporate Office:

CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com

Form – IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCCF) or common bio-medical waste treatment facility (CBMWTF)]

Sl. No	Particulars	
1.	Particulars of the Occupier	: M/s Infosys Limited
-	(i) Name of the authorized person (Occupier of operator of facility)	: Mr. Ravishankar T Regional Head - Facilities
	(ii) Name of HCF of CBMWTF	: Disposing to CBMWTF M/s. Medicare Environmental Management Pvt Ltd
	(iii) Address for Correspondence	: Infosys Limited, Sy. No. 210, Manikonda village, Rajendranagar Mandal, Lingampally, Gachibowli, RR District, Hyderabad- 500032
	(iv) Address of Facility	: Infosys Limited, Sy. No. 210, Manikonda village, Rajendranagar Mandal, Lingampally, Gachibowli, RR District, Hyderabad- 500032
	(v) Tel. No, Fax. No	: 9154349437
	(vi) E-Mail ID	: abhishekreddy.y@infosys.com
	(vii) URL of Website	: www.infosys.com
	(viii) GPS coordinates of HCF of CBMWTF	: NA
	(ix) Ownership of HCF or CBMWTF	: (State Government or Private or Semi Govt. or any other) - NA
	(x) Status of Authorization under the Bio – Medical Waste (Management and Handling) Rules	: Authorization No.: Lr. No. 226/PCB/RO/RRD/BMWM/AUTH/2023-2082.
	(xi) Status of Consents under Water Act and Air Act	: Valid up to: 31.03.2027
2	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds: Observation Beds 01
	(ii) Non – bedded hospital (Clinic of Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: First Aid Center having tie up with Lifetime wellness RX international limited
	(iii) License number and its date of expiry	: 414/DM&HO/MED/2008 EXP:20.12.2026
3	Details of CBMWTF	: NA
	(i) Number healthcare facilities covered by CBMWTF	:
	(ii) No of beds covered by CBMWTF	:
	(iii) Installed treatment and disposal capacity of CBMWTF:	: _____ Kg per day

	(iv) Quantity of biomedical waste treated or disposed By CBMWTF	:	_____ Kg/day
s4.	Quantity of waste generated disposed in Kg per annum (on monthly average basis)	:	Yellow Category: 656.646 Kgs / annum Red Category : 10.285 Kgs/ annum White : 0.761 Kgs/annum Blue Category : 3.803 Kgs/annum
5	Details of the Storage, treatment, transportation, processing, and Disposal Facility		
	(I) Details of the on - site storage facility	:	Size : 150 Sq. ft Capacity : NA Provision of on – site storage: (cold storage of any other provision) - NA-
	(ii) Details of the treatment or disposal facilities	:	Type of treatment No Cap Quantitys of acit treated or Equipmen Units Kg/day disposed In Kg. 1) Yelow Waste-Incineration 2) Red Waste – Incineration 3) White Waste-Autoclaved & Recycling 4) Blue Waste- Autoclaved & Recycling
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg annum.	:	Red Category (like plastic, glass etc.) - NA-
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	Vendor will collect the bio medical waste in PCB Approved vehicle
	(v) Details of incineration ash and ETP sludge generated and disposed	:	Quantity Where Generated disposed - NA-
	During the treatment of wastes in Kg per annum	:	Incineration Ash - NA- ETP Sludge
	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of.	:	M/s. Medicare Environmental Management Pvt Ltd, Survey No 619,Pashamylaram Industrial Area, Ishnapur (Village), Patancheru (M),TS-502307.
	(vi) Name of the Common Bio Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s. Medicare Environmental Management Pvt Ltd, Survey No 619,Pashamylaram Industrial Area, Ishnapur (Village), Patancheru (M),TS-502307.


	(vii) List of Member HCF not handed over bio – medical waste	NA
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meeting held during the reporting period	Safety Committee will discuss every quarter/month
7	Details trainings conducted in BMW	YES
	(i) Number of trainings conducted on BMW Management.	1
	(ii) Number of personnel trained	4 Persons
	(iii) Number of personnel trained at the time of induction	4 Persons
	(iv) Number of personnel not undergone any training so far	NA
	(v) Whether standard manual for training is available?	YES
	(vi) any other information	
8	Details of the accident occurred during the year.	NIL
	(i) Number of Accidents occurred	NA
	(ii) Number of the persons affected	NA
	(iii) Remedial Action taken (please attach details if any)	NA
	(iv) Any Fatality occurred, details.	NA
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NA
	Details of Continuous online emission monitoring systems installed	NA
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11	Is the disinfection method of sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12	Any other relevant information	: (Air pollution Control Devices attached with the Incinerator) - NA-

Certified that the above report is for the period from **1st January 2025 to 31st December 2025**

Name and Signature of the Head of the Institution

Place: **Hyderabad**

For Infosys Limited



Date: **29-June-2026**

Authorized Signatory