

Date: 23rd June 2020

To,

The Member Secretary,
Chandigarh Pollution Control Committee,
Paryavaran Bhavan
Madhya Marg
Sector -19 B
Chandigarh 160019


Sub: Submission of Environmental; Statement from 1st April 2019 to 31st
March 2020

Dear Sir,

We hereby submit the Environment Statement as provided under rule 14 of the
Environment (Protection) rules 1986 for the financial year 2019-20 ending 31st
March 2020.

Thanking You,

For Infosys Limited



Puneet Singh Randhawa

Regional Head-Facilities

INFOSYS LIMITED

Plot No. 1
Rajiv Gandhi Technology Park
Chandigarh 160 101, India
T 91 172 503 8000
F 91 172 504 6860

Corporate Office:
CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com



ANNEXURE

**ENVIRONMENTAL STATEMENT FORM-V
(See rule 14)**

Environmental Statement for the financial year 2019-20 ending with 31st March 2020

PART-A

- i. *Name and address of the owner/
occupier of the industry:* **Infosys Technologies Limited
Plot No.1, Rajiv Gandhi Technology
Park. Kishangarh, Chandigarh.**
- Operation or process:* **Software Development**
- ii. *Industry category Primary-(STC Code) Secondary- (STC Code)* **N.A**
- iii. *Production category. Units:* **Software Development**
- iv. *Year of establishment:* **2006**
- v. *Date of the last environmental statement submitted:* **25th June 2019**

PART-B

Water and Raw Material Consumption:

i. Water consumption in m³/d

- Process:* **N.A**
- Cooling:* **N.A**
- Domestic:* **300 m³/d**

Enclosures:

- 1) Copy of Test Report for Treated Sewage
- 2) Copy of Test report for D.G set emissions
- 3) Form 10 for the Used oil, DG filters, oil soaked cotton disposed, Chemicals cans disposed
- 4) Form 2 for the E waste disposed

Name of Products	Process water consumption per unit of products output	
	During the previous financial year	During the current financial year
1.	N. A	
2.		
3.		
4.		
5.		
6.		

ii. Raw material consumption

Name of raw materials*	Name of Products	Consumption of raw material per unit of output	
		During the previous financial year	During the current financial year

** Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.*

PART-C

Pollution discharged to environment/unit of output
(Parameter as specified in the consent issued)

Software Industry

Pollutants	Quantity of Pollutants discharged (mass/day)	Concentration of Pollutants discharged (mass/volume)	Percentage of variation from prescribed Standards with reasons.
(a) Water	-	-	-
(b) Air	-	-	-

PART-D

HAZARDOUS WASTES

(As specified under Hazardous Wastes (Management & Handling Rules, 1989).

Hazardous Wastes	Total Quantity (Kg)		
	During the financial year (2017-18)	During the financial year (2018-19)	During the current financial year (2019-20)
1. From Process	Used Oil=750 Liters E waste=2545 Kg Batteries=456 no's	Used Oil=859 liters DG Filters=112 no's Oil soaked cotton=32 kg's E waste= 19075 kg's	Used Oil- 1695 liters DG Filters- 48 no's Oil soaked cotton- 10 kg E waste- 12821 Kg's
2.From Pollution Control Facilities			

PART -F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Sludge – Used as manure for landscaping

HW	2018-19	2019-20	Authorized Vendor	Disposal Method
Used oil	859 liters	1695 liters	Golden Petro	Distillation with clay treatment is done which results into lube oil production
E waste	19075 kg's	12821 kg's	Green tek reman/ Nirvana Recycling	Metal extraction plant is installed in their premises and the recycled commodities are resold in the market
Batteries	0 no's	90 no's	Gravita Metals Inc.	Dismantling plant is installed in the factory where the Zinc part of the battery is recovered and reused and other parts are reused in making new batteries
DG filters	0	48 no's	Bharat Oil and Management	Incineration
Oil soaked cotton	0	10kg	Bharat Oil and Management	Incineration

PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production

1. All the waste generated in the campus is collected in the scrap yard and sold to recyclers
2. Paper waste is shredded and sold to recyclers. One side blank pages are used as rough pads
3. Hazardous waste like Used Oil, E waste, DG filters etc. is sold to authorized recyclers
4. Yearly targets are set to reduce the consumption of natural resources (Water, Electricity and paper)

Objective	Results
Trees plantation inside the campus for better biodiversity	305 trees planted in 2019-20
Zero Waste to landfill	<ul style="list-style-type: none">- Reduction in disposables to 98%- 200 kg per day capacity of Composter plant is in operation- Scrap Vendors are audited as per Infosys standard requirements
Forums within Infosys to create awareness and drive the environment initiative	Teams formulated to drive the awareness camps in different fields
Zero discharge campus	All the waste water generated is routed to Sewage Treatment Plant with Membrane Bio-Reactor technology, the treated water is used for landscaping and flushing system

5. Training sessions are provided to employees and the contract staff on optimal use of the natural resources
6. LED and sensor lights are used in the campus
7. In the last year, 1934.7 KL of rooftop rain water is being used in the process, thus reducing the freshwater consumption. 15 numbers of injection wells constructed inside the campus to recharge the underground water by harvesting the rain water.
8. All the waste water generated in the campus is recycled in the campus through Sewage Treatment Plant and treated water is used for landscaping and flushing in buildings.
9. Our natural resource consumption has come down in last three years when we calculate on per person basis. Converted 100% of external lights within the campus into LED lights, thus saving 0.75% of power consumption annually in the campus along with 100% workstation lights inside the buildings

10. Converted 180 urinals inside SDB into waterless urinals thus saving 5% of water consumption/capita along with utilization of recycled water for flushing in washrooms.
11. Various meeting rooms converted to VC room for better employee interaction and a step towards saving environment.

12. Installation of smart irrigation system throughout the campus for better utilization of recycled water in landscape area as per the plant requirement.
13. Regular review meetings are conducted to keep a check on the progress of the EMS
14. Monthly internal audits are conducted by certified lead auditors on EMS
15. All the critical equipment are under AMC, this helps to keep them efficient thus decreasing the pollution
16. Installation of de compostor for the processing of food waste and garden waste into manure for re-using in Plantation area.

Other initiatives to conserve water

- Timer control for hot water supply in the hostels
- Replacement of GI pipes with Polypropylene Random Copolymer (PPR) pipes
- Retrofit in nozzle size in dishwashing machines at food courts, which consumes less water when compared with manual wash
- Consumption of recycled water in flushing

Use / Development of clean technologies

Energy conservation measure:

- 3M Fasara film has been provided in west facing side of both the buildings (SDB1 and 2). This concept helped in stopping the sunrays and not letting in the building's interior. This helped in reduction of temperature by 5 degrees, suitable for working inside the buildings.
 - Campus is now enabled to run partly on self-generated power during the day. This building now has green energy powering its basic lighting load in the form of power generation through solar panels.
- Plant Rating - 200 KW
 - Solar Plant Technology – HIT (Hetrojunction with Intrinsic thin Layer)
 - Solar Panel Capacity – 325 W Each
 - Total Numbers of Solar Panels Installed – 624 No's.
 - Average Power Generation Capacity - 1050 Units Per Day

PART - H


Additional measures/investment proposal for environmental protection including abatement of pollution

- Infosys has been certified compliant to ISO 14001 & ISO 18001 (OHSAS)
- Energy conservation practices implemented
- Efforts have been taken to minimize the use of plastics/ Thermocol within the campus
- Sustainability has been at the core of our business philosophy. Infosys Sustainability Report is published annually. Our sustainability report provides an update on the responsible business practices across social, environmental and economic parameters in accordance with the GRI 4.0 framework for the year 2016-17. It delineates our sustainability agenda across three areas — social contract, resource intensity, and green innovation.

Objective	Strategy	Results
Reduction in absolute power consumption	<ul style="list-style-type: none"> - To maintain performance in terms of per capita electricity consumption same as FY17 - Replacement of Old MH lights with LED lights. - Phasing out of R22 refrigerant with more environment friendly R410A - Installation of Building Management System 	Reduction of 0.85 % as compared to FY 2018-19
Reduction in absolute water consumption	<ul style="list-style-type: none"> - Installation of waterless urinals - Installation of Online digital water meters to monitor continuous water consumption and detect any leakage. - Reuse of recycled water in flushing system in buildings, thus reducing the consumption of raw water. - Rain water harvesting and reuse of 1608KL of water into the process. 	Reduction of 6.67 % as compared to FY 2018-19
Plantation of trees	<ul style="list-style-type: none"> - In-house Nursery is developed to cater the demand - Created dedicated Herbal garden and Orchard. 	305 trees planted in 2019-20
Zero Waste to landfill	<ul style="list-style-type: none"> - Replacement of disposables - In-house composting and generation of manure for landscape purpose - Vendor audit and evaluation of recycling efficiency 	<ul style="list-style-type: none"> - Reduction in disposable to 96% - 200 kg per day capacity of Composter plant is in operation - Vendors are audited as per Infosys standard requirements
Rain water harvesting	<ul style="list-style-type: none"> - Creation of injection wells at suitable location - Routing of surface runoff water to injection wells through storm water drains - 15 injection wells are created along with 100 kl capacity system of rain water harvesting system 	In the last year, 1934.7 KL of rain water is being used in the process, thus reducing the freshwater


	- Usage of recycled water for flushing in the buildings thus reducing the overall consumption of fresh water in the campus	consumption In 2019-20, 8592.8 KL of recycled water used in flushing
Forums within Infosys to create awareness and drive the environment initiative	- Drive the initiative through and by the employees with management support.	
	<ul style="list-style-type: none"> - ARPAN for all sustainability related activities. - VOY (Voice of Youth) driving thru various campaigns - Eco club Team which works with consultants to implement to the latest technologies available. - HALE (Health Assessment and Life Enrichment) - E waste drive and pollution check drive conducted by the Eco-club 	

Power consumption trend analysis



- Operational controls in AHU and auxiliaries as per the actual requirements
- Replacement of outdoor VRV with new advanced technology units in buildings
- Closure of Laundromat facility, shut down of complete laundry on Saturdays.
- Maintenance activities like descaling and brushing of condenser in chillers for better efficiency.

Water consumption trend analysis



- Implementation of Rain water collection and recycling with 100 KL capacity and till now 1937.2KL of rain water has been used in flushing from April 2019 to March 2020
- Use of STP recycled water in ECC and SDB-2 buildings for flushing
- Closure of 2 floor completely in GH
- Closure of Laundromat facility, shut down of complete laundry on Saturdays

- Installation of Energy efficient burners in kitchen which results in low thermal efficiency.
- Digitization in agriculture via using Hydroponics farming which is a method of growing plants without soil and reduce water consumption usage. Under development
- Cleanliness drive conducted in Chandigarh IT park area..
- Celebration of World Environment day on 5th June 2019
- Hazardous waste recycler's process audit conducted.
- Implementation of Smart Consumable tracker for tracking the consumables items leading to reduction in paper wastage, in turn helping in optimization of stock.
- Awareness among employees about Road safety regulations in coordination with local traffic police and Chandigarh administration.
- Celebrated National Safety week via conducting awareness activities among employees like HSE training sessions, Skit, Safety March, Quiz Competition etc.
- Eliminating/Reducing single use plastic inside the campus for sustainable development.
- Re-use of old plastic bottles for plantation throughout the campus
- Replaced all plastic plates being used by the vendor in FC
- In process for complete replacement of plastic planter boxes to Di-plast Fiberglass planter boxes
- E waste Collection drive to disposed the household E waste to authorized recycler

PART-I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution

Water is used in kitchens, toilets and the domestic sewage generated is recycled through Sewage Treatment Plant and recycled water is used for Landscaping, flushing and cleaning of paths. Dry sludge is used as manure in the campus

LED lights in place of halogen lights and CFL's is being used in the campus.

We have made conscious effort to switch over to refrigerants with a zero ODP and this has resulted in the use of R410A, R407C and R134A.

Food waste generated from the food court is being treated in the Composter along with garden waste for manure production and in turn being used in landscaping.

The waste bins are identified with colour codes, awareness trainings are in place to ensure proper segregation at the source.

The disposal paper cups, bowls, plates etc. are replaced with reusable containers, which has drastically reduced our waste generation.

Reduction in the generation of:

I. Effluents

Following are few of the clean technologies implemented to minimize generation of waste water:

- Flow restrictors for water taps, showers and health faucet
- Water less urinals are used as a pilot project.

II. Emissions

- Low sulphur diesel is used for DG sets.
- Diesel boiler is replaced with Steam boiler.

III. Hazardous / solid waste

- The food waste generated is routed to in-house 200 kg per day capacity composter plant. The manure generated is being used in landscape area.
- The disposables paper cups and plates are replaced with reusable cups and plates. This has helped us in eliminating all the waste and in turn reduction in paper waste generation.
- Placed awareness signage near the dishwasher and food waste collection area to aware the employees for generating less food waste.

Steps for reuse / recycle of waste:

Waste is segregated at source by colour coded bins. The waste is routed to scrap yard and segregated waste is kept in designated locations for disposal. Waste generated is disposed through authorized vendors. For hazardous waste the vendors with necessary approvals from CPCC only entertained.

Test Report

Document QF : 2501
Page 1 of 2

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1, Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2002280923 Sample Reg. Date :28-02-2020 Report Date :09-03-2020 Report No. :ICE-2003090326 NABL ULR No. :TC592620000002167F Customer Ref. No.:- Letter Dated :-
---	---

Test Report as per : EPA Act 1986/PCLS/2010,G.S.R 281(E),Dated- 07.03.2016

General Information	
Name of the emission source monitored	: Stack Emission of DG Set
(a) Rated Capacity	: 2000 kVA
(b) Capacity on sampling day	: *47.5 %
(c) Type of fuel used & its consumption	: HSD & 165 ltr/hr
(d) Normal operating schedule	: As required
2. Stack Identification	: Stack attached to DG Set-1 (2000 kVA)
3.Type of Stack/Duct	: Metal
4.Stack Height from Ground Level(m)	: 30
Diameter of the Stack(cm)	: 45.72
(6) Sampling Duration(minutes)	: 62
Purpose of Monitoring	: To assess the pollution load
(8) Air Pollution control measure	: Not applicable
(a) Status	: -
(b) Recovery of Material	: -
(9) Fugitive Emission,if any	: Nil
Observations	
Flue Gas Temperature, °C,Avg.	: 325
Flue Gas Velocity(m/s),Avg.	: 16.49
Volumetric Flow Rate(Nm ³ /hr.)	: 4688.16
Ambient Air Temperature, °C	: 20

TEST RESULTS

S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
1.	General Parameters			
a.	Particulate Matter,mg/Nm3(Corrected at 15 % O2)	IS:11255(P-1)	Max. 75	47
b.	Carbon Monoxide(CO),mg/Nm3(Corrected at 15 % O2)	IS:13270	Max. 150	92

V. Saini
Vikrant
09-03-2020
Reviewer

Saurabh
09-03-2020
Saurabh Sharma
[Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 2 of 2

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2002280923 Sample Reg. Date :28-02-2020 Report Date :09-03-2020 Report No. :ICE-2003090326 NABL ULR No. :TC592620000002167F Customer Ref. No.:- Letter Dated :-
	(Empty space for additional details)

c.	Oxides of Nitrogen(NO ₂),ppmv(Corrected at 15 % O ₂), dry basis	IS:11255(P-7)	Max. 710	358
d.	Non Methane Hydrocarbon,mg/Nm ³ (Corrected at 15 % O ₂)	IS:13270	Max. 100	40
e.	Sulphur Dioxide(SO ₂),mg/Nm ³	IS:11255(P-2)	Not Specified	17

#' represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per EPA 1986/PCLS/2010 (General Emission Standard), Sample collected by lab rep. on dated 27.02.2020, *Sampling performed below the desired rated capacity of DG Set as per the instruction given by client on dated : 13-12-2019

REMARKS :N/A

*****End Of Report*****

V. Saini
Vikrant
09-03-2020
Reviewer

Saurabh
09-03-2020
Saurabh Sharma
[Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 1 of 2

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2002280924 Sample Reg. Date :28-02-2020 Report Date :09-03-2020 Report No. :ICE-2003090327 NABL ULR No. :TC592620000002164F Customer Ref. No.: PO Letter Dated :11.03.19
---	--

Test Report as per	: EPA Act 1986/PCLS/2010,G.S.R 281(E),Dated- 07.03.2016
---------------------------	---

General Information	
Name of the emission source monitored	: Stack Emission of DG Set
(a) Rated Capacity	: 2000 kVA
(b) Capacity on sampling day	: *47.5 %
(c) Type of fuel used & its consumption	: HSD & 165 ltr/hr
(d) Normal operating schedule	: As required
2. Stack Identification	: Stack attached to DG Set-II (2000 kVA)
3.Type of Stack/Duct	: Metal
4.Stack Height from Ground Level(m)	: 30
Diameter of the Stack(cm)	: 45.72
(6) Sampling Duration(minutes)	: 62
Purpose of Monitoring	: To assess the pollution load
(8) Air Pollution control measure	: Not applicable
(a) Status	: -
(b) Recovery of Material	: -
(9) Fugitive Emission,if any	: Nil
Observations	
Flue Gas Temperature, °C,Avg.	: 320
Flue Gas Velocity(m/s),Avg.	: 16.25
Volumetric Flow Rate(Nm ³ /hr.)	: 4658.88
Ambient Air Temperature, °C	: 20

TEST RESULTS

S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
1.	General Parameters			
a.	Particulate Matter,mg/Nm ³ (Corrected at 15 % O ₂)	IS:11255(P-1)	Max. 75	54
b.	Carbon Monoxide(CO),mg/Nm ³ (Corrected at 15 % O ₂)	IS:13270	Max. 150	86

V. Saini
Vikrant
09-03-2020
Reviewer

Saurabh
09-03-2020
Saurabh Sharma
[Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 2 of 2

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2002280924 Sample Reg. Date :28-02-2020 Report Date :09-03-2020 Report No. :ICE-2003090327 NABL ULR No. :TC592620000002164F Customer Ref. No.: PO Letter Dated :11.03.19
---	--

c.	Oxides of Nitrogen(NO ₂),ppmv(Corrected at 15 % O ₂), dry basis	IS:11255(P-7)	Max. 710	362
d.	Non Methane Hydrocarbon,mg/Nm ³ (Corrected at 15 % O ₂)	IS:13270	Max. 100	36
e.	Sulphur Dioxide(SO ₂),mg/Nm ³	IS:11255(P-2)	Not Specified	12

represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per EPA 1986/PCLS/2010 (General Emission Standard), Sample collected by lab rep. on dated 27.02.2020, *Sampling performed below the desired rated capacity of DG Set as per the instruction given by client on dated : 13-12-2019

REMARKS :N/A

*****End Of Report*****

V Saini
Vikrant
09-03-2020
Reviewer

Saurabh
09-03-2020
Saurabh Sharma
[Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 1 of 2

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2002280925
	Sample Reg. Date :28-02-2020
	Report Date :09-03-2020
	Report No. :ICE-2003090328
	NABL ULR No. :TC592620000002169F
	Customer Ref. No.: PO
Letter Dated :11.03.19	

Test Report as per	: EPA Act 1986/PCLS/2010,G.S.R 281(E),Dated- 07.03.2016
General Information	
Name of the emission source monitored	: Stack Emission of DG Set
(a) Rated Capacity	: 2000 kVA
(b) Capacity on sampling day	: *47.5%
(c) Type of fuel used & its consumption	: HSD & 165 kVA
(d) Normal operating schedule	: As required
2. Stack Identification	: Stack attached to DG Set-III (2000 kVA)
3.Type of Stack/Duct	: Metal
4.Stack Height from Ground Level(m)	: 30
Diameter of the Stack(cm)	: 45.72
(6) Sampling Duration(minutes)	: 62
Purpose of Monitoring	: To assess the pollution load
(8) Air Pollution control measure	: Not applicable
(a) Status	: -
(b) Recovery of Material	: -
(9) Fugitive Emission,if any	: Nil
Observations	
Flue Gas Temperature, °C,Avg.	: 319
Flue Gas Velocity(m/s),Avg.	: 16.67
Volumetric Flow Rate(Nm ³ /hr.)	: 4787.37
Ambient Air Temperature, °C	: 20

TEST RESULTS

S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
1.	General Parameters			
a.	Particulate Matter,mg/Nm ³ (Corrected at 15 % O ₂)	IS:11255(P-1)	Max. 75	52
b.	Carbon Monoxide(CO),mg/Nm ³ (Corrected at 15 % O ₂)	IS:13270	Max. 150	98

V. Saini
Vikrant
09-03-2020
Reviewer

Saurabh
09-03-2020
Saurabh Sharma
[Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 2 of 2

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh		Sample Reg. No. :E01-2002280925 Sample Reg. Date :28-02-2020 Report Date :09-03-2020 Report No. :ICE-2003090328 NABL ULR No. :TC592620000002169F Customer Ref. No.: PO Letter Dated :11.03.19		
c.	Oxides of Nitrogen(NO ₂),ppmv(Corrected at 15 % O ₂), dry basis	IS:11255(P-7)	Max. 710	372
d.	Non Methane Hydrocarbon,mg/Nm ³ (Corrected at 15 % O ₂)	IS:13270	Max. 100	47
e.	Sulphur Dioxide(SO ₂),mg/Nm ³	IS:11255(P-2)	Not Specified	18

represents Customer Defined Fields

NOTE : NA- Not Applicable, Requirements as per EPA 1986/PCLS/2010 (General Emission Standard), Sample collected by lab rep. on dated 27.02.2020, *Sampling performed below the desired rated capacity of DG Set as per the instruction given by client on dated : 13-12-2019

REMARKS :N/A

*****End Of Report*****

V. Saini
Vikrant
09-03-2020
Reviewer

Saurabh
09-03-2020
Saurabh Sharma
[Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.


Test Report

Document QF : 2501
Page 1 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030090 Sample Reg. Date :03-03-2020 Report Date :11-03-2020 Report No. :ICE-2003110398 NABL ULR No. :TC592620000002229P Customer Ref. No.: PO Letter Dated :11.03.19
---	--

Test Report as per IS:NA	With Amendment No.(s):
--------------------------	------------------------

PART A : PARTICULARS OF SAMPLE SUBMITTED

a)	Nature of Sample#	STP Inlet Water
b)	Grade / Variety / Type / Class / Size etc.	NA
c)	Brand Name	NA
d)	Declared Values,if any	NA
e)	Code No.	
f)	Batch Number#	NA
g)	D.O.M#	NA
h)	Date of Expiry#	NA
i)	Sample Quantity#	2 Ltr 100ml
j)	Batch Size/Location#	NA
k)	Mode of Packing	Packed in can & in plastic container
l)	Date of Receipt	03-03-2020
m)	Date of Start	03-03-2020
n)	Date of Completion	11-03-2020
o)	Seal (Intact/Not Intact/Unsealed)	NA
p)	IO'S Signature (Signed/Unsigned)	Unsigned
q)	Any Other Information	Sample collected by lab rep. on dated 03.03.2020
r)	Test Request Submitted By	Infosys Limited-Chandigarh (Chandigarh)
s)	Manufactured By#	NA
t)	Supplied By#	NA

PART B : SUPPLIMENTARY INFORMATIONS

Reference to sampling procedure, whenever applicable	: N/A
--	-------

Rashmi
11-03-2020
Rashmi Sharma
[Authorized Signatory]

V. Sai
Vikrant
11-03-2020
Reviewer

Prem Kumar
11-03-2020
PremKumar
[Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 2 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030090
	Sample Reg. Date :03-03-2020
	Report Date :11-03-2020
	Report No. :ICE-2003110398
	NABL ULR No. :TC592620000002229P
	Customer Ref. No.: PO
Letter Dated :11.03.19	

b. Supporting documents for the measurement taken and results derived like graphs, tables, sketches and / or photographs as appropriate to test reports, if any : N/A

c. Deviation from the test methods as prescribed in relevant ISS/WORK Instruments, if any : N/A

PART C : TEST RESULTS

Description

Description STP Inlet Water

S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
1.	General Parameters			
a.	Colour	IS:3025(Part4):1983(RA:2017)amd. no1		Light Brown
b.	Turbidity(NTU)	IS 3025 (Part 10)	Not Specified	262
c.	pH Value	IS:3025 (Part - 11):1983(RA:2017)		7.00
d.	Total Suspended Solids,(mg/L)	IS:3025(Part 17)		212
e.	Total Dissolved Solids (mg/L)	IS:3025(Part 16):1984(RA.2006)		1428
f.	Chemical Oxygen Demand(mg/L)	APHA-23rd Edition		652
g.	Bio-chemical Oxygen Demand, mg/L (5 days at 20°C)	IS:3025(P-44)		230
h.	Oil & Grease(mg/L)	IS:3025(P-39)		18.6
i.	Total Residual Chlorine(mg/L)	IS:3025(Part 26):1986(RA:2014)amd no 1		BLQ (LOQ:0.1)
j.	Ammonical Nitrogen(As N)(mg/l)	APHA-23rd Edition Guidelines		91
k.	Total Kjeldahi Nitrogen (as N)	APHA-23rd Edition Guidelines		106
l.	Iron(as Fe)(mg/L)	IS:3025(P-66)		0.11
m.	Total Alkalinity (as HCO ₃)(mg/L)	IS:3025(Part 23)		422
n.	Silica as SiO ₂ (mg/l)	APHA-23rd Edition		6.20

Rashmi
11-03-2020
Rashmi Sharma
[Authorized Signatory]

V. Sai
Vikrant
11-03-2020
Reviewer

Prem Kumar
11-03-2020
PremKumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

(ISO 9001:2008 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)

(A Government Approved Test House)

86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Phone : (O) 0172-2561543, 2565825

Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 3 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030090 Sample Reg. Date :03-03-2020 Report Date :11-03-2020 Report No. :ICE-2003110398 NABL ULR No. :TC592620000002229P Customer Ref. No.: PO Letter Dated :11.03.19
---	--

2.	Microbiological Tests		
a.	E.Coli/100 ml *	APHA-23 rd Edn 17-9221 F	21


' represents categories/test parameters not covered under NABL | '' represents outsource sample | '#' represents Customer Defined Fields


NOTE : NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification

PART D : REMARKS :N/A

*****End Of Report*****


 11-03-2020
 Rashmi Sharma
 [Authorized Signatory]


 Vikrant
 11-03-2020
 Reviewer


 11-03-2020
 PremKumar
 [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
 (ISO 9001:2008 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
 (A Government Approved Test House)
 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
 Phone : (O) 0172-2561543, 2565825
 Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.


Test Report

Document QF : 2501
Page 1 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030091 Sample Reg. Date :03-03-2020 Report Date :12-03-2020 Report No. :ICE-2003120422 NABL ULR No. :TC592620000002274P Customer Ref. No.: PO Letter Dated :11.03.19
---	--


Test Report as per IS:EPA Act 1986/PCLS/2010	With Amendment No.(s):
--	------------------------


PART A : PARTICULARS OF SAMPLE SUBMITTED


a) Nature of Sample #	STP Outlet Water
b) Grade / Variety / Type / Class / Size etc.	NA
c) Brand Name	NA
d) Declared Values,if any	NA
e) Code No.	
f) Batch Number #	NA
g) D.O.M #	NA
h) Date of Expiry #	NA
i) Sample Quantity #	2 Ltr 100ml
j) Batch Size/Location #	NA
k) Mode of Packing	Packed in can & in plastic container
l) Date of Receipt	03-03-2020
m) Date of Start	03-03-2020
n) Date of Completion	12-03-2020
o) Seal (Intact/Not Intact/Unsealed)	NA
p) IO'S Signature (Signed/Unsigned)	Unsigned
q) Any Other Information	Sample collected by lab rep. on dated 03.03.2020
r) Test Request Submitted By	Infosys Limited-Chandigarh (Chandigarh)
s) Manufactured By #	NA
t) Supplied By #	NA

PART B : SUPPLIMENTARY INFORMATIONS

a. Reference to sampling procedure, whenever applicable	: N/A
---	-------


 11-03-2020
 Rashmi Sharma
 [Authorized Signatory]


 Vikrant
 12-03-2020
 Reviewer


 12-03-2020
 PremKumar
 [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
 (ISO 9001:2008 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
 (A Government Approved Test House)
 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)
 Phone : (O) 0172-2561543, 2565825
 Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501

Page 2 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030091 Sample Reg. Date :03-03-2020 Report Date :12-03-2020 Report No. :ICE-2003120422 NABL ULR No. :TC592620000002274P Customer Ref. No.: PO Letter Dated :11.03.19
---	--

b. Supporting documents for the measurement taken and results derived like graphs, tables, sketches and / or photographs as appropriate to test reports, if any : N/A

c. Deviation from the test methods as prescribed in relevant ISS/WORK Instruments, if any : N/A

PART C : TEST RESULTS

Description

Description: STP Outlet Water

S.No.	Test Parameter	Method	Requirement	Result
Test Details :				
1.	General Parameters			
a.	Colour	IS:3025(Part4):1983(RA:2017)amd. no1	Not Specified	Colourless
b.	pH Value	IS:3025 (Part - 11):1983(RA:2017)	5.5-9	7.80
c.	Total Suspended Solids,(mg/L)	IS:3025(Part 17)	Max. 100	<1.0
d.	Total Dissolved Solids (mg/L)	IS:3025(Part 16):1984(RA.2006)	Max. 2100--	1407
e.	Chemical Oxygen Demand(mg/L)	APHA-23rd Edition	Max. 250	32
f.	Bio-chemical Oxygen Demand, mg/L (5 days at 20°C)	IS:3025(P-44)	Max. 30	10
g.	Oil & Grease(mg/L)	IS:3025(P-39)	Max. 10	<0.1
h.	Total Residual Chlorine(mg/L)	IS:3025(Part 26):1986(RA:2014)amd no 1	Max. 1.0	BLQ (LOQ:0.1)
i.	Ammonical Nitrogen(As N)(mg/l)	APHA-23rd Edition Guidelines	Max. 50	0.6
j.	Total Kjeldahi Nitrogen (as N)	APHA-23rd Edition Guidelines	Max. 100	1.2
k.	Iron(as Fe)(mg/L)	IS:3025(P-66)	Max. 3.0	BLQ(LOQ : 0.05)
l.	Silica as SiO ₂ (mg/l)	APHA-23rd Edition	Not Specified	3.2
m.	Turbidity(NTU)	IS 3025 (Part 10)	Not Specified	< 0.5
n.	Total Alkalinity (as HCO ₃)(mg/L) *	IS: 3025 (P-23)	Not Specified	205

Rashmi
11-03-2020
Rashmi Sharma
[Authorized Signatory]

V. Sai
Vikrant
12-03-2020
Reviewer

Prem Kumar
12-03-2020
Prem Kumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
(ISO 9001:2008 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
(A Government Approved Test House)
86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 3 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030091 Sample Reg. Date :03-03-2020 Report Date :12-03-2020 Report No. :ICE-2003120422 NABL ULR No. :TC592620000002274P Customer Ref. No.: PO Letter Dated :11.03.19
---	--


2.	Microbiological Tests			
a.	Faecal Coliform/100ml *	APHA-23 rd Edn 17-9221 F	Not Specified	11
b.	<i>E.Coli/100 ml</i> *	APHA-23 rd Edn 17-9221 F	Absent	<1.8


* represents categories/test parameters not covered under NABL | *** represents outsource sample | # represents Customer Defined Fields


NOTE : NA- Not Applicable, BLQ :- Below Limit of Quantification, LOQ :- Limit of Quantification, Requirement as per EPA 1986/PCLS/2010,G.S.R. 1265(E), Dated 13.10.2017,

PART D : REMARKS :N/A

*****End Of Report*****


 11-03-2020
 Rashmi Sharma
 [Authorized Signatory]


 Vikrant
 12-03-2020
 Reviewer


 12-03-2020
 PremKumar
 [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
 (ISO 9001:2008 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
 (A Government Approved Test House)
 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
 Phone : (O) 0172-2561543, 2565825
 Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.


Test Report

Document QF : 2501
Page 1 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030093 Sample Reg. Date :03-03-2020 Report Date :13-03-2020 Report No. :ICE-2003130471 NABL ULR No. :TC592620000002359F Customer Ref. No.: PO Letter Dated :11.03.19
---	--


Test Report as per IS:BIS Specification IS:10500-2012	With Amendment No.(s):02
---	--------------------------


PART A : PARTICULARS OF SAMPLE SUBMITTED

a)	Nature of Sample#	UGR Treated Water
b)	Grade / Variety / Type / Class / Size etc.	NA
c)	Brand Name	NA
d)	Declared Values,if any	NA
e)	Code No.	
f)	Batch Number#	NA
g)	D.O.M#	NA
h)	Date of Expiry#	NA
i)	Sample Quantity#	2 Ltr 100ml
j)	Batch Size/Location#	NA
k)	Mode of Packing	Packed in a can & in plastic container
l)	Date of Receipt	03-03-2020
m)	Date of Start	03-03-2020
n)	Date of Completion	13-03-2020
o)	Seal (Intact/Not Intact/Unsealed)	NA
p)	IO'S Signature (Signed/Unsigned)	Unsigned
q)	Any Other Information	Sample collected by lab rep. Mr. kimti as per SOP/ITC/EW/030 on dated 03.03.2020
r)	Test Request Submitted By	Infosys Limited-Chandigarh (Chandigarh)
s)	Manufactured By#	NA
t)	Supplied By#	NA

PART B : SUPPLIMENTARY INFORMATIONS


 13-03-2020
 Rashmi Sharma
 [Authorized Signatory]


 Vikrant
 13-03-2020
 Reviewer


 13-03-2020
 PremKumar
 [Authorized Signatory]

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 2 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030093
	Sample Reg. Date :03-03-2020
	Report Date :13-03-2020
	Report No. :ICE-2003130471
	NABL ULR No. :TC592620000002359F
	Customer Ref. No.: PO
	Letter Dated :11.03.19

a.	Reference to sampling procedure, whenever applicable	: N/A
b.	Supporting documents for the measurement taken and results derived like graphs, tables, sketches and / or photographs as appropriate to test reports, if any	: N/A
c.	Deviation from the test methods as prescribed in relevant ISS/WORK Instruments, if any	: N/A

PART C : TEST RESULTS

Description	
Description	Clear Colourless Liquid

S.No.	Test Parameter	Method	Acceptable Limit	Permissible Limit (Absence of Alternate Source)	Result
-------	----------------	--------	------------------	--	--------

Test Details :

1.	Organoleptic & Physical Parameter				
a.	Colour (Hazen)	IS:3025(Part4):1983(RA:2017)amd. no1	5 Max.	15 Max.	4
b.	pH Value	IS:3025 (Part - 11):1983(RA:2017)	6.5-8.5	No relaxation	8.01
c.	Turbidity(NTU)	IS:3025(Part 10):1984(RA:2017)	1 Max.	5 Max.	<0.5
d.	Total Dissolved Solids mg/L	IS:3025(Part 16):1984(RA.2006)	500 Max.	2000 Max.	342
2.	Parameters Concerning Undesirable Substances in excess amount				
a.	Calcium(as Ca),(mg/L)	IS:3025(Part 40):1991(RA:2014) amd no 1	75 Max.	200 Max.	9.7
b.	Chloride(as Cl) (mg/l)	IS:3025(Part 32):1988(RA:2014)	250 Max.	1000 Max.	14.7
c.	Fluoride as F (mg/l)	IS:3025(Part 60):2008 amd. no 1(RA:2013)	1.0 Max.	1.5 Max.	BLQ(LOQ:0.1)
d.	Free Residual Chlorine (mg/L)	IS:3025(P-26)	0.2 Min.	1.0 Max.	Not Applicable
e.	Iron (as Fe) (mg/l)	IS:3025(Part 53):2003(RA:2014)	1.0 Max.	No relaxation	BLQ(LOQ:0.01)

Rashmi
13-03-2020
Rashmi Sharma
[Authorized Signatory]

V. Saini
Vikrant
13-03-2020
Reviewer

Prem Kumar
13-03-2020
Prem Kumar
[Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
(ISO 9001:2008 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
(A Government Approved Test House)
86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)
Phone : (O) 0172-2561543, 2565825
Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.

Test Report

Document QF : 2501
Page 3 of 3

Issued To Infosys Limited IL Chandigarh SEZ Unit-1, Plot No.-1 ,Rajiv Gandhi Technology Park Kishangarh Chandigarh-160101 Chandigarh	Sample Reg. No. :E01-2003030093 Sample Reg. Date :03-03-2020 Report Date :13-03-2020 Report No. :ICE-2003130471 NABL ULR No. :TC592620000002359F Customer Ref. No.: PO Letter Dated :11.03.19
---	--

f.	Magnesium(asMg) (mg/l)	IS:3025(Part 46):1994 amd. no. 2(RA:2014)	30 Max.	100 Max.	4.4
g.	Total Alkalinity(as CaCO ₃)(mg/l)	IS:3025(Part 23)	200 Max.	600 Max.	290
h.	Total Hardness(as CaCO ₃), mg/L	IS 3025 (Part 21)	200 Max.	600 Max.	42
3.	Microbiological Tests				
a.	<i>E.Coli/100 ml</i>	IS:15185(Membrane Filtration Method)	Absent	-	Absent
b.	Total Coliform Count/100 ml	IS:15185(Membrane Filtration Method)	Absent	-	Absent


represents Customer Defined Fields


NOTE : NA- Not Applicable, BLQ :- Below Limit of Quantification, LOQ :- Limit of Quantification

PART D : REMARKS : The above referred sample of UGR Treated Water conforms to BIS Specification IS:10500-2012 with upto date amtds with respect to the above tests.

*****End Of Report*****


 13-03-2020
 Rashmi Sharma
 [Authorized Signatory]


 Vikrant
 13-03-2020
 Reviewer


 13-03-2020
 Prem Kumar
 [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.
 (ISO 9001:2008 & 14001:2015 OHSAS 18001:2007 Certified Laboratory)
 (A Government Approved Test House)
 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)
 Phone : (O) 0172-2561543, 2565825
 Visit us : www.itclabs.com Email : customersupport@itclabs.com

Disclaimer :

- Sample (s) not drawn by us unless otherwise stated.
- Total Liability of this Laboratory is limited to the Invoiced amount.
- Test certificates in full or parts shall not be used for promotional or publicity purpose.
- If sample is not consumed during analysis, it will be stored as per SOP of controlled sample management.





LUCKY ENTERPRISES

FORM 10

[See rule 21(1)]

HAZARDOUS WASTE MANIFEST

Pollution Control Board Copy

1. Occupier's Name & Mailing Address (including Phone No.)	Infosys Ltd, Plot No - 1 RGCTP, Kishangarh Chandigarh - 160101										
2. Occupier's Registration No.	ECE/WT/05228/2017/5230/113										
3. Manifest Documents No.	No. 094										
4. Transporter's Name & Address (including Phone No.)	LUCKY ENTERPRISES Plot No. 42 Industrial Area Lodhimajra, Teh. Baddi Distt. Solan (H.P.) 174-101										
5. Type of Vehicle	(Truck/Tankers/Special Vehicle) <u>Auto Pick up</u>										
6. Transporter's Registration No.											
7. Vehicle Registration No.	HR GA A 64681										
8. Designated Facility Name & Site Address	LUCKY ENTERPRISES										
9. Facility Registration No.	N-030/09										
10. Facility Phone	09354805001, 09354805004										
11. Waste Description	Discarded Containers / Barrels										
12. Total Quantity <u>406 nos</u>m ³ or MT										
13. Consistency	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry)										
14. Transport Description of Waste											
15. Containers No of Drums :	Drums: MS 200 Ltr, 100 Ltr, 50 Ltr, 35Ltr, 25 Ltr, 20 Ltr	Drums Plastic : 200 Ltr, 100 Ltr, 50 Ltr, 35Ltr, 25 Ltr, 20 Ltr									
	Total Drums <u>406 nos</u> Total Ltrs <u>272 Kg</u>										
16. Total Quantity <u>406 nos</u>m ³ or MT										
17. Unit Wt./Vol. : <u>272 Kg</u>m ³ or MT										
18. Waste Category Number	<u>33.3</u>										
19. Special Handling Instruction & Additional Information											
20. OCCUPIER'S CERTIFICATE	<div style="display: flex; align-items: center;">  <div> <p>I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping named and are categorised, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations.</p> </div> </div>										
Type Name & Stamp :	<div style="display: flex; align-items: center;"> <div style="text-align: center; margin-right: 10px;">  Signature </div> <table border="1" style="border-collapse: collapse; text-align: center;"> <tr> <td>Month</td> <td>Day</td> <td colspan="2">Year</td> </tr> <tr> <td style="width: 30px;">0</td> <td style="width: 30px;">6</td> <td style="width: 30px;">1</td> <td style="width: 30px;">8 2 0 1 9</td> </tr> </table> </div>			Month	Day	Year		0	6	1	8 2 0 1 9
Month	Day	Year									
0	6	1	8 2 0 1 9								
21. Transporter Acknowledgement of receipt of Waste											
Type Name & Stamp :	<div style="display: flex; align-items: center;"> <div style="text-align: center; margin-right: 10px;">  Signature </div> <table border="1" style="border-collapse: collapse; text-align: center;"> <tr> <td>Month</td> <td>Day</td> <td colspan="2">Year</td> </tr> <tr> <td style="width: 30px;">0</td> <td style="width: 30px;">6</td> <td style="width: 30px;">1</td> <td style="width: 30px;">8 2 0 1 9</td> </tr> </table> </div>			Month	Day	Year		0	6	1	8 2 0 1 9
Month	Day	Year									
0	6	1	8 2 0 1 9								
22. Discrepancy Note Space											
23. Facility Owner or Operator's Certification of Receipt of Hazardous Waste											
Type Name & Stamp :	<div style="display: flex; align-items: center;"> <div style="text-align: center; margin-right: 10px;">  Signature </div> <table border="1" style="border-collapse: collapse; text-align: center;"> <tr> <td>Month</td> <td>Day</td> <td colspan="2">Year</td> </tr> <tr> <td style="width: 30px;">0</td> <td style="width: 30px;">6</td> <td style="width: 30px;">1</td> <td style="width: 30px;">8 2 0 1 9</td> </tr> </table> </div>			Month	Day	Year		0	6	1	8 2 0 1 9
Month	Day	Year									
0	6	1	8 2 0 1 9								

LUCKY ENTERPRISES

FORM 10

[See rule 21(1)]

Pollution Control Board Copy

HAZARDOUS WASTE MANIFEST

1. Occupier's Name & Mailing Address (including Phone No.)	INPOS 45 LT13 RHTP, CWB, 160/01
2. Occupier's Registration No.	CPCL/HLDT/0522/2017/113/5230
3. Manifest Documents No.	No. 024
4. Transporter's Name & Address (including Phone No.)	LUCKY ENTERPRISES Plot No. 42 Industrial Area Lodhimajra, Teh. Baddi Distt. Solan (H.P.) 174-101
5. Type of Vehicle	(Truck/Tankers/Special Vehicle)
6. Transporter's Registration No.	
7. Vehicle Registration No.	HR 68 A 6468
8. Designated Facility Name & Site Address	LUCKY ENTERPRISES
9. Facility Registration No.	N-030/09
10. Facility Phone	09354805001, 09354805004
11. Waste Description	Discarded Containers / Barrels
12. Total Quantity	442 No'sm ³ or MT 250 Kg
13. Consistency	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry)
14. Transport Description of Waste	
15. Containers No of Drums :	Drums: MS 200 Ltr, 100 Ltr, 50 Ltr, 35Ltr, 25 Ltr, 20 Ltr
	Drums Plastic : 200 Ltr, 100 Ltr, 50 Ltr, 35Ltr, 25 Ltr, 20 Ltr
	442 No's 250 Kg. Total Drums 442 Total Ltrs
16. Total Quantity	442 No'sm ³ or MT
17. Unit Wt./Vol. :	250 Kgm ³ or MT
18. Waste Category Number	33.3
19. Special Handling Instruction & Additional Information	Stack separately, use Secondary Containers
20. OCCUPIER'S CERTIFICATE	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping named and are categorised, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations.
Type Name & Stamp : Signature	Month Day Year 1 1 04 2 0 1 9
21. Transporter Acknowledgement of receipt of Waste Type Name & Stamp : Signature	Month Day Year 1 1 04 2 0 1 9
22. Discrepancy Note Space	
23. Facility Owner or Operator's Certification of Receipt of Hazardous Waste Type Name & Stamp : Signature	Month Day Year 1 1 04 2 0 1 9

LUCKY ENTERPRISES

FORM 10

[See rule 21(1)]




HAZARDOUS WASTE MANIFEST

Pollution Control Board Copy

1. Occupier's Name & Mailing Address (including Phone No.)	Infocys Ltd, Plot no-1, RGETP, Kishangarh Chandigarh
2. Occupier's Registration No.	
3. Manifest Documents No.	No. 068
4. Transporter's Name & Address (including Phone No.)	LUCKY ENTERPRISES Plot No. 42 Industrial Area Lodhimajra, Teh. Baddi Distt. Solan (H.P.) 174-101
5. Type of Vehicle	(Truck/Tankers/Special Vehicle)
6. Transporter's Registration No.	
7. Vehicle Registration No.	
8. Designated Facility Name & Site Address	LUCKY ENTERPRISES
9. Facility Registration No.	N-030/09
10. Facility Phone	09354805001, 09354805004
11. Waste Description	Discarded Containers / Barrels
12. Total Quantity162.....m ³ or MT
13. Consistency	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry)
14. Transport Description of Waste	
15. Containers No of Drums :	Drums: MS 200 Ltr, 100 Ltr, 50 Ltr, 35Ltr, 25 Ltr, 20 Ltr
	Drums Plastic : 200 Ltr, 100 Ltr, 50 Ltr, 35Ltr, 25 Ltr, 20 Ltr
	Total Drums Total Ltrs
16. Total Quantity162 nos.....m ³ or MT
17. Unit Wt./Vol. :162 nos.....m ³ or MT
18. Waste Category Number	33.3
19. Special Handling Instruction & Additional Information	
20. OCCUPIER'S CERTIFICATE	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping named and are categorised, packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations.
Type Name & Stamp :	Month Day Year 0 2 1 0 2 0 2 0
Signature	
21. Transporter Acknowledgement of receipt of Waste	
Type Name & Stamp :	Month Day Year 0 2 1 0 2 0 2 0
Signature	
22. Discrepancy Note Space	
23. Facility Owner or Operator's Certification of Receipt of Hazardous Waste	
Type Name & Stamp :	Month Day Year 0 2 1 0 2 0 2 0
Signature	

FORM 10
[See rule 19 (1)]





MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone No. and e-mail)	Infosys Ltd, Plot No-4, RGCTP, Kishanganh, Chd- 160101
2.	Sender's authorisation No.	CRCCL/GLIT/0522/2017/113
3.	Manifest Document No.	14848
4.	Transporter's name and address (including Phone No. and e-mail)	GOLDEN PETRO Plot No. C-45, Industrial Focal Point, CHANALON, Dist. SAS Nagar-140103 (Punjab) M : 98764 89193 E-mail : goldenpetro@gmail.com
5.	Type of vehicle	(Truck/Tanker/Special Vehicle)
6.	Transporter's registration No.	
7.	Vehicle registration No.	
8.	Receiver's name and mailing address (including Phone No. and e-mail)	GOLDEN PETRO Plot No. C-45, Industrial Focal Point, CHANALON, Dist. SAS Nagar-140103 (Punjab) M : 98764 89193 E-mail : goldenpetro@gmail.com
9.	Receiver's authorisation No.	
10.	Waste description	
11.	Total quantity No. of Containers 375 Litre 5 Nos. Content - 27L, Vap. oil - 22L
12.	Physical form	(Solid/Semi Solid/Sludge/Oily/Tarry/Slurry/Liquid)
13.	Special handing instructions and additional information	Handle with Care Hazardous Waste
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
	Name and stamp:	Signature:  <i>Neelam</i>
		Day Month Year 23 07 2019
15.	Transporter acknowledgement of receipt of Wastes	
	Name and stamp:	Signature: 
		Day Month Year 23 07 2019
16.	Receiver's certification for receipt of hazardous and other waste	
	Name and stamp:	Signature: 
		Day Month Year 23 07 2019

Chanalon, Dist. Mohali, Punjab 140103




MANIFEST FOR HAZARDOUS AND OTHER WASTE

S.No.: 31640

1 Occupier's Name & Mailing Address (including Phone No. and email)	INFOSYS LIMITED, PLOT NO - 1, RGCTP, KISHANGARH CHANDIGARH - 160101		
2 Sender's Authorization No.	CPCCLGIT/0522/2017/113/5230		
3 Manifest Document No.	CHNo A/27.8.2019		
4 Transporter's Name & Address (including Phone No. and email)	Bharat Oil CO. Ltd.		
5 Type of Vehicle	(Truck / Tanker / Special Vehicle)		
6 Transporter's Registration			
7 Vehicle Registration No.	CH01TA-4391		
Receiver's Name & Mailing Address (including Phone No. and email)	(I) BHARAT OIL COMPANY (I) REGD. E-18, Site-IV, Sahibabad Industrial Area, Ghaziabad, UP-201010 Tel.: 0120-4167924, e-mail:sales@bharatoil.com		
(II) BHARAT OIL & WASTE MANAGEMENT LTD. Mauza Mukimpur, Roorkee-Lakshar Road, Roorkee - 247664 UK, Tel. :08874207664 e-mail:sales@bharatoil.com	(III) BHARAT OIL & WASTE MANAGEMENT LTD. Plot # 672, Sikandra Road, NH-2, Kumbhi Village, Tehsil Akbarpur, Kanpur Dehat, UP, Tel : 0512-2285296 e-mail:sales@bharatoil.com		
9 Receiver's Authorization No.	(I) 1486/UPPCB/Ghaziabad(UPPCBRO)/HWM/GHAZIABAD/2018 Valid upto: 03/05/2023		
(ii) UEPPCB/HO/Con-B-84/2018/548 Valid upto: 31/03/2023	(iii) 1403/UPPCB/KanpurDehat(UPPCBRO)/HWM/KANPUR DEHAT/2018 Valid upto:30/04/2023		
10 Waste Description	Cotton waste, used Filter-		
11 Total Quantity No. of Containers	10 kg,m ³ or MT 48 nos		
12 Physical Form	(Solid/Semi-Solid/Sludge/Oily/Tarry/Slurry/Liquid)		
Special Handling Instructions & Additional Information	Do not throw Drums from truck. In case of leakage/ seepage, use Washing soap at point of leak to stop its leakage.		
14 SENDER'S CERTIFICATE	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised packed, marked, and labeled, and are in all respects in proper condition for transport by road according to applicable national government regulations.		
Typed Name & Stamp 	Signature : 		
15 Transporter Acknowledgement of Receipt of Waste	Month	Day	Year
Typed Name & Stamp 	08	27	2019
16 Receiver's Certificate for Receipt of Hazardous and other Waste	Month	Day	Year
Typed Name & Stamp 	08	27	2019

FORM 10
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone No. and e-mail)	Infosys Limited, Plot No- RGCTA, Kishangarh, Chd			
2.	Sender's authorisation No.				
3.	Manifest Document No.	15030			
4.	Transporter's name and address (including Phone No. and e-mail)	GOLDEN PETRO Plot No. C-45, Industrial Focal Point, CHANALON, Dist. SAS Nagar-140103 (Punjab) M : 98764 89193 E-mail : goldenpetro@gmail.com			
5.	Type of vehicle	(Truck/Tanker/Special Vehicle)			
6.	Transporter's registration No.				
7.	Vehicle registration No.				
8.	Receiver's name and mailing address (including Phone No. and e-mail)	GOLDEN PETRO Plot No. C-45, Industrial Focal Point, CHANALON, Dist. SAS Nagar-140103 (Punjab) M : 98764 89193 E-mail : goldenpetro@gmail.com			
9.	Receiver's authorisation No.				
10.	Waste description	Used oil			
11.	Total quantity No. of Containers	800 Litre 4 Nos. Vegetable Oil - 50 Litres			
12.	Physical form	(Solid/Semi Solid/Sludge/Oily/Tarry/Slurry/Liquid)			
13.	Special handling instructions and additional information	Handle with Care Hazardous Waste			
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.			
	Name and stamp:	Signature:	Day	Month	Year
			30	01	2020
15.	Transporter acknowledgement of receipt of Wastes				
	Name and stamp:	Signature:	Day	Month	Year
			30	01	2020
16.	Receiver's certification for receipt of hazardous and other waste				
	Name and stamp:	Signature:	Day	Month	Year
			30	01	2020




E-WASTE MANIFEST

352

1.	Sender's name and mailing address (Including Phone No.)	
2.	Sender's authorisation No, if applicable.	
3.	Manifest Document No.	
4.	Transporter's name and address (Including Phone No.)	
5.	Type of vehicle	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No.	
7.	Vehicle registration No.	
8.	Receiver's name & address	M/s Nirvana Recycling Pvt. Ltd. D-6, Udyog Vihar, Phase-VI, Sector-37, Gurugram
9.	Receiver's authorisation No, if applicable.	HSPCB/E-WASTE/REG/2017/01
10.	Description of E-Waste (Item, Weight/ Numbers)	
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler). Signature: _____ Month _____ Day _____ Year _____	
12.	Transporter acknowledgement of receipt of E-Wastes	
	Name and stamp: _____ Signature: _____ Month _____ Day _____ Year _____	
13.	Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler) certification of receipt of E-waste	
	Name and stamp: _____ Signature: _____ Month _____ Day _____ Year _____	

* As applicable



Note:-

Copy number with colour code (1)	Purpose (2)
Copy 1 (Yellow)	To be retained by the sender after taking signature on it from the transporter and other three copies will be carried by transporter.
Copy 2 (Pink)	To be retained by the receiver after signature of the transporter.
Copy 3 (Orange)	To be retained by the transporter after taking signature of the receiver.
Copy 4 (Green)	To be returned by the receiver with his/her signature to the sender.

E-WASTE MANIFEST

1.	Sender's name and mailing address (including Phone No.)	
2.	Sender's authorisation No, if applicable.	
3.	Manifest Document No.	
4.	Transporter's name and address (including Phone No.)	
5.	Type of vehicle (Truck or Tanker or Special Vehicle)	
6.	Transporter/s registration No.	
7.	Vehicle registration No.	
8.	Receiver's name & address	M/s Nirvana Recycling Pvt. Ltd D-6, Udyog Vihar, Phase- VI, Sector-37, Gurugram.
9.	Receiver's authorisation No, if applicable	HSPCB/E-WASTE/REG/2017/01
10.	Description of E-Waste (Item, Weight/ Numbers)	
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler). Signature: _____ Month _____ Day _____ Year _____	
12.	Transporter acknowledgement of receipt of E-Wastes Name and stamp: _____ Signature: _____ Month _____ Day _____ Year _____	
13.	Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler) certification of receipt of E-waste Name and stamp: _____ Signature: _____ Month _____ Day _____ Year _____	

* As applicable

Note:-

Copy number with colour code (1)	Purpose (2)
Copy 1 (Yellow)	To be retained by the sender after taking signature on it from the transporter and other three copies will be carried by transporter.
Copy 2 (Pink)	To be retained by the receiver after signature of the transporter.
Copy 3 (Orange)	To be retained by the transporter after taking signature of the receiver.
Copy 4 (Green)	To be returned by the receiver with his/her signature to the sender.

E-WASTE MANIFEST

171

1.	Sender's name and mailing address (including Phone No.)	
2.	Sender's authorisation No, if applicable.	
3.	Manifest Document No.	
4.	Transporter's name and address : (including Phone No.)	
5.	Type of vehicle	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No.	
7.	Vehicle registration No.	
8.	Receiver's name & address :	M/s Nirvana Recycling Pvt. Ltd. D-6, Udyog Vihar, Phase- VI, Sector-37, Gurugram.
9.	Receiver's authorisation No, if applicable. :	HSPCB/E-WASTE/REC/2017/01
10.	Description of E-Waste (Item, Weight/ Numbers):	
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler): Signature: _____ Month _____ Day _____ Year	
12.	Transporter acknowledgement of receipt of E-Wastes	
	Name and stamp: _____ Signature: _____ Month _____ Day	
13.	Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler) certification of receipt of E-waste	
	Name and stamp: _____ Signature: _____ Month _____ Day	

* As applicable

Note:-

Copy number with colour code (1)	Purpose (2)
Copy 1 (Yellow)	To be retained by the sender after taking signature on it from the transporter and other three copies will be carried by transporter.
Copy 2 (Pink)	To be retained by the receiver after signature of the transporter.
Copy 3 (Orange)	To be retained by the transporter after taking signature of the receiver.
Copy 4 (Green)	To be returned by the receiver with his/her signature to the sender

E-WASTE MANIFEST

139

1.	Sender's name and mailing address (including Phone No.)	
2.	Sender's authorisation No, if applicable.	
3.	Manifest Document No.	
4.	Transporter's name and address (including Phone No.)	
5.	Type of vehicle	(Truck or Tanker or Special Vehicle)
6.	Transporter/s registration No.	
7.	Vehicle registration No.	
8.	Receiver's name & address :	M/s Nirvana Recycling Pvt. Ltd. D-6, Udyog Vihar, Phase- VI, Sector-37, Gurugram.
9.	Receiver's authorisation No, if applicable. :	HSPCB/E-WASTE/REC/2017/01
10.	Description of E-Waste (Item, Weight/ Numbers) :	
11.	Name and stamp of Sender* (Manufacturer or Producer or Bulk Consumer or Collection Centre or Refurbisher or Dismantler): Signature: _____ Month _____ Day _____ Year _____	
12.	Transporter acknowledgement of receipt of E-Wastes	
	Name and stamp: _____ Signature: _____ Month _____ Day _____ Year _____	
13.	Receiver* (Collection Centre or Refurbisher or Dismantler or Recycler) certification of receipt of E-waste	
	Name and stamp: _____ Signature: _____ Month _____ Day _____ Year _____	

* As applicable

Note:-

Copy number with colour code (1)	Purpose (2)
Copy 1 (Yellow)	To be retained by the sender after taking signature on it from the transporter and other three copies will be carried by transporter.
Copy 2 (Pink)	To be retained by the receiver after signature of the transporter.
Copy 3 (Orange)	To be retained by the transporter after taking signature of the receiver.
Copy 4 (Green)	To be returned by the receiver with his/her signature to the sender