

Date: 28th Sep 2023

CPCB/FORM-V/2022-2023/01

The Member Secretary Chandigarh Pollution Control Committee Paryavaran Bhavan, Madhya Marg, Chandigarh- 160019

Dear Sir/Madam,

Subject: Submission of Environmental Statement (Form-V) for Infosys Limited, Chandigarh

With reference to above subject, we herewith submit the Environmental Statement as provided under rule- 14 of the EPA act 1986 for FY 2022-23 for Infosys Limited, Chandigarh.

Enclosed:

- 1. Form -V for FY 2022-23
- 2. Copy of stack monitoring report
- 3. Copy of ambient air quality report
- 4. Copy of STP outlet water testing report

Yours Sincerely,

FORTHEQS & SHMITED

Puneet Randhawa

Senior Regional Head - Facilities

Date: 28th Sep 2023

Based 2920 23

INFOSYS LIMITED
Plot No. 1
Rajiv Gandhi Technology Park
Chandigarh 160 101, India
T 91 172 503 8000

F 91 172 504 6860

Corporate Office: CIN: L85110KA1981PLC013115

44, Infosys Avenue Electronics City, Hosur Road Bengaluru 560 100, India T 91 80 2852 0261 F 91 80 2852 0362

askus@infosys.com www.infosys.com

ANNEXURE

ENVIRONMENTAL STATEMENT FORM-V (See rule 14)

Environmental Statement for the financial year 2022-23 ending with 31st March 2023

PART-A

i. Name and address of the owner/occupier of the industry:

Infosys Technologies Limited Plot No.1, Rajiv Gandhi Technology Park. Kishangarh, Chandigarh.

Operation or process:

Software Development

ii. Industry category Primary-(STC Code) Secondary- (STC Code)

N.A

iii. Production category. Units:

Software Development

iv. Year of establishment:

2006

v. Date of the last environmental statement submitted:

September 2022

PART-B

Water and Raw Material Consumption:

i. Water consumption in m3/d

Process:

N.A

Cooling:

15 M3 (for use at cooling tower makeup)

Domestic:

10 M3 /d (for use at Office buildings, ECC, drinking water etc..)

Food Courts:

15 M3 /d (for use at food courts, kitchens etc.,)

Others:

30 M3 /d (for use at laundry, Laundromat, swimming pool etc.,)

Gardening:

28 M3 (only recycled water)

Enclosures:

- 1) Copy of Test Report for Treated Sewage
- 2) Copy of Test report for D.G set emissions



- 3) Form 10 for the Used oil, DG filters, oil soaked cotton disposed, Chemicals cans disposed
- 4) Form 2 for the E waste disposed

| Name of Products | Process water consumption per unit of products output | | |
|------------------|---|--------------------|--|
| | During the previous | During the current | |
| 9 | financial year | financial year | |
| 1. \ | N. A | | |
| 2. | | | |
| 3. | | | |
| 4. | | | |
| 5. | | | |
| 6. | | | |

ii. Raw material consumption

| Name of raw materials* | Name of Products | Consumption of raw material per unit of output | |
|------------------------|------------------|--|-----------------------------------|
| | | During the previous financial year | During the current financial year |
| | | | |

^{*} Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.



PART-C

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)

Software Industry

| Pollutants | Parameters | Quantity of pollutants discharged (mass/day) | Concentration of pollutants discharged (Average) | Percentage of variation from prescribed standards with reasons |
|------------|------------------------------|--|--|--|
| (a) Water | BOD | 0.027 kg/day | 6.7 mg/l | Within limits |
| · / | COD | 0.113 kg/day | 28 mg/l | |
| | TSS | 0.034 kg/day | 8.5 mg/l | |
| | Oil & Grease | <0.016 kg/day | <4 mg/l | |
| | рН | - | 7.4 | N . |
| (b) Air | Particulate Matter | 0.065 kg/day | 27.56 mg/Nm ³ | Within limits |
| | Sulphur Dioxide(SO2) | 0.036 kg/day | 7.65 mg/Nm ³ | |
| | Oxides of Nitrogen(NO2) | 0.56 kg/day | 12.85 mg/Nm ³ | |
| | Carbon Monoxide(as CO) | 0.052 kg/day | 1.8 mg/Nm ³ | |



PART-D

HAZARDOUS WASTES

(As specified under Hazardous Wastes (Management & Handling Rules, 1989).

| Hazardous Wastes Total Quantity (Kg) | | |
|--------------------------------------|---|---|
| Total Quality (Kg) | During the current financial year (2021-22) | During the current financial year (2022-23) |
| 1. From Process | Used Oil- 1280 liters (Disposed 683 liters in FY 21-22). DG Filters- 92 no's Oil soaked cotton- 25 kg Discarded Paint barrels= 152 Kg Discarded Cans= 1800 Kg's Silica Gel (WTP Media- Nonhazardous)= 10 kg's Expired Chemical Non-Hazardous= 1185 Kg Bio medical waste-13.25 kgs | Used Oil- 1250 liters DG Filters- 106 kg Oil soaked cotton- 14 kg Discarded Cans= 1245 Kg's Bio medical waste-57.80kg |
| 2.From Pollution Control Facilities | Not Applicable | Not Applicable |



SOLID WASTES:

| Solid Wastes | 5 | |
|--|---|--|
| Total Quantity (Kg) | | |
| | During the current financial year(2021-22) | During the current financial year (2022-23) |
| a. From process | E waste-17330 kgs Metal waste: 37650 Kgs Mixed garbage: 3931 Kgs Paper / cardboard waste: 2133 Kgs Plastic waste: 5205 Kgs Wood waste: 3225 Kgs Garden Waste: 30290 Kg's Glass Waste: 16335 Kg's | E waste-13616 kgs Metal waste: 5485 Kgs Mixed garbage: 11695 Kgs Paper / cardboard waste: 2170 Kgs Plastic waste: 2020 Kgs Wood waste: 1185 Kgs Garden Waste: 27440 Kg's Glass Waste: 1550 Kg's |
| b. From Pollution Control Facility | Not Applicable | Not Applicable |
| c. Quantity recycled or re- utilized within the unit. | Sludge-6820 kg (Used as manure for landscape) Food waste is treated inhouse through composter. All other solid wastes are disposed to the registered recyclers | • Sludge- 5550 kg (Used as manure for landscape) Food waste is treated inhouse through composter. All other solid wastes are disposed to the registered recyclers |



PART-F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

| IW | 2022-23 | Authorized Vendor | Disposal Method |
|-------------------|-----------|------------------------------|---|
| Used oil | 720 Liter | Golden Petro | Distillation with clay treatment is done which results into lube oil production |
| DG filters | 106 kg's | Bharat Oil and Management | Incineration |
| Oil soaked cotton | 14 kg's | Bharat Oil and Management | Incineration |
| Chemical Cans | 1245 kg's | Bharat Oil and Management | TSDF |

| Non - Hazardous Wastes | Disposal | |
|---|---|--|
| Paper, Wood | Disposed to registered recyclers / re processors. | |
| Plastic Waste | Disposed to PCB approved recyclers. | |
| Mixed waste | Mixed waste generated from food court is sent to municipal corporation. | |
| STP sludge | Used as manure for landscape | |
| Other Wastes | Disposal | |
| E waste. | Disposed to CPCB registered vendor | |
| Bio medical waste | Disposed to CPCC approved vendor | |
| Glass Waste | Disposed to authorized vendor for further processing | |
| Expired chemical and fire extinguisher waste, Silica Gel- Non | Disposed to authorized vendor for further processing | |
| hazardous waste | | |



PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production

- 1. All the waste generated in the campus is collected in the scrap yard and sold to recyclers
- 2. Paper waste is shredded and sold to recyclers. One side blank pages are used a rough pads
- 3. Hazardous waste like Used Oil, E waste, DG filters etc. is sold to authorized recyclers
- 4. Yearly target are set to reduce the consumption of natural resource (Water, Electricity and paper)
- 5. Training session are provided to employees and the contract staff on optimal use of the natural resource
- 6. LED and sensor lights are used in the campus
- 7. In the last year, approx..2000 KL of rooftop rain water is being used in the process, thus reducing the freshwater consumption. 15 numbers of injection wells constructed inside the campus to recharge the underground water by harvesting the rain water.
- 8. All the waste water generated in the campus is recycled in the campus through Sewage Treatment Plant and treated water is used for landscaping and flushing in buildings.
- 9. Our natural resource consumption has come down in last three years when we calculate on per person basis Converted 100% of external lights within the campus into LED lights, thus saving 0.75% of power consumption annually in the campus, along with 100% workstation lights inside the buildings
- 10. Various meeting rooms converted to VC room for better employee interaction and a step towards saving environment.
- 11. Installation of smart irrigation system throughout the campus for better utilization of recycled water in landscape area as per the plant requirement.
- 12. Regular review meetings are conducted to keep a check on the progress of the EMS
- 13. Monthly internal audits are conceited by certified lead auditors on EMS
- 14. All the critical equipment are under AMC, this helps to keep them efficient thus decreasing the pollution
- 15. Installation of de composter for the processing of food waste and garden waste into manure for re-using in Plantation area.



Additional measures/investment proposal for environmental protection including abatement of pollution

- Infosys has been certified compliant to ISO 14001 & ISO 45000 (OHSAS)
- Energy conservation practices implemented
- Efforts have been taken to minimize the use of single use plastics/ Thermocol within the campus
- Sustainability has been at the core of our business philosophy. Infosys Sustainability Report is published annually. Our sustainability report provides an update on the responsible business practices across social, environmental and economic parameters in accordance with the GRI 4.0 framework for the year 2016-17. It delineates our sustainability agenda across three areas social contract, resource intensity, and green innovation.

PART-I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution

Water is used in kitchens, toilets and the domestic sewage generated is recycled through Sewage Treatment Plant and recycled water is used for Landscaping, flushing and cleaning of paths. Dry sludge is used as manure in the campus

LED lights in place of halogen lights and CFL's is being used in the campus.

We have made conscious effort to switch over to refrigerants with a zero ODP and this has resulted in the use of R410A, R407C and R134A.

Food waste generated form the food court is being treated in the Composter along with garden waste for manure production and in turn being used in landscaping.

The waste bins are identified with colour codes, awareness trainings are in place to ensure proper segregation at the source.

The disposal paper cups, bowls, plates etc. are replaced with reusable containers, which has drastically reduced our waste generation.

Reduction in the generation of:

I. Effluents

Following are few of the clean technologies implemented to minimize generation of waste water:

- Flow restrictors for water taps, showers and health faucet
- Water less urinals are used as a pilot project.

II. Emissions

- Low sulphur diesel is used for DG sets.
- Diesel boiler is replaced with Steam boiler.

III. Hazardous / solid waste

- The food waste generated is routed to in-house 200 kg per day capacity composter plant. The manure generated is being used in landscape area.
- The disposables paper cups and plates are replaced with reusable cups and plates. This has helped us in eliminating all the waste and in turn reduction in paper waste generation.
- Placed awareness signage near the dishwasher and food waste collection area to aware the employees for generating less food waste.

Steps for reuse / recycle of waste:

Waste is segregated at source by colour coded bins. The waste is routed to scrap yard and segregated waste is kept in designated locations for disposal. Waste generated is disposed through authorized vendors. For hazardous waste the vendors with necessary approvals from CPCC only entertained.