

HBLSEZ/KSPCB/ FAC/21-22/ 20

Date: September 24, 2021

To,  
The Environmental Officer,  
Karnataka State Pollution Control Board,  
Plot No.4, Lakamanahalli PB Road KIDB Indl Area,  
Dharwad- 580030

Dear Sir,

Sub: Submission form – 5


We hereby submit the following form


- Form 5 – Environmental statement for the period of 2020-21

Kindly acknowledge the same.

Thanking You,

Yours Sincerely,

  
Authorized Signatory  
Infosys Ltd,  
Hubli-580030.

  
27/9/2021.

**INFOSYS LIMITED**

CIN: L85110KA1981PLC013115

44, Infosys Avenue  
Electronics City, Hosur Road  
Bengaluru 560 100, India

T 91 80 2852 0261

**ANNEXURE**  
**ENVIRONMENTAL STATEMENT FORM-V**  
**(See rule 14)      FY 2020-21**

*Environmental Statement for the financial year ending with 31st March*

**PART-A**

- i. *Name and address of the owner/ occupier of the industry operation or process.* Suresh. M. Kunnath, Regional Manager  
Infosys Ltd, IT/ITES SEZ,  
Gokul Hobli, Hubli Taluk  
Near Hubli Airport,  
Dharwad District,  
Karnataka-580030
- ii. *Industry category Primary- (STC Code) Secondary- (STC Code)*
- iii. *Production category –Units: NA –Software development*
- iv. *Year of establishment : 2016 ( Start of Construction)*
- v. *Date of the last environmental statement submitted : 14-Sept-2020*

**PART-B**

*Water and Raw Material Consumption:*

- i. *Water consumption in m<sup>3</sup>/d*

*Process: Nil*

*Cooling: Nil*

*Domestic: 27.5 m<sup>3</sup>/d*

Name of Products	Process water consumption per unit of products	
	During the previous financial year	During the current financial year
1.		
2.		
3.	NA	NA
4.		

ii. *Raw material consumption*

Name of raw materials*	Name of Products	Consumption of raw material per unit of output	
		During the previous financial year	During the current financial year
NA	NA	NA	NA

*\* Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.*

### PART-C

**Pollution discharged to environment/unit of output (Parameter as specified in the consent issued)**

Pollutants	Quantity of Pollutants discharged (mass/day)	Concentration of Pollutants discharged (mass/volume)	Percentage of variation from prescribed standards with reasons.
(a) Water *	BOD : 0.02 Kg/day	pH : 7.436	No variation from standard
	COD : 0.05 Kg/day	BOD : 7.2 mg/L	
	Suspended Solids : 0.02 Kg/day	COD : 20 mg/L	
	Ammonical Nitrogen : 0 Kg/day	Suspended Solids : 10.7 mg/L	
	Total Nitrogen : 0 Kg/day	Ammonical Nitrogen : 0.995 mg/L	
		Total Nitrogen : 1.51 mg/L	
		Fecal Coliforms : 37.2 MPN/100 ml	
(b) Air	NOx: 0.01 Kg/day	NOx: 28.9 mg/NM <sup>3</sup>	No variation from standard
	PM: 0.02 Kg/day	PM: 76.82 mg/NM <sup>3</sup>	
	SOx: 0.0 Kg/day	SOx: 14.94 mg/NM <sup>3</sup>	

\* Note : Total STP outlet per day : 2.5 KLD, Reused quantity for HVAC / Flushing : 0 KLD, Used for Landscape irrigation: 2.5 KLD

### PART-D

#### HAZARDOUS WASTES

(as specified under Hazardous Wastes (Management & Handling Rules, 1989).

Hazardous Wastes	Total Quantity (Kg)	
	During the previous financial year	During the current financial year
1. From Process		
2. From Pollution Control Facilities	NIL	NIL

--	--	--

#### **PART-E**

##### **SOLID WASTES:**

Solid Wastes	Total Quantity (Kg)	
	During the previous financial year	During the current financial year
a. From process	NIL	NIL
b. From Pollution Control Facility	NIL	NIL
c. Quantity recycled or reutilized within the unit.	NA	NA

#### **PART-F**

*Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.*

*Regular operation of software development activities is not commenced yet.*

#### **PART-G**

*Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.*

- Campus is having a 50 KLD sewage treatment plant operating with sequential batch reactor method.
- Two DG sets having capacity of 500 KVA & 320 KVA in operational.
- 518 KL capacity Rain water harvesting tanks are available, two rain water harvesting ponds having capacity of 4.6 crore liters.
- Planted trees in the campus- 6735 till March 2021



***PART-H***

*Additional measures/investment proposal for environmental protection including abatement of pollution.*

*Nil*

***PART-I***

***MISCELLANEOUS:***

*Any other particulars in respect of environmental protection and abatement of pollution.*

*Nil*

A handwritten signature in blue ink, consisting of a large loop on the left and a series of vertical and horizontal strokes on the right.

*Hubli*

*Date :24-September-2021*

*Authorised Signatory  
Regional Manager - Facilities*