

**INFOSYS BPM LIMITED**

(Formerly Known as Infosys BPO Limited)  
SEZ - Co-developer, IT-A-001 Mahindra World City  
Special Economic Zone, Village Kalwara  
Tehsil Sanganer, Jaipur - 302 037, India  
Tel : 91 141 395 6000 Fax Number : 91 141 395 6100  
Website Address : www.infosysbpm.com

Infosys®

To,

The Regional Officer  
Regional office, RSPCB  
Jaipur.

(South)  
8/263 मानसिय नगर, फोरिज हाबिपटन के  
पास, कार के शो रूम के पिछे

Date: 11<sup>th</sup> Sep 2019

**Sub:** Submission of form 5 (Environmental Statement) for our office Infosys BPM Limited, Mahindra World City, Tehsil: Sanganer, Jaipur

Dear Sir,

We are hereby submitting the form V for the FY 2019-2020. This is also being substantiated by the documents as closed for the reference.

Request you to acknowledge the same.

Thanking you

For Infosys BPM Limited  
Hemant Pratap Singh Rajpoot  
Regional Manager, Facility and Admin.  
for Infosys BPM Limited



**Enclosed:**

1. Ambient air quality report
2. Noise monitoring report
3. DG stack emission report
4. STP outlet sample analysis report

[FORM - V]

(See rule 14)

Environmental Statement for the financial year ending the 31<sup>st</sup> March.....<sup>2020</sup>.....

**PART - A**

- (i) Name and address of the owner/occupier of the industry operation or process. **INFOSYS**  
(ii) Industry category Primary ----(STC code) Secondary.-----(SIC Code) **BPM LIMITED**  
(iii) Production capacity.----Units---- **IT-A-001-A1**  
(iv) Year of establishment **2008** **MAHINDRA WORLD CITY, (SEZ) JAIPUR**  
(v) Date of the last environmental statement submitted **SEPTEMBER 2019**

**PART - B**

**Water and River Material Consumption**

- (1) Water consumption m<sup>3</sup>/d:  
Process **NA**  
Cooling **28 m<sup>3</sup>/d**  
Domestic **87 m<sup>3</sup>/d**

Name of Products	Process water consumption per unit of product output.	
	During the previous financial Year	During the Current financial Year
	(1)	(2)
(1)		
(2)	<b>NA</b>	<b>NA</b>
(3)		

1. Substituted by Rule 2 (b) of the Environment (Protection) Amendment Rules, 1993 notified vide G.S.R-3'6 (E) dated 22.04.1993.

ii) **Raw Material Consumption**

*Name of raw materials	Name of products	Consumption of raw material per Unit of output	
		during the previous financial year	during the current financial year
NA	NA		

\*Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

**PART - C**

Pollution discharged to environment/unit of output  
(Parameter as specified in the consent issued)

1) Pollutants	Quantity of pollutants discharged (mass/day)	Concentrations of pollutants in discharges (mass/volume)	Percentage of variation from prescribed standards with reasons
a) Water b) Air	AS PER TEST	REPORTS	NIL VARIATION

**PART - D**

**Hazardous Wastes**

(as specified under Hazardous Waste Management and Handling Rules, 1989)

Hazardous Waster	Total Quantity (Kg.)	
	During the previous Financial Year	During the current Financial year
a) From process	AS PER ANNUAL REPORT 2018-2019	AS PER ANNUAL REPORT 2019-2020
b) From pollution control facilities.		

**PART - E**  
**Solid Wastes**

	Total Quantity	
	during the previous financial year	during the current financial year
(a) From process		
(b) Form pollution control facility		
(c) (1) Quantity recycled or re-utilized within the unit		
(2) Sold		
(3) Disposed		

- (a) From process  
(b) Form pollution control facility **AS PER ANNUAL RETURN**  
(c) (1) Quantity recycled or re-utilized within the unit  
(2) Sold  
(3) Disposed

**PART - F**

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes. **MINIMUM GENERATION OF HAZARDOUS WASTE**

**PART - G**

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

**PART - H**

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution. **INCREASE THE FLORA WHILE PLANTING NATIVE PLANTS ACROSS CAMPUS**

**PART - I**

Any other particulars for improving the quality of the environment.

[F.No. Q- 15015/1/90-CP /]  
MUKUL SANWAL, Jt, Secy.





**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015

OSHAS 18001:2007

JDA/UDH

Office : E-65 Chitranjan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No. : TC502520400000712  
Job Identification : 400000712  
Date : 28-01-2015  
Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
Kalwara, Sanganer Jaipur  
Jaipur (Rajasthan)  
Type of Unit : BPO/Software  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 13-03-2020  
Date of Sample Receipt : 14-03-2020  
Date of Test : 14-03-2020 to 25-04-2020  
Sample Collected By : Rakesh Sharma  
Point of Collection : Near New Building

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Ammonia [microgram/m <sup>3</sup> ]	BDL (<10.0)	CPCB Guidelines	400.00
2	Carbon Monoxide [microgram/m <sup>3</sup> ]	270	IS 5182 (Part 10) : 1999 RA 2019	4000
3	Lead [microgram/m <sup>3</sup> ]	0.17	IS 5182 (Part 22) : 2004 Reaffirmed 2019	1.00
4	Nitrogen Dioxide as NO <sub>2</sub> [microgram/m <sup>3</sup> ]	13.57	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
5	Ozone [microgram/m <sup>3</sup> ]	32.6	APHA 1977, Part 819	100.00
6	Particulate Matter (PM <sub>2.5</sub> ) [microgram/m <sup>3</sup> ]	33.84	CPCB Guidelines	60.00
7	Sulphur Dioxide [microgram/m <sup>3</sup> ]	4.53	IS 5182 (Part 2) : 2001 RA 2017	80.00
8	Particulate Matter (PM <sub>10</sub> ) [microgram/m <sup>3</sup> ]	64.85	IS 5182 (Part 23)-2006 RA 2017	100.00
9	Arsenic [ng/m <sup>3</sup> ]	BDL (<2.0)	IS 5182 (Part 22) : 2004 Reaffirmed 2019	6.00
10	Nickel [ng/m <sup>3</sup> ]	11.6	IS 5182 (Part 22) : 2004 Reaffirmed 2019	20.00

Notes :-

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Rajesh Maheshwari*  
Senior Analyst  
Rajesh Maheshwari

*Rajesh Maheshwari*  
Authorized Signatory  
(Report No: TC502520400000712)



**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory  
RSPCB ISO 9001:2015 OSHAS 18001:2007 JDA/JDH

Office : E-65 Chitranjan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No. : TC502520400000712  
Job Identification. : 400000712  
Date : 28-01-2015  
Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
Kalwara, Sanganer Jaipur  
Jaipur (Rajasthan)  
BPO/Software  
Type of Unit : Ambient Air Quality Monitoring  
Type of Sample :  
Date of Sample Collection/Monitoring : 13-03-2020  
Date of Sample Receipt : 14-03-2020  
Date of Test : 14-03-2020 to 25-04-2020  
Sample Collected By : Rakesh Sharma  
Point of Collection : Near New Building

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Benzene [microgram/m <sup>3</sup> ]	BDL (<1.0)	IS 5182 (Part 11) : 2012 RA 2017	5.00
2	Benzo-alfa-Pyrene [ng/m <sup>3</sup> ]	BDL (<0.5)	CPCB Guideline	1.00

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Rakesh Sharma*  
Senior Analyst | Yogi

*Rakesh Maheshwari*  
Authorized Signatory  
(Report No: TC502520400000712)





**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015

OSHAS 18001:2007

JDA/UDH

Office : B-65 Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No. : TC502520400000710  
Job Identification. : 40000710  
Date : 04-05-2020  
Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
Kalwara, Sanganer Jaipur  
Jaipur (Rajasthan)  
Type of Unit : BPO/Software  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 13-03-2020  
Date of Sample Receipt : 14-03-2020  
Date of Test : 14-03-2020 to 25-04-2020  
Sample Collected By : Rakesh Sharma  
Point of Collection : Near Security Gate

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Ammonia [microgram/m <sup>3</sup> ]	BDL (<10.0)	CPCB Guidelines	400.00
2	Carbon Monoxide [microgram/m <sup>3</sup> ]	270	IS 5182 (Part 10) : 1999 RA 2019	4000
3	Lead [microgram/m <sup>3</sup> ]	0.2	IS 5182 (Part 22) : 2004 Reaffirmed 2019	1.00
4	Nitrogen Dioxide as NO <sub>2</sub> [microgram/m <sup>3</sup> ]	12.49	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
5	Ozone [microgram/m <sup>3</sup> ]	32.1	APHA 1977, Part 819	100.00
6	Particulate Matter (PM <sub>2.5</sub> ) [microgram/m <sup>3</sup> ]	29.8	CPCB Guidelines	60.00
7	Sulphur Dioxide [microgram/m <sup>3</sup> ]	3.59	IS 5182 (Part 2) : 2001 RA 2017	80.00
8	Particulate Matter (PM <sub>10</sub> ) [microgram/m <sup>3</sup> ]	79.22	IS 5182 (Part 23)-2006 RA 2017	100.00
9	Arsenic [ng/m <sup>3</sup> ]	BDL (<2.0)	IS 5182 (Part 22) : 2004 Reaffirmed 2019	6.00
10	Nickel [ng/m <sup>3</sup> ]	12.2	IS 5182 (Part 22) : 2004 Reaffirmed 2019	20.00

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Rakesh Sharma*  
Rakesh Sharma

*Rakesh Maheshwari*  
Rakesh Maheshwari



**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO-9001:2015

OSHA 18001:2007

JDA/UDH

Office : E-65 Chitranganj Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtsthhouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtsthhouse.com  
marketinglab@teamtsthhouse.com

**TEST REPORT**

Report No. : TC502520400000710  
Job Identification. : 40000710  
Date : 04-05-2020  
Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
Kalwara, Sanganer Jaipur  
Jaipur (Rajasthan)  
Type of Unit : BPO/Software  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 13-03-2020  
Date of Sample Receipt : 14-03-2020  
Date of Test : 14-03-2020 to 25-04-2020  
Sample Collected By : Rakesh Sharma  
Point of Collection : Near Security Gate

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Benzene [microgram/m3]	BDL (<1.0)	IS 5182 (Part 11) : 2012 RA 2017	5.00
2	Benzo-alfa-Pyrene [ng/m3]	BDL (<0.5)	CPCB Guidelines	1.00

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*(Signature)*  
**Rakesh Mal Yogi**  
Senior Analyst

*(Signature)*  
**Rakesh Maheshwan**  
Authorized Signatory  
(Report No: TC502520400000710)





# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB                      ISO 9001:2015                      OSHAS 18001:2007                      JDA/UDH

Office : E-65 Chitranganj Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

## TEST REPORT

Report No. :	TC502520400000711
Job Identification. :	400000711
Date :	04-05-2020
Issued To :	M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd, Kalwara, Sanganer Jaipur Jaipur (Rajasthan)
Type of Unit :	BPO/Software
Type of Sample :	Ambient Air Quality Monitoring
Date of Sample Collection/Monitoring :	13-03-2020
Date of Sample Receipt :	14-03-2020
Date of Test :	14-03-2020 to 25-04-2020
Sample Collected By :	Rakesh Sharma
Point of Collection :	Near Parking Area/ D.G Area

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Ammonia [microgram/m3]	BDL (<10.0)	CPCB Guidelines	400.00
2	Carbon Monoxide [microgram/m3]	260	IS 5182 (Part 10) : 1999 RA 2019	4000
3	Lead [microgram/m3]	0.1	IS 5182 (Part 22) : 2004 Reaffirmed 2019	1.00
4	Nitrogen Dioxide as NO2 [microgram/m3]	10.29	IS 5182 (Part 6) : 2006 Reaffirmed 2017	80.00
5	Ozone [microgram/m3]	36.1	APHA 1977, Part 819	100.00
6	Particulate Matter (PM2.5) [microgram/m3]	40.66	CPCB Guidelines	60.00
7	Sulphur Dioxide [microgram/m3]	3.83	IS 5182 (Part 2) : 2001 RA 2017	80.00
8	Particulate Matter (PM 10) [microgram/m3]	73.29	IS 5182 (Part 23) : 2006 RA 2017	100.00
9	Arsenic [ng/m3]	BDL (<2.0)	IS 5182 (Part 22) : 2004 Reaffirmed 2019	6.00
10	Nickel [ng/m3]	5.5	IS 5182 (Part 22) : 2004 Reaffirmed 2019	20.00

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Purani*  
Purani Mal Yogi

*Rajesh*  
Rajesh Mathew



**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)

Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015

OSHAS 18001:2007

JDA/UDH

Office : B-65 Chitranjan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : GJ-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No. : TC502520400000711  
Job Identification. : 400000711  
Date : 04-05-2020  
Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
Kalwara, Sanganeer Jaipur  
Jaipur (Rajasthan)  
Type of Unit : BPO/Software  
Type of Sample : Ambient Air Quality Monitoring  
Date of Sample Collection/Monitoring : 13-03-2020  
Date of Sample Receipt : 14-03-2020  
Date of Test : 14-03-2020 to 25-04-2020  
Sample Collected By : Rakesh Sharma  
Point of Collection : Near Parking Area/ D.G Area

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per National Ambient Air Quality Standard, 2009
1	Benzene [microgram/m3]	BDL (<1.0)	IS 5182 (Part 11) : 2012 RA 2017	5.00
2	Benzo-alfa-Pyrene [ng/m3]	BDL (<0.5)	CPCB Guidelines	1.00

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*P. Lovngal*  
**Puran Mal Yogi**  
Senior Analyst

*Rat*  
**Rajesh Maheshwari**  
Authorized Signatory  
(Report No: TC502520400000711)





**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory  
RSPCB ISO 9001:2015 OSHAS 18001:2007 JDA/UDH

Office : E-65 Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sinapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No./ULR No. :	TC50252060000507F	Date :	04-05-2020
Issued To :	M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd, Kalwara, Sanganer Jaipur, Jaipur (Rajasthan),	Type of Unit :	BPO/Software
Type of Sample :	Ambient Noise Level Monitoring	Date of Sample Collection/Monitoring :	13-03-2020
Point of Collection :	Near Security Gate	Date of Receipt :	14-03-2020
Date of Test/Analysis :	14-03-2020 to 25-04-2020	Sampling Plan :	TTH/NOISE/01
Quantity of Sample :	-	Sample Collected By :	Rakesh Sharma
Unit's representative :	Randeep Gupta	Condition of Sample :	Fit for testing

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Noise Level (Day Time) : Leq [dB(A)]	58.4	IS 9989	65
2	Noise Level (Night Time) : Leq [dB(A)]	48.8	IS 9989	55

**Notes :-**

- # Parameter No. 1,2 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Puran Mal Yogi*  
Puran Mal Yogi  
Senior Analyst

*Rajendra Singhwar*  
Rajendra Singhwar  
(Report No: TC50252060000507F)





**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory  
RSPCB ISO 9001:2015 OSHAS 18001:2007 JDA/UDH

Office : R-65 Chitrangan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No./ULR No. :	TC502520600000508F	Date :	04-05-2020
Issued To :	M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd, Kalwara, Sanganer Jaipur, Jaipur (Rajasthan).	Type of Unit :	BPO/Software
Type of Sample :	Ambient Noise Level Monitoring	Date of Sample Collection/Monitoring :	13-03-2020
Point of Collection :	Near Parking Area	Date of Receipt :	14-03-2020
Date of Test/Analysis :	14-03-2020 to 25-04-2020	Sampling Plan :	TTH/NOISE/01
Quantity of Sample :	-	Sample Collected By :	Rakesh Sharma
Unit's representative :	Randeep Gupta	Condition of Sample :	Fit for testing

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Noise Level (Day Time) : Leq [dB(A)]	60.7	IS 9989	65
2	Noise Level (Night Time) : Leq [dB(A)]	51.1	IS 9989	55

**Notes :-**

- # Parameter No. 1,2 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

**Rishan Mal Yogi**  
Senior Analyst

**Rajesh Maheshwari**  
Authorized Signatory  
(Report No: TC502520600000508F)



**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015

OSHAS 18001:2007

JDA/UDH

Office : E-65 Chitranjan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No./ULR No. :	TC502520600000509F	Date :	04-05-2020
Issued To :	M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd, Kalwara, Sanganer Jaipur, Jaipur (Rajasthan),	Type of Unit :	BPO/Software
Type of Sample :	Ambient Noise Level Monitoring	Date of Sample Collection/Monitoring :	13-03-2020
Point of Collection :	Near New Building	Date of Receipt :	14-03-2020
Date of Test/Analysis :	14-03-2020 to 25-04-2020	Sampling Plan :	TTH/NOISE/01
Quantity of Sample :	-	Sample Collected By :	Rakosh Sharma
Unit's representative :	Randeep Gupta	Condition of Sample :	Fit for testing

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Noise Level (Day Time) : Leq [dB(A)]	54.8	IS 9989	65
2	Noise Level (Night Time) : Leq [dB(A)]	46.8	IS 9989	55

**Notes :-**

- # Parameter No. 1,2 covered under NABL scope and Parameter No. NONE does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Purani*  
**Purani Mal Yogi**  
Senior Analyst

*Rat*  
**Rajesh Maheshwari**  
Authorized Signatory  
(Report No: TC502520600000509F)









**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015

OSHAS 18001:2007

JDA/UDH

Office : E-65 Chitranganj Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No. : TC502520500000343  
Job Identification. : 500000343  
Date : 04-05-2020  
Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
Kalwara, Sanganer Jaipur  
Jaipur (Rajasthan)  
Type of Unit : BPO/Software  
Type of Sample : Stack Emission Level  
Date of Sample Collection/Monitoring : 14-03-2020  
Date of Sample Receipt : 16-03-2020  
Date of Test : 16-03-2020 to 25-04-2020  
Sample Collected By : Rakesh Sharma  
Point of Collection : Stack attached with DG Set- 1(2000 KVA)

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Particulate matter [mg/Nm <sup>3</sup> ]	35.74	IS 11255 (Part 1):1985 Reaffirmed 2014	75
2	Sulphur Dioxide [mg/Nm <sup>3</sup> ]	BDL(<2.0)	IS 11255(Part 2) :1985 Reaffirmed 2014	-
3	Oxides of Nitrogen [mg/Nm <sup>3</sup> ]	402	IS 11255 (Part 7) :1985 Redfirmed 2012	710
4	Carbon monoxide [mg/Nm <sup>3</sup> ]	118	IS 5182 (Part 10) : 1999 RA 2019	150

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Puran*  
**Puran Mal Yogi**  
Senior Analyst

*Rajesh*  
**Rajesh Maheshwan**  
Authorized Signatory  
(Report No: TC502520500000343 )



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015

OSHAS 18001:2007

JDA/UDH

Office : E-65 Chitranganj Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

## TEST REPORT

Report No./ULR No. :	TC502520500000344P	Date :	04-05-2020
Issued To :	M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd, Kalwara, Sanganer Jaipur, Jaipur (Rajasthan),	Type of Unit :	BPO/Software
Type of Sample :	Stack Emission Level	Date of Sample Collection/Monitoring :	14-03-2020
Point of Collection :	Stack attached with DG Set- 2(2000 KVA)	Date of Receipt :	16-03-2020
Date of Test/Analysis :	16-03-2020 to 25-04-2020	Sampling Plan :	IS 11255:2008(Part 3)RA 2018
Quantity of Sample :	-	Sample Collected By :	Rakesh Sharma
Unit's representative :	Randeep Gupta	Condition of Sample :	Fit for testing

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Particulate matter [mg/Nm <sup>3</sup> ]	38.71	IS 11255 (Part 1):1985 Reaffirmed 2014	75
2	Flue gas Temperature [° K]	412	IS 11255 (Part 1):1985 Reaffirmed 2014	-
3	Exit gas Velocity [m/sec]	11.59	IS 11255 :1985 (Part 3)	-
4	Emission Rate [kg/hour]	0.52	IS 11255 (Part 1):1985 Reaffirmed 2014	-
5	Sulphur Dioxide [mg/Nm <sup>3</sup> ]	BDL (<2.0)	IS 11255(Part 2) :1985 Reaffirmed 2014	-
6	Oxides of Nitrogen [mg/Nm <sup>3</sup> ]	362	IS 11255 (Part 7) :1985 Redfirmed 2012	710
7	Carbon monoxide [mg/Nm <sup>3</sup> ]	135	IS 5182 (Part 10) : 1999 RA 2019	150
8	Non Methane Hydrocarbon as HC [mg/Nm <sup>3</sup> ]	72	IS 5182 (Part 21) : 2001 RA 2017	100
9	Flow Rate [Nm <sup>3</sup> /hour]	13460.83	IS 11255 :1985 (Part 3)	-

**Notes :-**

- # Parameter No. 1,5,6,7 covered under NABL scope and Parameter No. 2,3,4,8,9 does not cover under NABL scope
- # Parameter No. NONE outsourced for testing.
- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*P. LO...*

*Rajesh Maheshwan*









**TEAM TEST HOUSE**  
(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory

RSPCB

ISO 9001:2015

OSHAS 18001:2007

JDA/UDH

Office : E-65 Chitranjan Marg,  
C-Scheme, Jaipur - 302001, Rajasthan  
Phone : 0141-2369980, 9414077379  
Website : www.teamtesthouse.com  
Email : team.bdhead@gmail.com

Lab : G1-584, RIICO Industrial Area,  
Sitapura, Jaipur - 302022, Rajasthan  
Phone : 9460222039, 9460222049  
Email : director@teamtesthouse.com  
marketinglab@teamtesthouse.com

**TEST REPORT**

Report No. : TC502520200000298  
Job Identification : 200000298  
Date : 04-05-2020  
Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
Kalwara, Sanganer Jaipur  
Jaipur (Rajasthan)  
Type of Unit : BPO/Software  
Type of Sample : Wastewater Sample  
Date of Sample Collection/Monitoring : 13-03-2020  
Date of Sample Receipt : 14-03-2020  
Date of Test : 14-03-2020 to 25-04-2020  
Sample Collected By : Rakesh Sharma  
Point of Collection : STP (Outlet)-Treated

**RESULTS**

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Total Suspended Solids [mg/l]	34	APHA.2017:2540-D	100
2	Ammonical Nitrogen as N [mg/l]	5.60	APHA 2017 : 4500-NH3 C	50
3	Biochemical Oxygen Demand (BOD) [mg/l]	12	APHA 2017:5210-B	30
4	Chloride as Cl [mg/l]	93.97	APHA 2017 : 4500-Cl-B	-
5	Chemical Oxygen Demand (COD) [mg/l]	87.26	APHA:2017 : 5220-C	250
6	pH	6.63	APHA:2017 : 4500-H+B	5.5 - 9.0
7	Phosphate (total) as P [mg/l]	3.90	APHA 2017 : 4500-P C	5
8	Sulphate [mg/l]	66.25	APHA:2017 : 4500-SO4-E	-
9	Oil & Grease [mg/l]	3	APHA 2017 : 5520 B	10
10	Total Residual Chlorine [mg/l]	BDL (< 0.1)	APHA:2017 : 4500-Cl B	1.0

**Notes :-**

- # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.
- # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.
- # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*Puran Lal Yogi*  
Puran Lal Yogi  
Senior Analyst

*Rajesh Maheshwari*  
Rajesh Maheshwari  
Authorized Signatory  
(Report No: TC502520200000298)



# TEAM TEST HOUSE

(Unit of Team Institute of Science & Technology Pvt. Ltd.)



Approved by Ministry of Environment and Forest, Government of India as Environmental Laboratory  
**RSPCB** ISO 9001:2015 **OSHAS 18001:2007** **JDA/UDH**

Office : B-65 Chitrangan Marg,  
 C-Scheme, Jaipur - 302001, Rajasthan  
 Phone : 0141-2369980, 9414077379  
 Website : www.teamtesthouse.com  
 Email : team.bdhead@gmail.com

Lab : OI-584, RIICO Industrial Area,  
 Sitapura, Jaipur - 302022, Rajasthan  
 Phone : 9460222039, 9460222049  
 Email : director@teamtesthouse.com  
 marketinglab@teamtesthouse.com

## TEST REPORT

Report No. : TC502520200000298  
 Job Identification.: 200000298  
 Date : 04-05-2020  
 Issued To : M/S Infosys BPM Ltd, IT -A-001, Mahendra World City (Jaipur) Ltd,  
 Kalwara, Sanganer Jaipur  
 Jaipur (Rajasthan)  
 Type of Unit : BPO/Software  
 Type of Sample : Wastewater Sample  
 Date of Sample Collection/Monitoring : 13-03-2020  
 Date of Sample Receipt : 14-03-2020  
 Date of Test : 14-03-2020 to 25-04-2020  
 Sample Collected By : Rakesh Sharma  
 Point of Collection : STP (Outlet)-Treated

## RESULTS

S.No	Parameters	Observed Value	Testing Protocol	Limits as per Environment protection rules, 1986
1	Odour	Agreeable	APHA : 2017, 2150 B	-
2	Temperature [°C]	24	APHA:2017:2550A	-
3	Percent Sodium [%]	42.8	APHA:2017 : 3500-Na B	-
4	color [Hazen]	40	APHA:2017: 2120-B	-
5	Particle size of suspended solids [mg/l]	Particle passes through IS 850 micron Sieve	TTH/PS/01	-
6	Dissolved Solids (Inorganic) [mg/l]	840	APHA:2017 : 2540-E	-

Notes :-  
 # The results listed refer only to the tested sample (s) & parameters (s). Endorsement of products is neither inferred nor implied.  
 # This report is not to be reproduced wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without our special permission in writing.  
 # The samples will be destroyed after 15 days from the date of issue of test report unless otherwise specified.

*[Signature]*  
 Pooja Anil Yogi  
 Senior Analyst

*[Signature]*  
 Rakesh Maheshwari  
 Authorized Signatory  
 (Report No: TC502520200000298)