

Infosys®

Infosys Technologies Limited
Kuloor Ferry Road, Kottara
Mangalore 575 006, India
Tel : 91 824 2451485-500
Fax : 91 824 245 1504
www.infosys.com

CIN: L85110KA1981PLC013115
askus@infosys.com

MNGSTP/FAC/KSPCB/22-23/05

Date: September 16, 2022

To,
The Environmental Officer,
Karnataka State Pollution Control Board,
Baikampady Industrial Area,
Mangaluru – 575 011.

Dear Sir,

Sub: Submission of Form 5

We hereby submit the following forms.

- Form 5 – Environmental Statement for the period of 2021-22.

Kindly acknowledge the same.

Thanking You,

Yours Sincerely,


Authorized Signatory
Infosys Ltd,
Mangalore - 575006

RECEIVED
Regional Office
Karnataka State Pollution Control Board
Plot No.10-'B', Baikampady Industrial Area
Mangaluru-575011
28/09/22

ANNEXURE

ENVIRONMENTAL STATEMENT FORM-V

(See rule 14)

FY 2021-22

Environmental Statement for the financial year ending with 31st March 2022

PART-A

- i. *Name and address of the owner/ occupier of the industry*: Suresh M Kunnath, Regional Manager
Infosys Limited,
Kulur Ferry Road, Kottara,
Mangaluru – 575 006.
- ii. *Industry category Primary-(STC Code) Secondary- (STC Code)*
- iii. *Production category – Units. : NA - Software Development*
- iv. *Year of establishment* : 2001
- v. *Date of the last environmental statement submitted.:* 28/09/2021

PART -B

Water and Raw Material Consumption:

- i. *Water consumption in m³/d*

Process : Nil

Cooling : Nil

Domestic : 4.15 m³/d

Name of Products	Process water consumption per unit of products	
	During the previous financial year	During the current financial Year
1.		
2.		
3.	NA	NA
4.		

ii. *Raw material consumption*

Name of raw materials*	Name of Products	Consumption of raw material per unit of Output	
		During the previous financial year	During the current financial year
NA	NA	NA	NA

* *Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.*

PART-C

Pollution discharged to environment/unit of output
(Parameter as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (mass/day)	Concentration of Pollutants discharged (mass/volume)	Percentage of Variation from Prescribed Standards with reasons.
(a) Water	Nil as campus is not operational	Nil as campus is not operational	NA
(b) Air	Nil as campus is not operational	Nil as campus is not operational	NA

PART-D

HAZARDOUS WASTES

(as specified under Hazardous Wastes (Management & Handling Rules, 1989).

Hazardous Wastes	Total Quantity (Kg)	
	During the previous financial year	During the current financial year
1. From Process	Nil as campus is not operational	Nil as campus is not operational
2. From Pollution Control Facilities		

PART - E

SOLID WASTES:

Solid Wastes	Total Quantity (Kg)	
	During the previous financial year	During the current financial year
a. From process	Nil as the campus is not operational	Nil as the campus is not operational
b. From Pollution Control Facility	NA	NA
c. Quantity recycled or re-utilised within the unit.	NA	NA

PART - F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

We have temporarily shut down the operation of our campus from March 31, 2019 onwards. So there is no generation of waste.

PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

- Campus is having 48 KLD Sewage Treatment Plant with MBR technology.
- Three DG sets having capacity of 1010 KVA, 725 KVA and 1000 KVA.

PART - H

Additional measures/investment proposal for environmental protection including abatement of pollution.

- We have temporarily shut down the operation of our campus from March 31, 2019 onwards. All the employees have been moved to our campus at IT SEZ, Kamblapadav, Pajeer Village, Bantwal. Only few housekeeping and security staff working in the campus.
- As the volume of sewage generated is not be sufficient enough to operate the sewage treatment plant, we have shut down the plant and diverting the sewage generated to the corporation sewage line.
- Our in house clinic is closed and there is no generation of biomedical waste.
- There is no generation of Hazardous waste.

PART -I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution.

Nil

*Mangalore
16-Sep-2022*

A handwritten signature in black ink, consisting of several loops and a vertical stroke, positioned above the typed name.

*Authorised Signatory
Regional Manager - Facilities*