

Form - V
Environmental Statement

April 2024 - March 2025



ANNEXURE

ENVIRONMENTAL STATEMENT FORM-V

(See rule 14)

Environmental Statement for the financial year ending with 31st March

PART-A

<i>i. Name and address of the owner: occupier of the industry</i>	M/s Infosys Limited Orion (M&C) Sy No.157 (P), Plot No. 53 Electronic City Bangalore – 560100
<i>Operation or process.</i>	Software Development
<i>ii. Industry category Primary- (STC Code) Secondary- (STC Code)</i>	Orange
<i>iii. Production category. Units.</i>	Software Development
<i>iv. Year of establishment</i>	2013
<i>v. Date of the last environmental statement submitted.</i>	27.09.2024

PART-B

Water and Raw Material Consumption:

i. Water consumption in m³/d

Process: NA

Cooling: 3.38 m³/day

Domestic: 11.49 m³/day

Enclosures:

- 1) Copy of Test report for D.G set emissions
- 2) Copy of Test report for Ambient air quality
- 3) Copy of Test Report for Treated Sewage

Name of Products	Process water consumption per unit of products output	
	During the previous financial year	During the current financial year
	NA	



ii. Raw material consumption

Name of raw materials*	Name of Products	Consumption of raw material per unit of output	
		During the previous financial year	During the current financial year
NA			

* Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART-C

Pollution discharged to environment/unit of output
(Parameter as specified in the consent issued)

a) Water

Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (Mass/Volume)	Percentage of variation from prescribed Standards with reasons.
pH	7.36	7.36	No Variations from the prescribed parameters & limits
BOD	0.05	3.08	
COD	0.15	10.33	
Total Suspended Solids	0.01	1.00	
NH4-N	0.004	0.25	
Total Nitrogen	0.01	1.00	
Fecal Coliform	0.54	36.17	

b) Air

Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (Mass/Volume)	Percentage of variation from prescribed Standards with reasons.
PM	0.0608	44.48	No Variations from the prescribed parameters & limits
SO ₂	0.0014	1.00	
NO _x	0.7687	562.67	

Note: The above-mentioned results are from the existing DG sets as specified in the Air Consent, derived by taking annual cumulative average from 02 DG sets.



PART-D

HAZARDOUS WASTES

[As specified under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016].

Hazardous Wastes	Total Quantity (MT/A)	
	During the current Financial year 2023-24	During the current Financial year 2024-25
1. Used Spent Oil	0.625 MT/A	0.610 MT/A
2. Wastes Residues Containing Oil	0.06 MT/A	0.055 MT/A
3. Empty barrels / Containers/ liners contaminated with hazardous chemicals/wastes	Nil	0.068 MT/A

PART - E

SOLID WASTES:

Solid Wastes	Total Quantity	
	During the current Financial year (FY 2023-24)	During the current Financial year (FY 2024-25)
a. From process	Food waste: 2994.22 Kgs STP Sludge waste: 635 Kgs Other Solid wastes: Centralized collection & disposal from main E-city campus	Food waste: 10984.9 Kgs STP Sludge waste: 5547 Kgs Other Solid wastes: Centralized collection & disposal from main E-city campus
b. From Pollution Control Sources-STP	Sludge from STP 635 Kgs	Sludge from STP 5547 Kgs
c. Quantity recycled or re-Utilized within the unit.	Food waste is treated through inhouse biogas and OWC. STP sludge is treated through inhouse sludge solar drying bed All other solid wastes are disposed to the registered recyclers.	Food waste is treated through inhouse biogas and OWC. STP sludge is treated through inhouse sludge solar drying bed All other solid wastes are disposed to the registered recyclers.



PART -F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Waste is segregated at source. A color code for bins has been devised and implemented for different types of waste. The color codes are as follows: Green for bio-degradable waste; Red for toxic waste; Blue for dry recyclable waste.

Bio-medical waste and sanitary waste generated in the location will be taken out by an agency authorized by KPCB.

A focused approach to solid waste management has resulted in better disposal systems. Solid waste included all the Non-hazardous waste viz., paper/ cardboard waste, plastic waste, metal waste, wood waste and garden waste.

Hazardous waste:

- Used Oil / filters / oil-soaked cotton waste – Disposed to registered KSPCB authorized recyclers/incinerators as per Hazardous Waste Rules
- Batteries – Disposed to registered KSPCB authorized battery recyclers.

Waste category	Total Quantity (MT/A)		Concentration	Disposal Practice
	During the current Financial year (FY 2023-24)	During the current Financial year (FY 2024-25)		
Batteries	Nil	Nil	Solid	The waste is disposed to authorized KSPCB recycler.

- E-waste - Sent to registered KSPCB authorized recyclers.

Waste category	Total Quantity (MT/A)		Concentration	Disposal Practice
	During the current Financial year (FY 2023-24)	During the current Financial year (FY 2024-25)		
E-waste	2.37 MT	0.190 MT	Solid	The waste is disposed to authorized KSPCB recycler.



- Biomedical waste: Generated biomedical waste is disposed to authorized vendor from the same location. Tissue papers, masks & gloves centralized disposed (along with Main Campus waste) to send to registered KSPCB authorized incinerator.

Bio-medical waste Category	Total Quantity		Concentration	Disposal Practice
	During the current Financial year (FY 2023-24)	During the current Financial year (FY 2024-25)		
Yellow Bag	4.450 Kgs	3.300 Kgs	Solid	The waste is disposed to authorized KSPCB incinerator within 48 hrs. of generation.
Blue Bag	2.490 Kgs	1.310 Kgs		
Red Bag	3.680 Kgs	3.270 Kgs		
White Bag	6.550 Kgs	4.710 Kgs		

Solid waste:

- Waste like paper, plastic, metal, wood and glass are segregated disposed to registered recyclers/ re-processors for further disposal. All the generated solid waste is stored and disposed through main campus. We have a centralized storage in the main E City Campus
- Dry sludge is sent to Sarjapur campus and used as manure which is generated from domestic sewage.
- Food waste: All the food waste generated is collected in designated color-coded bins and is used for the Biogas plant and OWC

PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production.

- We have 90.26 Kwp of solar photovoltaic (PV) systems on the rooftop to harvest solar energy.
- The building design demonstrates 42% reduction in energy consumption compared to ASHRAE standards and is the first building in India to implement radiant panel-based cooling system
- Low Sulphur diesel is used for DG sets.
- Rooftop solar system installed. The campus is using solar energy generated at our solar plant as a major source.
- Treated water from STP is used for HVAC systems and flushing purpose, thereby we have reduced the consumption of fresh water.
- Rainwater harvesting system implemented to reduced consumption of fresh water.
- Sludge waste is treated in solar sludge drying bed which comprises of Building envelope and Electric mole (Automatic Robots). The main source for entire process is solar energy and due to this 35% or less moisture content is expected after sludge drying. The dried sludge is used as manure for in house landscaping.



PART - H

Additional measures/investment proposal for environmental protection including abatement of pollution.

- Infosys has been certified to ISO 14001:2015.
- Process optimization is followed to reduce our energy and water consumption
- Building is awarded with LEED India Platinum rating & two GRIHA 5star rating for its new activities in prevention of natural resources.
- We have radiant panel-based cooling system to achieve the highest levels of efficiency. And first building in India to implement radiant panel-based cooling system
- Individual lighting controls are provided for at least 90% of the building occupants to enable adjustments to suit individual task needs and preferences. For multi-occupant spaces, lighting controls are provided for group needs.
- We have Energy harvesting switches and sensors, wireless, battery less and power less occupancy sensors which generate their own energy from building indoor environment
- We have installed Solar panels of total capacity 90.26 Kwp.
- LEDs are used for indoor lighting & Occupancy Sensors
- We have continued to achieve the reduction in water use through use of water efficient fixtures & reuse of treated grey water for flushing.
- Pressure compensating aerators are there in the building to reduce the consumption.
- Waterless urinals have been installed in the entire building to reduce consumption.
- We have Rainwater harvesting strategies in the building by channelizing the roof water and storm water runoff to the recharge pits
- A membrane bioreactor (MBR) technology-based sewage treatment plant (STP) recycles 100% of wastewater generated and this is reused for flushing, landscaping and for cooling towers makeup

PART-I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution

- We carry out environmental quality monitoring for Emissions and effluents as per the PCB standards.
- Treated water from STP is used for HVAC systems and flushing purpose, thereby we have reduced the consumption of fresh water
- We are ensuring 100% segregation of waste at source, stored, and disposed as per applicable legal legislation.
- We continue to ensure the Color coding for different type of waste by segregating at the building level
- We have consistently ensured that we reduce, reuse, and recycle & dispose the waste responsibly.



- Hazardous wastes are stored and disposed to authorized recyclers only, in adherence to applicable legislation.
- We use green sealed chemicals for our housekeeping purpose.
- Treated water from STP is used for HVAC systems, gardening, and flushing purpose, thereby we have reduced the consumption of fresh water.
- BMS (Building management system) has been implemented.
- We have reduced the usage of tissue papers.
- We have implemented biodegradable plastics which helps in phasing out of single use & non-recyclable plastics.

