

IL/HBLSEZ/KSPCB/2024-25/002

Date: 26.09.2025

The Environmental Officer,
Karnataka State Pollution Control Board
Plot No.4, Lakamanahalli PB Road KIADB
Industrial Area,
Dharwad- 580 030

Subject: Submission of Form-V (Environmental Statement) for financial year 2024-25

Sir,

With reference to above subject, please find herewith enclosed Form-V (Environmental Statement) for financial year 2024-25 for Infosys Limited, Hubballi Development Center.

In anticipation of your favorable orders.

Cordially yours,

For INFOSYS LIMITED



AUTHORIZED SIGNATORY

Enclosures:

1. Environmental Statement in Form-V.
2. STP treated water analysis report.
3. DG stack emission monitoring reports.
4. Ambient air quality analysis report.
5. Ambient noise level monitoring report.



INFOSYS LIMITED
Gokul Hobli, Hubballi Taluk
Dharwad District
Hubballi 580 030
Karnataka, India
T 91 836 424 2000

INFOSYS LIMITED
CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com

FORM-V

ENVIRONMENTAL STATEMENT

(See rule 14)

Environmental Statement for the financial year ending with 31st March 2025

PART - A

Sl. No.	Particulars	
1	Name and address of the owner/ occupier of the industry operation or process	Infosys Limited, IT/ITES SEZ, Taluka- Hubli, Gokul Hobli, Near Hubballi Airport, Dist-Dharwad, Hubballi-580 030
2	Industry category Primary-(STC Code) Secondary- (STC Code)	Not applicable
3	Production category – Units	Software Development
4	Year of establishment	2018
5	Date of the last environmental statement submitted.	23.09.2024

PART – B

WATER AND RAW MATERIAL CONSUMPTION

1. Water Consumption

Sl. No.	Water consumption for	Cubic meter per day (m ³ /day)
I	Process:	Not applicable
II	Cooling, Laundry, Back wash / rejects	2.46
III	Domestic:	21.25

Note: There was lower occupancy in the campus, hence the water consumption is low.

Name of Products	Process water consumption per unit of products	
	During the previous financial year (2023-24)	During the current financial year (2024-25)
Not applicable		

2. Raw Material Consumption

Name of raw materials	Name of Products	Consumption of raw material per unit of output	
		During the previous financial year (2023-24)	During the current financial year (2024-25)
Not applicable			

PART-C

Recycled water from STP

Pollutants	Quantity of pollutants discharged (mass/day) in KG/day	Concentration of pollutants discharged (mass / volume)		% of variations from prescribed standards with reasons
		Average of monthly reports		
		STP-1		
pH	--	7.58		Discharged parameters are well within the prescribed standards
BOD	0.091	5.98 mg/l		
COD	0.438	28.78 mg/l		
TSS	0.011	BDL		
NH4-N	0.012	2.18 mg/l		
Total Nitrogen	0.019	2.75 mg/l		
Fecal Coliform	--	47.42 MPN/100 ml		

Note:

Recycled water analysis sample report is enclosed for month of March'25.

Air emission from DG set

Pollutants	Quantity of pollutants discharged (mass / day) KG / day *	Concentration of Pollutants discharged (mass / Volume) in mg/Nm ³ **		% of variations from prescribed standards with reasons
		DG-1 (320 kVA)	DG-2 (500 kVA)	
SPM	0.025	65.86	69.78	Discharged parameters are well within the prescribed standards
SO ₂	0.005	13.94	14.98	
Oxides of Nitrogen (NO _x)	0.011	29.28	31.80	
Carbon monoxide (CO)	0.0007	1.85	1.93	
Non-Methyl Hydrocarbon (NMHC)	0.0003	0.89	0.96	

Note:

* Cumulative value of discharge from 2 nos. of DG sets installed

** Average concentration of emission from both DG sets during the financial year FY24-25

Stack monitoring analysis sample report of all the DG sets for the month of Mar'25 is enclosed.

POLLUTION DISCHARGED TO ENVIRONMENT/UNIT OF OUTPUT
(Parameter as specified in the consent issued)

PART - D
HAZARDOUS WASTES

(as specified under Hazardous Wastes (Management & Handling Rules, 1989))

Sl. No.	Hazardous Wastes	Total Quantity	
		During the previous financial year (2023-24)	During the current financial year (2024-25)
1) From Process			
a	Used oil	0.384 KL	Nil
b	Oil-soaked cotton waste	0.004 MT	Nil
c	Oil filters	0.071 MT	Nil
d	Discarded containers	0.132 MT	Nil
e	Used batteries	Nil	Nil
f	Electrical & Electronic waste	Nil	Nil
g	Bio-medical waste	Nil	Nil
2)	From Pollution Control Facilities	Not Applicable	Not Applicable

Note: Since the quantity of hazardous waste generated is very low and doesn't support logistical efficiency, this waste will be disposed of during FY26 along with additional waste generated. The generated waste is securely stored in a designated room with necessary controls.

PART - E:

SOLID WASTES:

Sl. No.	Solid Wastes	Total Quantity in MT	
		During the previous financial year (2023-24)	During the current financial year (2024-25)
1) From Process			
a	Mixed Waste in MT	Nil	2.484
2)	From Pollution Control Facilities	Nil	Nil
3)	Quantity recycled or re-utilized within the unit.		
	a. Food Waste in MT	0.161 MT	4.107 MT

PART - F

CHARACTERISTICS OF HAZARDOUS AS WELL AS SOLID WASTES AND THEIR DISPOSAL PRACTICE

Sl. No.	Type of waste generated	Quantity (FY24-25)	Composition of waste	Method of disposal
Hazardous waste				
1	Used oil	Nil	Liquid	To PCB authorized recycler

2	Oil-soaked cotton waste	Nil	Solid	To PCB authorized disposal facility
3	Oil filters	Nil	Solid	To PCB authorized disposal facility
4	Discarded containers	Nil	Solid	To PCB authorized recycler
5	Used batteries	Nil	Solid	To PCB authorized recycler
6	Electrical and Electronic waste	Nil	Solid	To PCB authorized recycler
7	Bio-medical waste	Nil	Solid	To PCB authorized disposal facility
Solid waste				
8	Mixed Waste	2.484 MT	Solid	To Hubballi - Dharwad Municipal Corporation disposal facility
9	Food Waste	4.107 MT	Semi Solid	Treated at in-house Organic Waste Composting Unit

PART – G

IMPACT OF THE POLLUTION CONTROL MEASURES TAKEN ON CONSERVATION OF NATURAL RESOURCES AND CONSEQUENTLY ON THE COST OF PRODUCTION	
Not applicable	

PART – H & I

ADDITIONAL MEASURES/INVESTMENT PROPOSAL FOR ENVIRONMENTAL PROTECTION INCLUDING ABATEMENT OF POLLUTION,

ANY OTHER PARTICULARS IN REPECT OF ENVIRONMENTAL PROTECTION AND ABATEMENT OF POLLUTION

Companywide key updates:

Infosys Carbon Neutrality: Since 2008, Infosys has actively pursued its carbon neutral goal by focusing on decarbonization. Our strategy includes reducing our carbon footprint across global operations, transitioning to renewable energy, and offsetting carbon by helping more than 100,000 families in local communities reduce carbon emissions. We achieved Carbon Neutrality in fiscal 2020, 30 years ahead of the 2050 timeline set by the Paris Agreement and we continue to be carbon neutral 6 years in a row.


Our next frontier is to become climate positive in 2030, engineering the path with precision

Initiatives at Hubballi Development Center:

- Two rainwater harvesting ponds with capacity of 4.6 crore liters and 18 rainwater recharge pits are constructed.
- 100% of the wastewater is recycled across our campuses.
- 518 KL capacity rainwater harvesting tanks are made available.
- 29.05 acres of land is green cover area and planted 9,500 nos. of trees in the campus –till March 2025

- 200 kg/day capacity Organic Waste Composting (OWC) unit is put in place for management of food waste. The manure generated is used for landscaping.
- Various measures have been carried-out towards energy conservation such as consolidation of buildings, power optimization projects through operation controls etc
- International Day of Clean Air for Blue Skies – 2024 - Tree planted by Mr. Jagadeesh Iliger, Environment Officer, KSPCB along with employees on occasion of International Day of Clean Air
- Waste collection drive is being conducted on quarterly basis outside the campus
- Regular awareness sessions are being conducted on Environmental Protection to employees, and contractual staffs.

Date: 26.09.2025



Authorized Signatory
Ganapathy CP
Regional Head - Facilities

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 580 009
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

MOU WITH VARIOUS EDUCATIONAL
 GOVERNMENT AND PRIVATE AGENCIES

TC-6990

Format No: NTLR/7.8/F/01-CM/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:

TC699025000001569F

Report Number:

NTLR/MAR/1609

Sample Number:

MAR/25/1609

Type of Sample:

TREATED WATER

Discipline:

Chemical

Group:

Pollution & Environment

Sample Collected by:

Nichrome Testing Laboratory and
 Research Private Limited

Customer Reference:

PO No : 2200011411

Date : 06.05.2024

Sampling Method:

APHA 23RD EDITION, 1060 (IS:1622)

Particulars of Sample Collected:

Grab

Environmental Condition:

30^o C

Date of Collection:

10/03/2025

Date of Sample Receipt:

10/03/2025

Date of Analysis Started:

10/03/2025

Date of Completion:

14/03/2025

Date of Report:

14/03/2025

Sample Condition:

Satisfactory

Specification Standard:

KSPCB Consent

Sampling Location:

Sewage Treatment Plant

Sample Description:


1Ltr Bottle & 300ml Sterilized Bottle

RESULTS

SL.NO	PARAMETERS	UNITS	TEST METHOD	RESULT	STANDARD
1	pH @ 25 ^o C	-	IS 3025 (Part-11)	7.10	6.5 - 9.0
2	Chloride as Cl	mg/L	IS 3025 (Part 32)	130.8	600
3	Total Suspended solids	mg/L	IS 3025 (Part-17)	11.0	Not more than 20
4	Chemical Oxygen Demand	mg/L	IS : 3025 (Part 58)	48.0	Not more than 50
5	Biological Oxygen Demand 3days at 27 ^o C	mg/L	IS 3025 (Part-44)	7.15	Not more than 10
6	Ammonical Nitrogen	mg/L	APHA 4500 NH ₃ B, C	BDL	Not more than 5
7	Sulphate (as SO ₄)	mg/L	IS 3025 (Part-24,Sec-1)	13.1	1000
8	Oil & Grease	mg/L	IS 3025 (Part 39)	BDL	10
9	Free Residual Chlorine	mg/L	IS 3025 (Part 26)	BDL	
Bacteriological Parameters					
10	<i>E.Coli</i>	MPN/100ml	IS 1622	Absent	Requirement Absent/100ml
11	<i>Fecal Coliforms</i>	MPN/100ml	IS 1622	46	Less Than 100
BDL: Below detectable limit, (Total Suspended Solids -- 10 mg/L, Oil & Grease-10mg/L, Free Residual Chlorine-0.1mg/L)					
Inference as per KSPCB Consent Standards		Above tested parameters are conforming to standards.			

Authorized Signatory

Ambarish Sindagi (Microbiology)



Authorized Signatory

Channabasappa Maikar (Chemical)

---END OF REPORT---

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
ISO 9001:2015 Certified
ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

MOU WITH VARIOUS EDUCATIONAL,
GOVERNMENT AND PRIVATE AGENCIES

NICHROME TESTING LABORATORY AND RESEARCH PRIVATE LIMITED

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
DHARWAD, KARNATAKA, INDIA PIN: 590 008
PH: 0836-2771115, 2779521

email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.B/F/01-CM/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
M/S. IT/ ITES SEZ, Developer
Gokul Hubli, Hubli Taluk,
Near Hubli Airport,
Dharwad District.

Customer Reference:

PO No : 2200011411
Date : 06.05.2024

Sampling Location:

Sewage Treatment Plant

Sample Description:

1Ltr Bottle

Report Number:
Sample Number:
Type of Sample:
Sample Collected by:

Sampling Method:
Particulars of Sample Collected:
Environmental Condition:
Date of Collection:
Date of Sample Receipt:
Date of Analysis Started:
Date of Completion:
Date of Report:
Sample Condition:
Specification Standard:

NTLR/MAR-25/53
MAR/25/1609
TREATED WATER
Nichrome Testing Laboratory and
Research Private Limited
APHA 23RD EDITION, 1060
Grab
30° C
10/03/2025
10/03/2025
10/03/2025
14/03/2025
14/03/2025
Satisfactory
KSPCB Consent


RESULTS

SL.NO	PARAMETERS	UNITS	TEST METHOD	RESULT	STANDARD
1	Colour	Hazen	IS 3025 (Part 4)	Colourless	Colourless
2	Dissolved Solids (Inorganic)	mg/L	APHA 2540 B	534.0	2100
3	Dissolved phosphate (as P)	mg/L	APHA 4500-P-B,D	8.82	5 Max
4	Total Nitrogen	mg/L	NTLR/SOP/48-C	BDL	Not more than 10

BDL: Below detectable limit (Total Nitrogen-0.5mg/L)
Inference as per KSPCB Consent Standards Above tested parameters are conforming to standards.

Authorized Signatory
Channabasappa Maikar (Chemical)

-:END OF REPORT:-



Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6590)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 560 008
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

TC-6990

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.8/F/03-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:

TC699025000001562F

Report Number:

NTLR/MAR/1601

Sample Number:

MAR/25/1601

Type of Sample:

STACK

Discipline :

Chemical

Group:

Atmospheric Pollution

Sample Collected by:

Nichrome Testing Laboratory and
 Research Private Limited

Customer Reference:

PO No : 2200011411

Date : 06.05.2024

Particulars of Sample Collected:

Stack Sampler & Flue Gas Analyzer
 30° C

Environmental Condition:

Date of Collection:

10/03/2025

Date of Sample Receipt:

10/03/2025

Date of Analysis Started:

11/03/2025

Date of Completion:

13/03/2025

Date of Report:

13/03/2025

Specification Standard:

KSPCB STANDARDS

Sampling Location:

320 KVA DG Set, 126amps, 84kw,
 26%percentage of load.

Sample Description:

Thimble, SO₂ & NO₂ Solution


GENERAL DETAILS

Fuel Used	Diesel
Height (m)	10.66
Diameter (m)	0.15
Stack Temperature °C	105
Ambient Temperature °C	29
Flue Gas Velocity (m/sec.)	9.0

RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	Particulate Matter	mg/Nm ³	IS 11255 (Part 1)	IS 11255 (Part 1)	65.7	75
2	Sulphur dioxide	mg/Nm ³	IS 11255 (Part 2)	IS 11255 (Part 2)	10.0	-
3	Oxides of Nitrogen	mg/Nm ³	IS 11255 (Part 7)	IS 11255 (Part 7)	29.8	-
4	Oxides of Nitrogen	ppm	IS 11255 (Part 7)	IS 11255 (Part 7)	15.8	710
5	Carbon Monoxide	mg/Nm ³	NTLR/SOP/40	NTLR/SOP/40	1.70	150
6	Flue Gas Emission Rate	Nm ³ /hr	IS 11255 (Part 3)	IS 11255 (Part 3)	450.5	-

Inference as per KSPCB Standards Above tested parameters are conforming to standards.



(Signature)
 Authorized Signatory

Channabasappa Maikar (Chemical)

--END OF REPORT--

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
ISO 9001:2015 Certified
ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

NICHROME TESTING LABORATORY AND RESEARCH PRIVATE LIMITED

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
DHARWAD, KARNATAKA, INDIA PIN: 580 008
PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

MOU WITH VARIOUS EDUCATIONAL,
GOVERNMENT AND PRIVATE AGENCIES

Format No: NTLR/7.8/F/03-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
M/S. IT/ ITES SEZ, Developer
Gokul Hubli, Hubli Taluk,
Near Hubli Airport,
Dharwad District.

Customer Reference:

PO No : 2200011411
Date : 06.05.2024

Sampling Location:

320 KVA DG Set, 126amps, 84kw,
26%percentage of load.

Sample Description:

Thimble, SO₂ & NO₂ Solution

Report Number:

NTLR/MAR-25/50

Sample Number:

MAR/25/1601

Type of Sample:

STACK

Sample Collected by:

Nichrome Testing Laboratory and
Research Private Limited

Particulars of Sample Collected:

Stack Sampler & Flue Gas Analyzer

Environmental Condition:

30° C

Date of Collection:

10/03/2025

Date of Sample Receipt:

10/03/2025

Date of Analysis Started:

11/03/2025

Date of Completion:

13/03/2025

Date of Report:

13/03/2025

Specification Standard:

KSPCB STANDARDS

RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	NMHC	mg/Nm ³	IS 5182 (Part 21)	IS 5182 (Part 21)	0.89	100

Inference as per KSPCB Standards


Above tested parameter is conforming to standards.

Authorized Signatory
Channabasappa Maikar (Chemical)

-:END OF REPORT:-

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.



MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



TC-6990



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 580 008
 PH: 0836-2771115, 2778521
 email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

Format No: NTLR/7.8/F/03-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:

TC699025000001561F

Report Number:

NTLR/MAR/1600

Sample Number:

MAR/25/1600

Type of Sample:

STACK

Discipline :

Chemical

Group:

Atmospheric Pollution

Sample Collected by:

Nichrome Testing Laboratory and
 Research Private Limited

Customer Reference:

PO No : 2200011411
 Date : 06.05.2024

Particulars of Sample Collected:

Stack Sampler & Flue Gas Analyzer
 30° C

Environmental Condition:

30° C

Date of Collection:

10/03/2025

Date of Sample Receipt:

10/03/2025

Date of Analysis Started:

11/03/2025

Date of Completion:

13/03/2025

Date of Report:

13/03/2025

Specification Standard:

KSPCB STANDARDS

Sampling Location:

500 KVA DG Set, 131amps, 82kw,
 16%percentage of load.

Sample Description:

Thimble, SO₂ & NO₂ Solution


GENERAL DETAILS

Fuel Used	Diesel
Height (m)	10.66
Diameter (m)	0.15
Stack Temperature °C	120
Ambient Temperature °C	29
Flue Gas Velocity (m/sec.)	9.27

RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	Particulate Matter	mg/Nm ³	IS 11255 (Part 1)	IS 11255 (Part 1)	68.3	75
2	Sulphur dioxide	mg/Nm ³	IS 11255 (Part 2)	IS 11255 (Part 2)	12.0	-
3	Oxides of Nitrogen	mg/Nm ³	IS 11255 (Part 7)	IS 11255 (Part 7)	30.8	-
4	Oxides of Nitrogen	ppm	IS 11255 (Part 7)	IS 11255 (Part 7)	16.4	710
5	Carbon Monoxide	mg/Nm ³	NTLR/SOP/40	NTLR/SOP/40	1.80	150
6	Flue Gas Emission Rate	Nm ³ /hr	IS 11255 (Part 3)	IS 11255 (Part 3)	447.3	-

Inference as per KSPCB Standards Above tested parameters are conforming to standards.




(Signature)
 Authorized Signatory
 Channabasappa Maikar (Chemical)

---END OF REPORT---

Note:

1.The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoiced amount. 4.This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5.If any disputes Subject to Dharwad Jurisdiction. 6.When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
ISO 9001:2015 Certified
ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

NICHROME TESTING LABORATORY AND RESEARCH PRIVATE LIMITED

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
DHARWAD, KARNATAKA, INDIA PIN: 580 008
PH: 0836-2771115, 2778521

email: nlcechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

MOU WITH VARIOUS EDUCATIONAL,
GOVERNMENT AND PRIVATE AGENCIES

Format No: NTLR/7.8/F/03-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
M/S. IT/ ITES SEZ, Developer
Gokul Hubli, Hubli Taluk,
Near Hubli Airport,
Dharwad District.

Customer Reference:

PO No : 2200011411
Date : 06.05.2024

Sampling Location:

500 KVA DG Set, 131amps, 82kw,
16%percentage of load.

Sample Description:

Thimble, SO₂ & NO₂ Solution

Report Number:

NTLR/MAR-25/49

Sample Number:

MAR/25/1600

Type of Sample:

STACK

Sample Collected by:

Nichrome Testing Laboratory and
Research Private Limited

Particulars of Sample Collected:

Stack Sampler & Flue Gas Analyzer
30° C

Environmental Condition:

Date of Collection:

10/03/2025

Date of Sample Receipt:

10/03/2025

Date of Analysis Started:

11/03/2025

Date of Completion:

13/03/2025

Date of Report:

13/03/2025

Specification Standard:


KSPCB STANDARDS

RESULTS


SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	NMHC	mg/Nm ³	IS 5182 (Part 21)	IS 5182 (Part 21)	0.92	100

Inference as per KSPCB Standards

Above tested parameter is conforming to standards.


Authorized Signatory
Channabasappa Maikar (Chemical)

-:END OF REPORT:-



Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 580 008
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

TC-6990

Format No: NTLR/7.8/F/04-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:

TC699025000001559F

Report Number:

NTLR/MAR/1598

Sample Number:

MAR/25/1598

Type of Sample:

AIR - AMBIENT

Discipline :

Chemical

Group:

Atmospheric Pollution

Sample Collected by:

Nichrome Testing Laboratory
 and Research Private Limited

Customer Reference:

PO No : 2200011411
 Date : 06.05.2024

Particulars of Sample Collected:

Respirable Dust Sampler
 Fine Particulate Sampler
 Benzene Sampler & CO Analyzer

Sampling Location:

Medical Center Food Court Area

Environmental Condition:

30° C

Date of Collection:

10/03/2025

Date of Sample Receipt:

11/03/2025

Date of Analysis Started:

11/03/2025

Date of Completion:

13/03/2025

Date of Report:

13/03/2025

Wind Direction:

North East

Specification Standard:

NAAQ STANDARDS(2009CPCB Notification)

Sample Description:


PM₁₀, PM_{2.5} Filter Papers, SO₂, NO₂, Ammonia &
 Ozone Solutions & Charcoal Tube

RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	PM ₁₀	µg/m ³	IS 5182 (Part 23)	IS 5182 (Part 23)	59.0	100
2	PM _{2.5}	µg/m ³	IS 5182 (Part 24)	IS 5182 (Part 24)	21.9	60
3	Sulphur di Oxide	µg/m ³	IS 5182 (Part 2)	IS 5182 (Part 2)	5.6	80
4	Oxides of Nitrogen	µg/m ³	IS 5182 (Part 6)	IS 5182 (Part 6)	10.6	80
5	Ammonia (NH ₃)	µg/m ³	IS 5182 (Part 25)	IS 5182 (Part 25)	BDL	400
6	Ozone (O ₃)	µg/m ³	IS 5182 (Part IX)	IS 5182 (Part IX)	BDL	100
7	Carbon Monoxide(CO)	mg/m ³	IS 5182 (Part 10)	IS 5182 (Part 10)	1.0	2

BDL-Below Detectable Limit, (Ammonia -20 µg/m³, Ozone- 3 µg/m³)

Inference as per NAAQ Standards	Above tested parameters are conforming to standards.
---------------------------------	--



Authorized Signatory

Channabasappa Maikar (Chemical)

:-END OF REPORT:-

Note:

1.The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoiced amount. 4.This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5.If any disputes Subject to Dharwad Jurisdiction. 6.When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
ISO 9001:2015 Certified
ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

NICHROME TESTING LABORATORY AND RESEARCH PRIVATE LIMITED

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
DHARWAD, KARNATAKA, INDIA PIN: 580 008
PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

MOU WITH VARIOUS EDUCATIONAL,
GOVERNMENT AND PRIVATE AGENCIES

Format No: NTLR/7.8/F/04-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:
Infosys Limited,
M/S. IT/ ITES SEZ, Developer
Gokul Hubli, Hubli Taluk,
Near Hubli Airport,
Dharwad District.

Customer Reference:
PO No : 2200011411
Date : 06.05.2024

Sampling Location:
Medical Center Food Court Area

Sample Description:
PM₁₀, PM_{2.5} Filter Papers, SO₂, NO₂, Ammonia &
Ozone Solutions & Charcoal Tube

Report Number: NTLR/MAR-25/47
Sample Number: MAR/25/1598
Type of Sample: AIR - AMBIENT
Sample Collected by: Nichrome Testing Laboratory
and Research Private Limited
Particulars of Sample Collected: Respirable Dust Sampler
Fine Particulate Sampler
Benzene Sampler & CO Analyzer.
Environmental Condition: 30° C
Date of Collection: 10/03/2025
Date of Sample Receipt: 11/03/2025
Date of Analysis Started: 11/03/2025
Date of Completion: 13/03/2025
Date of Report: 13/03/2025
Wind Direction: North East
Specification Standard: NAAQ STANDARDS (2009 CPCB Notification)


RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11)	IS 5182 (Part 11)	BDL	5
2	Lead (Pb)	µg/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	1
3	Benzo(a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 23)	IS 5182 (Part 12)	BDL	1
4	Arsenic (As)	ng/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	6
5	Nickel (Ni)	ng/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	20

BDL-Below Detectable Limit, (Benzene-5 µg/m³, Lead-0.1 µg/m³, Benzo (a)Pyrene-0.1 ng/m³, Arsenic-3.5 ng/m³, Nickel-7.0 ng/m³)

Inference as per NAAQ Standards	Above tested parameters are conforming to standards.
---------------------------------	--

-:END OF REPORT:-



(Signature)
Authorized Signatory
Channabasappa Maikar (Chemical)

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 580 008
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

TC-6990

Format No: NTLR/7.8/F/04-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:
 Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:
Report Number:
Sample Number:
Type of Sample:
Discipline :
Group:
Sample Collected by:

TC699025000001558F
 NTLR/MAR/1597
 MAR/25/1597
 AIR – AMBIENT
 Chemical
 Atmospheric Pollution

Customer Reference:
 PO No : 2200011411
 Date : 06.05.2024

Particulars of Sample Collected:

Nichrome Testing Laboratory
 and Research Private Limited
 Respirable Dust Sampler
 Fine Particulate Sampler
 Benzene Sampler & CO Analyzer

Sampling Location:
 SDB-1, Center Court Yard

Environmental Condition:
Date of Collection:
Date of Sample Receipt:
Date of Analysis Started:
Date of Completion:
Date of Report:
Wind Direction:
Specification Standard:

30° C
 10/03/2025
 11/03/2025
 11/03/2025
 13/03/2025
 13/03/2025
 North East
 NAAQ STANDARDS(2009CPCB Notification)


Sample Description:
 PM₁₀, PM_{2.5} Filter Papers, SO₂, NO₂, Ammonia &
 Ozone Solutions & Charcoal Tube

RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	PM ₁₀	µg/m ³	IS 5182 (Part 23)	IS 5182 (Part 23)	58.0	100
2	PM _{2.5}	µg/m ³	IS 5182 (Part 24)	IS 5182 (Part 24)	20.4	60
3	Sulphur di Oxide	µg/m ³	IS 5182 (Part 2)	IS 5182 (Part 2)	4.9	80
4	Oxides of Nitrogen	µg/m ³	IS 5182 (Part 6)	IS 5182 (Part 6)	10.0	80
5	Ammonia (NH ₃)	µg/m ³	IS 5182 (Part 25)	IS 5182 (Part 25)	BDL	400
6	Ozone (O ₃)	µg/m ³	IS 5182 (Part IX)	IS 5182 (Part IX)	BDL	100
7	Carbon Monoxide(CO)	mg/m ³	IS 5182 (Part 10)	IS 5182 (Part 10)	0.90	2

BDL-Below Detectable Limit, (Ammonia -20 µg/m³, Ozone- 3 µg/m³)

Inference as per NAAQ Standards Above tested parameters are conforming to standards.



Authorized Signatory
 Channabasappa Maikar (Chemical)

-END OF REPORT-

Note:

1.The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately, after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoiced amount. 4.This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5.If any disputes Subject to Dharwad Jurisdiction. 6.When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / GPCB Recognised
ISO 9001:2015 Certified
ISO 45001:2018 Certified



CIN: U74900KA2013PTC089193

NICHROME TESTING LABORATORY AND RESEARCH PRIVATE LIMITED

170, 2nd MAIN JUDGES BUNGALOW ROAD, HARAYANPUR
DHARWAD, KARNATAKA, INDIA PIN: 580 008
PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

MOU WITH VARIOUS EDUCATIONAL,
GOVERNMENT AND PRIVATE AGENCIES

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.8/F/04-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
M/S. IT/ ITES SEZ, Developer
Gokul Hubli, Hubli Taluk,
Near Hubli Airport,
Dharwad District.

Customer Reference:

PO No : 2200011411
Date : 06.05.2024

Sampling Location:

SDB-1, Center Court Yard

Sample Description:

PM₁₀, PM_{2.5} Filter Papers, SO₂, NO₂, Ammonia &
Ozone Solutions & Charcoal Tube

Report Number:

NTLR/MAR-25/46

Sample Number:

MAR/25/1597

Type of Sample:

AIR – AMBIENT

Sample Collected by:

Nichrome Testing Laboratory
and Research Private Limited

Particulars of Sample Collected:

Respirable Dust Sampler
Fine Particulate Sampler
Benzene Sampler & CO Analyzer.

Environmental Condition:

30° C

Date of Collection:

10/03/2025

Date of Sample Receipt:

11/03/2025

Date of Analysis Started:

11/03/2025

Date of Completion:

13/03/2025

Date of Report:

13/03/2025

Wind Direction:

North East

Specification Standard

NAAQ STANDARDS (2009 CPCB Notification)

RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11)	IS 5182 (Part 11)	BDL	5
2	Lead (Pb)	µg/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	1
3	Benzo(a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 23)	IS 5182 (Part 12)	BDL	1
4	Arsenic (As)	ng/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	6
5	Nickel (Ni)	ng/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	20

BDL-Below Detectable Limit, (Benzene-5 µg/m³, Lead-0.1 µg/m³, Benzo(a)Pyrene-0.1 ng/m³, Arsenic-3.5 ng/m³, Nickel-7.0 ng/m³).

Inference as per NAAQ Standards	Above tested parameters are conforming to standards.
---------------------------------	--

Authorized Signatory

Channabasappa Maikar (Chemical)

:-END OF REPORT:-



Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately, after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 580 006
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.8/F/04-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:
 Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:
Report Number:
Sample Number:
Type of Sample:
Discipline :
Group:
Sample Collected by:

TC699025000001560F
 NTLR/MAR/1599
 MAR/25/1599
 AIR – AMBIENT
 Chemical

Customer Reference:
 PO No : 2200011411
 Date : 06.05.2024

Particulars of Sample Collected:

Atmospheric Pollution
 Nichrome Testing Laboratory
 and Research Private Limited
 Respirable Dust Sampler
 Fine Particulate Sampler
 Benzene Sampler & CO Analyzer

Sampling Location:
 Phase-2 Near Lake 2

Environmental Condition:
Date of Collection:
Date of Sample Receipt:
Date of Analysis Started:
Date of Completion:
Date of Report:
Wind Direction:
Specification Standard:

30° C
 10/03/2025
 11/03/2025
 11/03/2025
 13/03/2025
 13/03/2025
 North East
 NAAQ STANDARDS(2009CPCB Notification)


Sample Description:
 PM₁₀, PM_{2.5} Filter Papers, SO₂, NO₂, Ammonia &
 Ozone Solutions & Charcoal Tube

RESULTS

SL NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	PM ₁₀	µg/m ³	IS 5182 (Part 23)	IS 5182 (Part 23)	56.8	100
2	PM _{2.5}	µg/m ³	IS 5182 (Part 24)	IS 5182 (Part 24)	20.6	60
3	Sulphur di Oxide	µg/m ³	IS 5182 (Part 2)	IS 5182 (Part 2)	4.4	80
4	Oxides of Nitrogen	µg/m ³	IS 5182 (Part 6)	IS 5182 (Part 6)	9.7	80
5	Ammonia (NH ₃)	µg/m ³	IS 5182 (Part 25)	IS 5182 (Part 25)	BDL	400
6	Ozone (O ₃)	µg/m ³	IS 5182 (Part IX)	IS 5182 (Part IX)	BDL	100
7	Carbon Monoxide(CO)	mg/m ³	IS 5182 (Part 10)	IS 5182 (Part 10)	1.0	2

BDL-Below Detectable Limit, (Ammonia -20 µg/m³, Ozone- 3 µg/m³)

Inference as per NAAQ Standards	Above tested parameters are conforming to standards.
---------------------------------	--



Authorized Signatory
 Channabasappa Maikar (Chemical)

:-END OF REPORT:-

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaint kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
ISO 9001:2015 Certified
ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

MOU WITH VARIOUS EDUCATIONAL,
GOVERNMENT AND PRIVATE AGENCIES

NICHROME TESTING LABORATORY AND RESEARCH PRIVATE LIMITED

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
DHARWAD, KARNATAKA, INDIA PIN: 580 008
PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.8/F/04-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:
Infosys Limited,
M/S. IT/ ITES SEZ, Developer
Gokul Hubli, Hubli Taluk,
Near Hubli Airport,
Dharwad District.

Customer Reference:
PO No : 2200011411
Date : 06.05.2024

Sampling Location:
Phase-2 Near Lake 2

Sample Description:
PM₁₀, PM_{2.5} Filter Papers, SO₂, NO₂, Ammonia &
Ozone Solutions & Charcoal Tube

Report Number: NTLR/MAR-25/48
Sample Number: MAR/25/1599
Type of Sample: AIR - AMBIENT
Sample Collected by: Nichrome Testing Laboratory
and Research Private Limited
Particulars of Sample Collected: Respirable Dust Sampler
Fine Particulate Sampler
Benzene Sampler & CO Analyzer.
Environmental Condition: 30° C
Date of Collection: 10/03/2025
Date of Sample Receipt: 11/03/2025
Date of Analysis Started: 11/03/2025
Date of Completion: 13/03/2025
Date of Report: 13/03/2025
Wind Direction: North East
Specification Standard: NAAQ STANDARDS (2009 CPCB Notification)

RESULTS

SL.NO	PARAMETERS	UNIT	SAMPLING METHOD	TEST METHOD	RESULT	STANDARDS
1	Benzene (C ₆ H ₆)	µg/m ³	IS 5182 (Part 11)	IS 5182 (Part 11)	BDL	5
2	Lead (Pb)	µg/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	1
3	Benzo(a) Pyrene (BaP)	ng/m ³	IS 5182 (Part 23)	IS 5182 (Part 12)	BDL	1
4	Arsenic (As)	ng/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	6
5	Nickel (Ni)	ng/m ³	IS 5182 (Part 23)	CPCB MANUAL	BDL	20

BDL-Below Detectable Limit, (Benzene-5 µg/m³, Lead-0.1 µg/m³, Benzo (a)Pyrene-0.1 ng/m³, Arsenic-3.5 ng/m³, Nickel-7.0 ng/m³)

Inference as per NAAQ Standards	Above tested parameters are conforming to standards.
---------------------------------	--

--END OF REPORT--



Authorized Signatory
Channabasappa Maikar (Chemical)

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaint, kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 580 008
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

TC-6990

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.8/F/05-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:

Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:

TC699025000001565F

Report Number:

NTLR/MAR/1604

Sample Number:

MAR/25/1604

Type of Sample:

AMBIENT NOISE

Discipline :

Chemical

Group:

Atmospheric Pollution

Sample Collected by:

Nichrome Testing Laboratory and
 Research Private Limited

Customer Reference:

PO No : 2200011411

Date : 06.05.2024

Sampling Method:

IS 9989: 2014

Particulars of Sample Collected:

Noise Level Meter

Environmental Condition:

30° C

Sampling From:

Date: 10/03/2025

Sampling Till:

Date: 11/03/2025

Date of Sample Receipt:

11/03/2025

Date of Report:

11/03/2025

Specification Standard:

KSPCB Standards

Sample Description:


Noise Data

RESULTS

Sample Location	Day Time Noise Level (KSPCB Limit)	Day Time Noise Level (Monitored Value 6 AM to 10 PM)			Night Time Noise Level (KSPCB Limit)	Night Time Noise Level (Monitored Value 10 PM to 6 AM)		
		Max	Min	Leq in dB(A)		Max	Min	Leq in dB(A)
Medical Center Food Court	65	60.3	56.5	58.8	55	58.5	50.2	53.4

Inference as per KSPCB Standards	Above tested parameters are conforming to standards.
----------------------------------	--


 Authorized Signatory
 Channabasappa Maikar (Chemical)




--END OF REPORT--

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 590 008
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

TC-6990

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.8/F/05-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:
 Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:
 Report Number:
 Sample Number:
 Type of Sample:
 Discipline :
 Group:
 Sample Collected by:

TC699025000001566F
 NTLR/MAR/1605
 MAR/25/1605
 AMBIENT NOISE
 Chemical
 Atmospheric Pollution

Customer Reference:
 PO No : 2200011411
 Date : 06.05.2024

Sampling Method:
 Particulars of Sample Collected:
 Environmental Condition:
 Sampling From:
 Sampling Till:
 Sate of Sample Receipt:
 Date of Report:
 Specification Standard:

Nichrome Testing Laboratory and
 Research Private Limited
 IS 9989: 2014
 Noise Level Meter
 30° C
 Date: 10/03/2025
 Date: 11/03/2025
 11/03/2025
 11/03/2025
 KSPCB Standards

Sample Description:
 Noise Data

RESULTS

Sample Location	Day Time Noise Level (KSPCB Limit)	Day Time Noise Level (Monitored Value 6 AM to 10 PM)			Night Time Noise Level (KSPCB Limit)	Night Time Noise Level (Monitored Value 10 PM to 6 AM)		
		Max	Min	Leq in dB(A)		Max	Min	Leq in dB(A)
SDB - 1 Center Court Yard	65	61.7	54.4	58.6	55	55.5	49.4	52.8

Inference as per KSPCB Standards Above tested parameters are conforming to standards.

(Signature)
 Authorized Signatory
 Channabasappa Maikar (Chemical)




-:END OF REPORT:-

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.

MoEF & CC / CPCB Recognised
 ISO/IEC 17025:2017 Accredited
 (NABL TC-6990)
 ISO 9001:2015 Certified
 ISO 45001:2018 Certified



CIN: U74900KA2013PTC069193

**NICHROME TESTING LABORATORY
 AND RESEARCH PRIVATE LIMITED**

170, 2nd MAIN JUDGES BUNGALOW ROAD, NARAYANPUR
 DHARWAD, KARNATAKA, INDIA PIN: 580 008
 PH: 0836-2771115, 2778521

email: nicechem@gmail.com, website: nichromelabs.com

MOU WITH VARIOUS EDUCATIONAL,
 GOVERNMENT AND PRIVATE AGENCIES

TC-6990

TESTING / CONSULTING / ENGINEERING / TRAINING

Format No: NTLR/7.8/F/05-C/09

Page 1 of 1

TEST REPORT

Name of Customer and Address:
 Infosys Limited,
 M/S. IT/ ITES SEZ, Developer
 Gokul Hubli, Hubli Taluk,
 Near Hubli Airport,
 Dharwad District.

ULR Code No:
Report Number:
Sample Number:
Type of Sample:
Discipline :
Group:
Sample Collected by:

TC699025000001567F
 NTLR/MAR/1606
 MAR/25/1606
 AMBIENT NOISE
 Chemical
 Atmospheric Pollution
 Nichrome Testing Laboratory and
 Research Private Limited

Customer Reference:
 PO No : 2200011411
 Date : 06.05.2024

Sampling Method:
Particulars of Sample Collected:
Environmental Condition:
Sampling From:
Sampling Till:
Sate of Sample Receipt:
Date of Report:
Specification Standard:

IS 9989: 2014
 Noise Level Meter
 30° C
 Date: 10/03/2025
 Date: 11/03/2025
 11/03/2025
 11/03/2025
 KSPCB Standards


Sample Description:
 Noise Data

RESULTS

Sample Location	Day Time Noise Level (KSPCB Limit)	Day Time Noise Level (Monitored Value 6 AM to 10 PM)			Night Time Noise Level (KSPCB Limit)	Night Time Noise Level (Monitored Value 10 PM to 6 AM)		
		Max	Min	Leq ln dB(A)		Max	Min	Leq ln dB(A)
Phase - 2 Near Lake - 2	55	68.7	57.6	62.4	55	56.4	46.4	54.0

Inference as per KSPCB Standards	Above tested parameters are conforming to standards.
----------------------------------	--

(Signature)
 Authorized Signatory
 Channabasappa Maikar (Chemical)



-END OF REPORT:-

Note:

1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples which are degradable/unstable will be disposed immediately after testing and others will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoiced amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without prior written permission. 5. If any disputes Subject to Dharwad Jurisdiction. 6. When Laboratory is required by law/contractual agreements to release confidential information, the customer shall be informed unless prohibited by law. 7. Sampling is not done by us unless otherwise specified. 8. Any discrepancy in the test report should be notified within 15 days. 9. For any Complaints kindly register in our Complaint Register maintained with Customer service Coordinator.