

IL-STP/HYD/FAC/190925

September 19, 2025

Environmental Engineer
Regional Office -1,
Telangana State Pollution Control Board
Ward No.91, 2nd Floor, H-No.6-3-1219, Block C, Backside of country club,
Kundanbagh, Umanagar, Begumpet,
Hyderabad.

Dear Sir,

Sub: Submission of FORM V – Environmental Statement – Reg.

With reference to the above subject, we are hereby submitting the Environmental Statement (FORM V) for the financial year 2024-2025 of the following campus:

Infosys Limited
#210, Manikonda Village, Lingampally,
Ranga Reddy District, Hyderabad – 500 032.

Kindly acknowledge the receipt of the same.

Thanking you,

Yours sincerely,

Authorized Signatory



Infosys Limited-HYDSTP

Encl: a/a

CC: Telangana Pollution Control Board
A3, Industrial Estate, Sanathnagar,
Hyderabad – 500018.



INFOSYS LIMITED
Survey No. 210
Manikonda Village, Lingampally
Rangareddy (Dist.)
Hyderabad 500 032, India
T 91 40 6642 0000
F 91 40 2300 5223

Corporate Office:
CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com

FORM-V

ENVIRONMENTAL STATEMENT

Environmental Statement for the financial year ending with 31st March 2025

PART-A

- i. *Name and address of the owner/ occupier of the industry* Infosys Limited
210, Manikonda Village
Rajendranagar Mandal, Gachibowli,
Lingampally, RR Dist, Hyderabad – 500 032
- Operation or process.* IT/ITES
- ii. *Industry category Primary-(STC Code) Secondary- (STC Code)* N.A
- iii. *Production category. Units.* Software Development
- iv. *Year of establishment* 2000
- v. *Date of the last environmental statement submitted.* **24th September 2024**

PART-B

Water and Raw Material Consumption: 457.36 M3 per day

i. *Water consumption in m3/d*

- Process:* NA
- Cooling Make up:* 109.53 M3
- Laundry :* 186.45 M3 /d
- Food Courts:* 29.24 M3 /d
- Landromat:* Nil
- Domestic:* 132.13 M3 /d (for use at Office buildings, ECC, drinking water etc.)
- Swimming Pool:* Nil
- Gardening:* 325.53 M3 (only recycled water)

Name of Products	Process water consumption per unit of products output	
	During the previous financial year	During the current financial year
1.	N. A	
2.		
3.		
4.		
5.		
6.		

<ii. Raw material consumption

Name of raw materials*	Name of Products	Consumption of raw material per unit of output	
		During the previous financial year	During the current financial year

* Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART-C

Pollution discharged to environment/unit of output Software Industry
(Parameter as specified in the consent issued)

Pollutants	Quantity of Pollutants discharged (mass/day)			Concentration of Pollutants discharged (mass/volume)			Percentage of variation from prescribed standards with reasons.
(a) Water	pH :	-	7.88	pH :		7.88	No Variation from Standard.
	BOD :	Kg/day	1.28	BOD :	mg/L	5.00	
	COD :	Kg/day	6.57	COD :	mg/L	25.75	
	Suspended Solids :	Kg/day	<5	Suspended Solids :	mg/L	<5	
	Residual Chlorine :	Kg/day	0.29	Residual Chlorine :	mg/L	1.13	
	Ammonical Nitrogen :	Kg/day	1.07	Ammonical Nitrogen :	mg/L	4.18	
(b) Air	NOx:	Kg/day	1.26	NOx:	mg/NM3	61.78	No variation from Standard
	SPM:	Kg/day	0.29	SPM:	mg/NM3	14.14	
	SOx:	Kg/day	0.00	SOx:	mg/NM3	0.00	

PART-D

HAZARDOUS WASTES WITH DISPOSAL / RECYCLING OPTION:s

(as specified under Hazardous Wastes (Management & Handling Rules, 2016).

	Hazardous Waste with Disposal Options	Category No	Limits as per CFO	Total Quantity	
				During the previous Financial year (2023-24)	During the current financial year (2024-25)
1. From Process	DG filters Set oil Filters :	5.2	50 No's/A	157 kgs	-
	Air Filters :		20 No's/A	-	-
	Cotton Waste :	5.2	5 kgs/A	5 Kgs	-
	Used oil :	5.1	2500Lt/A	2230 Lt	2000 Lt

	Transformer oil :	5.1	10000 Lt/A	-	-
2.From Pollution Control Facilities				NA	NA

PART - E

SOLID WASTES WITH DISPOSAL OPTION :

	Type of Solid Wastes	Units	Total Quantity	
			During the previous Financial year 23-24	During the current financial year 24-25
a. From process	Food waste:	Kgs	75305	127688
	Garden waste:	Kgs	316120	270710
	Glass Waste:	Kgs	13290	3120
	Metal waste:	Kgs	62400	36580
	Mixed Garbage Waste:	Kgs	278060	347390
	Mixed Paper/Kraft Waste	Kgs	20240	19050
	Plastic waste:	Kgs	15305	9900
	Wood waste	Kgs	166885	7590
	Thermocol:	Kgs	340	50
	Styrofoam	Kgs	70	-
b. From Pollution Control Facility	STP Sludge:	Kgs	45540	42730
c. Quantity recycled or re- utilized within the unit.			<ul style="list-style-type: none"> • Food waste is treated in the house through biogas plant • STP sludge is treated through solar sludge drying bed • Garden waste is disposed to the registered vendor for recycling . • All other solid wastes are disposed to the registered recyclers. 	<ul style="list-style-type: none"> • Food waste is treated in the house through biogas plant • STP sludge is treated through solar sludge drying bed • Garden waste is disposed to the registered vendor for recycling . • All other solid wastes are disposed to the registered recyclers.

PART - F

Please specify the characteristics (in terms of concentration and quantum) of hazardous as well as solid waste and indicate disposal practice adopted for both these categories of wastes.

Waste is segregated at source. The segregated waste is routed to waste yard and disposal to authorized recyclers. Also, the color for bins has been devised and implemented for different types of waste.

The color codes are as follows:

- Green for bio-degradable waste
- Red for Hazardous waste
- Blue for dry recyclable waste
- Grey for e-waste

A focused approach to solid waste management has resulted in better disposal systems. Solid waste included all the Non-hazardous waste viz..., paper/cardboard waste, plastic waste, metal waste, wood waste and garden waste. We have dedicated staff to manage Effluents, Emissions, Hazardous/Bio-medical/Solid waste and all contractual staff are trained in waste management.

Bio-Medical Waste: Bio-medical waste and sanitary waste related tissue papers, masks & gloves are sent to registered TGPCB authorized waste management facility. Also, ensuring appropriate BMW segregation, we are also conduct trainings to the identified BMW handles on regular intervals.

Waste Category	Units	Total Quantity	
		During the previous Financial year (2023-24)	During the current financial year (2024-25)
Biomedical including sanitary waste	Kgs	4140	632

Hazardous waste: All the hazardous waste generated are segregated the disposed through authorized recyclers for recycling.

Soil contamination and pollution prevention measures: All waste is stored at dedicated storage areas, provided with secondary containment which is leachate proof.

On/off-site management procedure: Waste generated is segregated at sources and disposal through authorized recyclers. Bio-medical waste, Oiled filters, cotton waste & paint waste are sent to TGPCB authorized recycler for incineration with control mechanisms in place. The process of waste segregation at the sources is in place. The Segregated waste is routed to waste yard and disposed to authorized recyclers. The following are the types of waste and disposal methodology.

Non-Hazardous waste: Waste like papers, plastic, metal, wood, Thermocol and glass are segregated disposed to registered recyclers/ re-processors for further process.

E-waste: E-waste is disposal only through TGPCB authorized vendors. To collect the e-waste generated, labelled bins with green color code are placed at

prominent locations, the employees and contractual staff can put the e-waste into this bin, which prevents e-waste mixing with general waste.

Waste Category	Units	Total Quantity	
		During the previous Financial year (2023-24)	During the current financial year (2024-25)
E waste sent to recycler:	Kgs	88330	29100

Batteries: The generated batteries are stored in designated places for disposal. These batteries are disposal to authorized recyclers. Further the batteries are dismantled by vendor partner to separate spent sulphuric acid, plastic/metal plates, and secondary lead alloys. Lead alloy is smelted and made as fresh lead ingots.

We have our own Biogas plant for 0.45-ton capacity wherein about 320 kgs/day of Food waste is fed into digester. The technology used here is "Dry digestion" where there is minimal water used compared to any conventional system. The produced gas is used daily for the cooking needs in the kitchen. Also, we have taken an initiative to enhance the process for proper segregation & disposal of Food waste.

Hazardous waste	
Used Oil	Sent to TGPCB registered vendor Supreme Lubricants, Hyderabad.
Oil filters & Oil soaked cotton	Sent to TGPCB registered vendor TES-AMM, Hyderabad
E-Waste	Sent to TGPCB approved vendor ELIMA, Hyderabad
Bio-medical waste	Sent to TGPCB vendor Medicare, Hyderabad
Discarded containers	Sent to TGPCB approved vendor TES-AMM, Hyderabad
Non- Hazardous waste	
Paper, plastic, wood etc.	Segregated at source and disposed to registered recyclers / re processors
Mixed waste	Segregated at source and disposed to registered recycler / re processor
STP sludge	Used as manure for trees and plants inside the campus
Garden waste	Segregated at source and disposed to registered recyclers
Food waste	Used for biogas production & composting at authorized recyclers.

PART-G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production

- Infosys HYDSTP campus is having 600 KLD Sewage treatment plant & 26 KLD LETP. STP Outlet samples are tested regularly, and reports are submitted to TSPCB on a quarterly basis.
- 5 DG sets having a capacity of 10000 KVA are installed, stack emission and noise levels are tested and reported to TSPCB.
- Installed Solar Plant capacity of Rooftop 988.34 KW. 98% of the power used in our campus is from renewable sources.

- Taken various measures in the campus to ensure optimum use of power and water.
- Single use plastics are banned in the campus.
- Battery operated Golf carts, goods carts, Electric bikes and Electric auto trolley are used in the campus.
- Creating environment related awareness among employees, various activities were conducted.
- Campus declared as non-smoking zone.
- Campus has 8 No.s injection wells
- Planted 1.53 lakh tree & shrub saplings in campus so far.

PART - H

Additional measures/investment proposal for environmental protection including abatement of pollution

- Reduction in electricity consumption: 5% per capita (Based on variable consumption for FY2024) by March 31st 2025**
- Reduction in freshwater consumption: 5% per capita (Based on variable consumption for FY2024) by March 31st 2025**

PART-I

MISCELLANEOUS:

Any other particulars in respect of environmental protection and abatement of pollution

1. Water is used in Buildings, kitchens, toilets and the domestic sewage generated is recycled through Sewage Treatment Plant (Membrane Bio Reactor) and used for landscaping.
2. Established Biogas plant (0.45 ton/day) for converting canteen (food) waste to LPG equivalent gas.
3. STP sludge is sent to Infosys Pocharam campus for drying and converting into useful manure.
4. Implementing the roof-rainwater harvesting system in a phased manner.
5. Implementing dual plumbing system for buildings to utilize the STP treated water for flushing in urinals.
6. Undergoing certification process for Zero Waste to landfill.
7. All the buildings in the campus are LEED Platinum certified.

Enclosures:

1. Copy of Test Report for Treated Sewage
2. Copy of Test report for Air Quality & Noise

Yours sincerely,

Authorized Signatory



Infosys Limited-HYDSTP



B.S. ENVI - TECH PVT. LTD.
Recognized by MoEF & CC, GoI: Valid upto November, 2025



TC-5233

TEST REPORT




Name & Address of the Customers : M/s. INFOSYS LIMITED IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mandal, Ranga Reddy Dist Hyderabad, Telangana -		Test Report No. BSET/2025/WW-01146/A Lab Code No. 250935403 Issue Date 19/03/2025 Your Ref. LETTER : Dt.06/03/2025 Date of Receipt 07/03/2025
Sample Description WASTE WATER-STP Outlet	Date of Registration	07/03/2025
Quantity 2 Ltrs + 500 ml+500ml	Date of commencement of testing	07/03/2025
Packing sealed bottle	Date of completion of testing	19/03/2025
Tests Required As mentioned below	Sample Condition of receipt	Found Ok
Date of Sampling 05/03/2025	Sampling Details	Environment conditions Normal
Sampling Method BSET/SOP/WSP-01 (Sample Drawn by BSET Representative)		
Location of Sampling/Sample ID WASTE WATER-STP Outlet		
Discipline : chemical	Group : Pollution & Environment	

TEST RESULTS

S.No.	Test Parameter	Units	Test Method	Results	As per Customer Requirement (as per CPCB/CFO/CORPORATE Guidelines)
1	pH	-	IS: 3025 (P 11) - 2022	8.27	6.0-9.0
2	Oil & Grease	mg/l	IS: 3025 (P 39) - 2021	1	10 Max
3	Total Suspended Solids (TSS)	mg/l	IS: 3025 (P 17) - 2022	< 5	20 Max
4	Total Dissolved Solids @ 180 °C	mg/l	IS: 3025 (P 16) - 2023	1275	2100 Max
5	BOD @27° for 3 days	mg/l	IS: 3025 (P 44) - 2023	7	10 Max
6	Chemical Oxygen Demand (C.O.D)	mg/l	IS: 3025 (P 58) - 2023	34	250 Max
7	Chloride as Cl	mg/l	IS: 3025 (P 32) - 1988	183	600 Max
8	Sulphate as SO4	mg/l	IS: 3025 (P 24 Sec-1) - 2022	143	1000 Max
9	Copper as Cu	mg/l	APHA 24th Edn 3111 B - 2023	< 0.02	3.0 Max
10	Zinc as Zn	mg/l	APHA 24th Edn 3111 B - 2023	0.04	15 Max
11	Cadmium as Cd	mg/l	APHA 24th Edn 3111 B - 2023	< 0.02	1.0 Max
12	Lead as Pb	mg/l	APHA 24th Edn 3111 B - 2023	< 0.05	1.0 Max

N. Hari Krishna
Reviewed By 19/03/2025
N. HARI KRISHNA
Sr. Analyst



Gouthami Gangula
19/03/2025
Authorized Signatory
GOUTHAMI GANGULA
Technical Manager

Note : this report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form -01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page No. 1/2
-------------------------------	-----------------------------------	-----------------------------	--------------

*Complaints Register is available at Laboratory.

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.
Recognized by MoEF & CC, GoI: Valid upto November, 2025



TC-5233



TEST REPORT


Name & Address of the Customers : M/s. INFOSYS LIMITED IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mandal, Ranga Reddy Dist Hyderabad, Telangana -		Test Report No. BSET/2025/WW-01146/A Lab Code No. 250935403 Issue Date 19/03/2025 Your Ref. LETTER : Dt.06/03/2025 Date of Receipt 07/03/2025
Sample Description WASTE WATER-STP Outlet	Quantity 2 Ltrs + 500 ml+500ml Packing sealed bottle Tests Required As mentioned below	Date of Registration 07/03/2025 Date of commencement of testing 07/03/2025 Date of completion of testing 19/03/2025 Sample Condition of receipt Found Ok
Date of Sampling 05/03/2025 Sampling Method BSET/SOP/WSP-01 (Sample Drawn by BSET Representative) Location of Sampling/Sample ID WASTE WATER-STP Outlet	Sampling Details Environment conditions Normal	
Discipline : chemical		Group : Pollution & Environment

TEST RESULTS

S.No.	Test Parameter	Units	Test Method	Results	As per Customer Requirement (as per CPCB/CFO/CORPORATE Guidelines)
13	Mercury as Hg	mg/l	APHA 24th Edn 3112 B - 2023	< 0.002	0.01 Max
14	Total Arsenic as As	mg/l	APHA 24th Edn 3114 C - 2023	< 0.01	0.2 Max
15	Total Chromium as Cr	mg/l	APHA 24th Edn 3111 B - 2023	< 0.05	2.0 Max
16	Ammonical Nitrogen as N	mg/l	IS: 3025 (P 34) - 1988	3.3	50 Max
17	Hexavalent Chromium as Cr +6	mg/l	APHA 24th Edn 3500 Cr B - 2023	< 0.05	2.0 Max
18	Free Residual Chlorine	mg/l	IS: 3025 (P 26 Titrimetric Method by DPD) - 2021	1.1	1 - 3

End of Report

N.H. Krishna
Reviewed By 19/03/2025
N. HARI KRISHNA
Sr. Analyst



Gouthami
19/03/2025
Authorized Signatory
GOUTHAMI GANGULA
Technical Manager

Note : this report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form -01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page No. 2/2
-------------------------------	-----------------------------------	-----------------------------	--------------

*Complaints Register is available at Laboratory.

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.
Recognized by MoEF & CC, GoI: Valid upto November, 2025

TEST REPORT


Name & Address of the Customers : M/s. INFOSYS LIMITED IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mandal, Ranga Reddy Dist Hyderabad, Telangana -		Test Report No. BSET/2025/VVW-01146/B Lab Code No. 250935403 Issue Date 19/03/2025 Your Ref. LETTER : Dt.06/03/2025 Date of Receipt 07/03/2025
Sample Description WASTE WATER-STP Outlet	Quantity 2 Ltrs + 500 ml+500ml Packing sealed bottle Tests Required As mentioned below	Date of Registration 07/03/2025 Date of commencement of testing 07/03/2025 Date of completion of testing 19/03/2025 Sample Condition of receipt Found Ok
Date of Sampling 05/03/2025 Sampling Method BSET/SOP/WSP-01 (Sample Drawn by BSET Representative) Location of Sampling/Sample ID WASTE WATER-STP Outlet	Sampling Details Environment conditions Normal	
Discipline : chemical		Group : Pollution & Environment

TEST RESULTS

S.No.	Test Parameter	Units	Test Method	Results	As per Customer Requirement (as per CPCB/CFO/CORPORATE Guidelines)
1	Colour	Hazen Units	IS: 3025 (P 4) - 2021	Colourless	Colourless
2	Dissolved Phosphorous as P	mg/l	APHA 24th Edn 4500-P.E - 2023	0.37	NA
3	Turbidity	NTU	IS: 3025 (P 10) - 2023	< 1	2.0 Max
4	Total Nitrogen	mg/l	NEERI Method	7.3	10 Max

End of Report

N. Hari Krishna
Reviewed By 19/03/2025
N. HARI KRISHNA
Sr. Analyst



Gouthami Gangula
19/03/2025
Authorized Signatory
GOUTHAMI GANGULA
Technical Manager

Note : this report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form -01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page No. 1/1
-------------------------------	-----------------------------------	-----------------------------	--------------

*Complaints Register is available at Laboratory.

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.

Recognized by MoEF & CC, Govt: Valid upto November, 2025



TEST REPORT



TC-5233

Name & Address of the Customers : M/s. INFOSYS LIMITED IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mandal, Ranga Reddy Dist Hyderabad, Telangana -		Test Report No. : BSET/2025/WW-01150 Lab Code No. : 250935003 Issue Date : 15/03/2025 Your Ref. : LETTER : Dt.06/03/2025 Date of Receipt : 07/03/2025	
Sample Description : WASTE WATER - STP outlet		Date of Registration	07/03/2025
Quantity : 250 ml		Date of commencement of testing	07/03/2025
Packing : presterilized bottle		Date of completion of testing	12/03/2025
Tests Required : As mentioned below		Sample Condition of receipt	Found Ok
Date of Sampling : 05/03/2025		Environment conditions : Normal	
Sampling Method : BSET/SOP/WSP-01 (Sample Drawn by BSET Representative)			
Location of Sampling/Sample ID : WASTE WATER- STP outlet			
Discipline : Biological		Group : Pollution & Environment	


TEST RESULTS

S.No.	Test Parameter	Units	Test Method	Results
1	Faecal Coliforms	MPN/100ml	APHA 24th Edn, 9221	21
2	E.coli	MPN/100ml	APHA 24th Edn, 9221	<1.8

End of Report

Ravi Teja
15/3/25

Reviewed By
J. RAVI TEJA
Microbiologist



Pist 3/2025

Authorized Signatory
ESUKULLA PUJA
Microbiologist

Note : this report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form -01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page No. 1/1
-------------------------------	-----------------------------------	-----------------------------	--------------

*Complaints Register is available at Laboratory.

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.
Recognized by MoEF & CC, Govt: Valid upto November, 2025



TEST REPORT

TC-5233

Name & Address of the Customer: M/s. Infosys Limited, IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mnadal, Ranga Reddy Dist, Hyderabad-500032		Test Report No. : BSET/2025/AQ-01289 Lab Code No. : 250921103 Issue Date : 22/03/2025 Your Ref : Letter dated-13/03/2025 Date of Receipt : 13/03/2025	
Sample Description: Ambient Air sample Qty & Packing: * 1 filter paper for PM _{2.5} and 1 filter paper for PM ₁₀ , Benzo(a) pyrene, Arsenic, Nickel & Lead. * 30 ml absorbing solutions for SO ₂ and NO ₂ * 10 ml absorbing solution for Ammonia * Ozone * 1 No Charcoal tube for Benzene * CO tested by CO analyzer Test Required: As per given below		Date of Registration : 13/03/2025 Date of commencement of testing : 13/03/2025 Date of completion of testing : 22/03/2025 Sample condition at receipt : Found ok	
Sampling Details			
Date of Sampling: 06/03/2025 Sampling Method: IS - 5182 (Sample Drawn by BSET Representative) Location of Sampling/Sample ID: Near STP area		Environment conditions: Normal	
Discipline: chemical		Group: Atmospheric pollution	

TEST RESULTS


S.No.	Test Parameter	Units	Test Method	Result	NAAQ Standards for Industrial, Residential, Rural and Other areas
1	Sulphur Dioxide (SO ₂)	µg/m ³	IS:5182 (P-2)-2001	7.7	80 (24 Hours)
2	Nitrogen Dioxides (NO ₂)	µg/m ³	IS:5182 (P-6)-2006	7.4	80 (24 Hours)
3	Particulate Matter-10 µm (PM ₁₀)	µg/m ³	IS:5182 (P-23)-2006	45.6	100 (24 Hours)
4	Particulate Matter-2.5 µm (PM _{2.5})	µg/m ³	IS:5182 (P-24)-2019	28.4	60 (24 Hours)
5	Ozone (O ₃)	µg/m ³	IS:5182 (Part-9)-1974	7.1	180 (1 Hour)
6	Lead (Pb)	µg/m ³	(BSET/SOP/AA-10)-2021	< 0.1	1 (24 Hours)
7	Carbon Monoxide (CO)	mg/m ³	BSET/SOP/AA-09	< 1.15	2 (8 Hours)
8	Ammonia (NH ₃)	µg/m ³	IS:5182 (Part-25)-2018	6.9	400 (24 Hours)
9	Benzene	µg/m ³	IS: 5182 (P-11)-2006	< 1.0	5 (Annual)
10	Benzo (a) Pyrene, (BaP) Particulate phase only	ng/m ³	IS: 5182 (P-12)-2004	< 1.0	1 (Annual)
11	Arsenic (As)	ng/m ³	(BSET/SOP/AA-10)-2021	< 1.0	6 (Annual)
12	Nickel (Ni)	ng/m ³	(BSET/SOP/AA-10)-2021	< 2.0	20 (Annual)

FIELD EQUIPMENT DETAILS

S.No	Name of the Instrument	Make	Model No	S.No	ID No	Calibrated on	Calibration Due on
1	R D Sampler	Enviro - Instruments	APM-411	GAS/5223-DTJ-2013	BSET/LAB/EQUIP/16	29.11.2024	28.11.2025
2	Fine particulate Sampler	Ecotech Instruments	AAS-127	T-99	BSET/LAB/EQUIP/19	29.11.2024	28.11.2025

Note:Ozone Analysed at site on:06/03/2025 ,CO recorded at site on: 06/03/2025

B. S. Narasimharaju Jogi
Reviewed by
B S Narasimharaju Jogi
(Env.Scientist)



*** End of the Report***

Note: This report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form -01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page 3 of 5
-------------------------------	-----------------------------------	-----------------------------	-------------

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.

Recognized by MoEF & CC, Gol: Valid upto November, 2025



TEST REPORT



TC-5233

Name & Address of the Customer: M/s. Infosys Limited, IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mnadal, Ranga Reddy Dist, Hyderabad-500032		Test Report No. : BSET/2025/AQ-01291 Lab Code No. : 250920903 Issue Date : 22/03/2025 Your Ref : Letter dated-13/03/2025 Date of Receipt : 13/03/2025	
Sample Description: Ambient Air sample Qty & Packing: * 1 filter paper for PM _{2.5} and 1 filter paper for PM ₁₀ , Benzo(a) pyrene, Arsenic, Nickel & Lead. * 30 ml absorbing solutions for SO ₂ and NO ₂ * 10 ml absorbing solution for Ammonia * Ozone * 1 No Charcoal tube for Benzene * CO tested by CO analyzer Test Required: As per given below		Date of Registration	13/03/2025
		Date of commencement of testing	13/03/2025
		Date of completion of testing	22/03/2025
		Sample condition at receipt	Found ok
Sampling Details			
Date of Sampling: 05/03/2025 Sampling Method: IS - 5182 (Sample Drawn by BSET Representative) Location of Sampling/Sample ID: Near MLVP		Environment conditions: Normal	
Discipline: chemical		Group: Atmospheric pollution	

TEST RESULTS

S.No.	Test Parameter	Units	Test Method	Result	NAAQ Standards for Industrial, Residential, Rural and Other areas
1	Sulphur Dioxide (SO ₂)	µg/m ³	IS:5182 (P-2)-2001	8.4	80 (24 Hours)
2	Nitrogen Dioxides (NO ₂)	µg/m ³	IS:5182 (P-6)-2006	8.1	80 (24 Hours)
3	Particulate Matter-10 µm (PM ₁₀)	µg/m ³	IS:5182 (P-23)-2006	48.1	100 (24 Hours)
4	Particulate Matter-2.5 µm (PM _{2.5})	µg/m ³	IS:5182 (P-24)-2019	32.6	60 (24 Hours)
5	Ozone (O ₃)	µg/m ³	IS:5182 (Part-9)-1974	6.9	180 (1 Hour)
6	Lead (Pb)	µg/m ³	(BSET/SOP/AA-10)-2021	< 0.1	1 (24 Hours)
7	Carbon Monoxide (CO)	mg/m ³	BSET/SOP/AA-09	< 1.15	2 (8 Hours)
8	Ammonia (NH ₃)	µg/m ³	IS:5182 (Part-25)-2018	6.5	400 (24 Hours)
9	Benzene	µg/m ³	IS: 5182 (P-11)-2006	< 1.0	5 (Annual)
10	Benzo (a) Pyrene, (BaP) Particulate phase only	ng/m ³	IS: 5182 (P-12)-2004	< 1.0	1 (Annual)
11	Arsenic (As)	ng/m ³	(BSET/SOP/AA-10)-2021	< 1.0	6 (Annual)
12	Nickel (Ni)	ng/m ³	(BSET/SOP/AA-10)-2021	< 2.0	20 (Annual)

FIELD EQUIPMENT DETAILS

S.No	Name of the Instrument	Make	Model No	S.No	ID No	Calibrated on	Calibration Due on
1	R D Sampler	Ecotech Instruments	APM-460 BL	T-2092	BSET/LAB/EQUIP/16	29.11.2024	28.11.2025
2	Fine particulate Sampler	Ecotech Instruments	AAS-127	T-101	BSET/LAB/EQUIP/17	29.11.2024	28.11.2025

Note: Ozone Analysed at site on: 05/03/2025, CO recorded at site on: 05/03/2025

B. Narasimharaju Jogi
Reviewed by
B S Narasimharaju Jogi
(Env. Scientist)



V. Vijay Kumar
Authorized Signatory
V. Vijay Kumar
(Env. Engineer)

*** End of the Report ***

Note: This report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form-01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page 5 of 5
------------------------------	-----------------------------------	-----------------------------	-------------

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.

Recognized by MoEF & CC, Govt: Valid upto November, 2025



TEST REPORT



TC-5233

Name & Address of the Customer: M/s. Infosys Limited, IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mnadal, Ranga Reddy Dist, Hyderabad-500032	Test Report No. : BSET/2025/AQ-01290 Lab Code No. : 250921003 Issue Date : 22/03/2025 Your Ref : Letter dated-13/03/2025 Date of Receipt : 13/03/2025
Sample Description: Ambient Air sample Qty & Packing: * 1 filter paper for PM _{2.5} and 1 filter paper for PM ₁₀ , Benzo(a) pyrene, Arsenic, Nickel & Lead. * 30 ml absorbing solutions for SO ₂ and NO ₂ * 10 ml absorbing solution for Ammonia * Ozone * 1 No Charcoal tube for Benzene * CO tested by CO analyzer Test Required: As per given below	Date of Registration : 13/03/2025 Date of commencement of testing : 13/03/2025 Date of completion of testing : 22/03/2025 Sample condition at receipt : Found ok
Sampling Details	
Date of Sampling: 05/03/2025 Sampling Method: IS - 5182 (Sample Drawn by BSET Representative) Location of Sampling/Sample ID: Near MLCP	Environment conditions: Normal
Discipline: chemical	Group: Atmospheric pollution

TEST RESULTS


S.No.	Test Parameter	Units	Test Method	Result	NAAQ Standards for Industrial, Residential, Rural and Other areas
1	Sulphur Dioxide (SO ₂)	µg/m ³	IS:5182 (P-2)-2001	8.7	80 (24 Hours)
2	Nitrogen Dioxides (NO ₂)	µg/m ³	IS:5182 (P-6)-2006	8.5	80 (24 Hours)
3	Particulate Matter-10 µm (PM ₁₀)	µg/m ³	IS:5182 (P-23)-2006	53.6	100 (24 Hours)
4	Particulate Matter-2.5 µm (PM _{2.5})	µg/m ³	IS:5182 (P-24)-2019	22.3	60 (24 Hours)
5	Ozone (O ₃)	µg/m ³	IS:5182 (Part-9)-1974	6.3	180 (1 Hour)
6	Lead (Pb)	µg/m ³	(BSET/SOP/AA-10)-2021	< 0.1	1 (24 Hours)
7	Carbon Monoxide (CO)	mg/m ³	BSET/SOP/AA-09	< 1.15	2 (8 Hours)
8	Ammonia (NH ₃)	µg/m ³	IS:5182 (Part-25)-2018	7.4	400 (24 Hours)
9	Benzene	µg/m ³	IS: 5182 (P-11)-2006	< 1.0	5 (Annual)
10	Benzo (a) Pyrene, (BaP) Particulate phase only	ng/m ³	IS: 5182 (P-12)-2004	< 1.0	1 (Annual)
11	Arsenic (As)	ng/m ³	(BSET/SOP/AA-10)-2021	< 1.0	6 (Annual)
12	Nickel (Ni)	ng/m ³	(BSET/SOP/AA-10)-2021	< 2.0	20 (Annual)

FIELD EQUIPMENT DETAILS

S.No	Name of the Instrument	Make	Model No	S.No	ID No	Calibrated on	Calibration Due on
1	R D Sampler	Ecotech Instruments	AAS-217 NL	RDS/11-I-02	BSET/LAB/EQUIP/28	29.11.2024	28.11.2025
2	Fine particulate Sampler	Ecotech Instruments	AAS-127	11-G-99	BSET/LAB/EQUIP/29	29.11.2024	28.11.2025

Note: Ozone Analysed at site on: 05/03/2025, CO recorded at site on: 05/03/2025

B. S. Narasimharaju Jogi
Reviewed by
B S Narasimharaju Jogi
(Env. Scientist)




*** End of the Report***

Note: This report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form -01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page 4 of 5
-------------------------------	-----------------------------------	-----------------------------	-------------

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.

Recognized by MoEF & CC, Govt: Valid upto November, 2025



TEST REPORT



TC-5233

Name & Address of the Customer: M/s. Infosys Limited, IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mnadal, Ranga Reddy Dist, Hyderabad-500032	Test Report No. : BSET/2025/AQ-01288 Lab Code No. : 250921203 Issue Date : 22/03/2025 Your Ref : Letter dated-13/03/2025 Date of Receipt : 13/03/2025
Sample Description: Ambient Air sample Qty & Packing: * 1 filter paper for PM _{2.5} and 1 filter paper for PM ₁₀ , Benzo(a) pyrene, Arsenic, Nickel & Lead. * 30 ml absorbing solutions for SO ₂ and NO ₂ * 10 ml absorbing solution for Ammonia * Ozone * 1 No Charcoal tube for Benzene * CO tested by CO analyzer Test Required: As per given below	Date of Registration : 13/03/2025 Date of commencement of testing : 13/03/2025 Date of completion of testing : 22/03/2025 Sample condition at receipt : Found ok
Sampling Details	
Date of Sampling: 06/03/2025 Sampling Method: IS - 5182 (Sample Drawn by BSET Representative) Location of Sampling/Sample ID: Near gates -3	Environment conditions: Normal
Discipline: chemical	Group: Atmospheric pollution

TEST RESULTS


S.No.	Test Parameter	Units	Test Method	Result	NAAQ Standards for Industrial, Residential, Rural and Other areas
1	Sulphur Dioxide (SO ₂)	µg/m ³	IS:5182 (P-2)-2001	8.5	80 (24 Hours)
2	Nitrogen Dioxides (NO ₂)	µg/m ³	IS:5182 (P-6)-2006	8.3	80 (24 Hours)
3	Particulate Matter-10 µm (PM ₁₀)	µg/m ³	IS:5182 (P-23)-2006	47.2	100 (24 Hours)
4	Particulate Matter-2.5 µm (PM _{2.5})	µg/m ³	IS:5182 (P-24)-2019	25.6	60 (24 Hours)
5	Ozone (O ₃)	µg/m ³	IS:5182 (Part-9)-1974	7.6	180 (1 Hour)
6	Lead (Pb)	µg/m ³	(BSET/SOP/AA-10)-2021	< 0.1	1 (24 Hours)
7	Carbon Monoxide (CO)	mg/m ³	BSET/SOP/AA-09	< 1.15	2 (8 Hours)
8	Ammonia (NH ₃)	µg/m ³	IS:5182 (Part-25)-2018	8.0	400 (24 Hours)
9	Benzene	µg/m ³	IS: 5182 (P-11)-2006	< 1.0	5 (Annual)
10	Benzo (a) Pyrene, (BaP) Particulate phase only	ng/m ³	IS: 5182 (P-12)-2004	< 1.0	1 (Annual)
11	Arsenic (As)	ng/m ³	(BSET/SOP/AA-10)-2021	< 1.0	6 (Annual)
12	Nickel (Ni)	ng/m ³	(BSET/SOP/AA-10)-2021	< 2.0	20 (Annual)

FIELD EQUIPMENT DETAILS

S.No	Name of the Instrument	Make	Model No	S.No	ID No	Calibrated on	Calibration Due on
1	RD Sampler	Ecotech Instruments	APM-460 BL	RDS/2092-DTG-2011	BSET/LAB/EQUIP/16	29.11.2024	28.11.2025
2	Fine particulate Sampler	Ecotech Instruments	AAS-127	110620134	BSET/LAB/EQUIP/17	29.11.2024	28.11.2025

Note:Ozone Analysed at site on:06/03/2025 ,CO recorded at site on: 06/03/2025

Reviewed by
B S Narasimharaju Jogi
(Env.Scientist)



*** End of the Report***

Note: This report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CI.7.8/Form -01	Issue No. / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / --	Page 2 of 5
-------------------------------	------------------------------------	-----------------------------	-------------

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tamaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.

Recognized by MoEF & CC, Govt: Valid upto November, 2025



TEST REPORT



TC-5233

/Name & Address of the Customer: M/s. Infosys Limited, IL Hyderabad STP Unit, SDB 1-6, Survey No: 210, Manikonda Village, Lingampally Mnadal, Ranga Reddy Dist, Hyderabad-500032		Test Report No. : BSET/2025/AQ-01287 Lab Code No. : 250921303 Issue Date : 22/03/2025 Your Ref : Letter dated-13/03/2025 Date of Receipt : 13/03/2025	
Sample Description: Ambient Air sample Qty & Packing: * 1 filter paper for PM _{2.5} and 1 filter paper for PM ₁₀ , Benzo(a) pyrene, Arsenic, Nickel & Lead. * 30 ml absorbing solutions for SO ₂ and NO ₂ * 10 ml absorbing solution for Ammonia * Ozone * 1 No Charcoal tube for Benzene * CO tested by CO analyzer Test Required: As per given below		Date of Registration	13/03/2025
		Date of commencement of testing	13/03/2025
		Date of completion of testing	22/03/2025
		Sample condition at receipt	Found ok
Sampling Details			
Date of Sampling: 05/03/2025 Sampling Method: IS - 5182 (Sample Drawn by BSET Representative) Location of Sampling/Sample ID: Near Biogas plant		Environment conditions: Normal	
Discipline: chemical		Group: Atmospheric pollution	

TEST RESULTS


S.No.	Test Parameter	Units	Test Method	Result	NAAQ Standards for Industrial, Residential, Rural and Other areas
1	Sulphur Dioxide (SO ₂)	µg/m ³	IS:5182 (P-2)-2001	8.9	80 (24 Hours)
2	Nitrogen Dioxides (NO ₂)	µg/m ³	IS:5182 (P-6)-2006	10.2	80 (24 Hours)
3	Particulate Matter-10 µm (PM ₁₀)	µg/m ³	IS:5182 (P-23)-2006	51.2	100 (24 Hours)
4	Particulate Matter-2.5 µm (PM _{2.5})	µg/m ³	IS:5182 (P-24)-2019	30.1	60 (24 Hours)
5	Ozone (O ₃)	µg/m ³	IS:5182 (Part-9)-1974	7.4	180 (1 Hour)
6	Lead (Pb)	µg/m ³	(BSET/SOP/AA-10)-2021	< 0.1	1 (24 Hours)
7	Carbon Monoxide (CO)	mg/m ³	BSET/SOP/AA-09	< 1.15	2 (8 Hours)
8	Ammonia (NH ₃)	µg/m ³	IS:5182 (Part-25)-2018	7.4	400 (24 Hours)
9	Benzene	µg/m ³	IS: 5182 (P-11)-2006	< 1.0	5 (Annual)
10	Benzo (a) Pyrene, (BaP) Particulate phase only	ng/m ³	IS: 5182 (P-12)-2004	< 1.0	1 (Annual)
11	Arsenic (As)	ng/m ³	(BSET/SOP/AA-10)-2021	< 1.0	6 (Annual)
12	Nickel (Ni)	ng/m ³	(BSET/SOP/AA-10)-2021	< 2.0	20 (Annual)

FIELD EQUIPMENT DETAILS

S.No	Name of the Instrument	Make	Model No	S.No	ID No	Calibrated on	Calibration Due on
1	R D Sampler	Enviro Instruments	APM-460 BL	RDS/2092-DTG-2011	BSET/LAB/EQUIP/16	29.11.2024	28.11.2025
2	Fine particulate Sampler	Ecoftech Instruments	AAS-127	110620134	BSET/LAB/EQUIP/17	29.11.2024	28.11.2025

Note: Ozone Analysed at site on: 05/03/2025, CO recorded at site on: 05/03/2025

B. Narasimharaju
Reviewed by
B S Narasimharaju Jogi
(Env. Scientist)



*** End of the Report***

Note: This report is subject to the terms and conditions mentioned overleaf.

Doc No.: BSET/CL.7.8/Form-01	Issue No / Date : 01 / 02.01.2020	Amend. No. / Date : 00 / -	Page 1 of 5
------------------------------	-----------------------------------	----------------------------	-------------

*Complaints Register is available at Laboratory.

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358



B.S. ENVI - TECH PVT. LTD.
Recognized by MoEF & CC, Govt: Valid upto November, 2025

TEST REPORT



TC - 5233



Name & Address of the Customer: M/s. Infosys Limited, Survey No-210, Manikonda Village, Lingampalli, Hyderabad-500032		Test Report No : BSET/2025/AN-01250-01254 Lab code No:250925003-250924603 Issue Date : 13.03.2025 Your Ref : Letter dated: 12.03.2025 Date of Receipt : 12.03.2025	
Sample Description : Ambient Noise		Date of Registration	12.03.2025
Test Required : Day Equivalent, Leq (D) and Night Equivalent, Leq (N)		Date of commencement of testing	12.03.2025
		Date of completion of testing	12.03.2025
		Sample condition at receipt	-
		Sample tested as received	
Sampling Details			
Sampling Method/ Procedure: IS 9989:1981(Data recorded by BSET Representative) Environment Conditions: Normal			
General Environment conditions: Temperature: 33°C, Relative Humidity: 57%			
Discipline: Chemical			

AMBIENT NOISE QUALITY dB(A)


TEST RESULTS

Sampling Location	Near DG Room Phase-1	Near Gate -2	Near UGR-1	Near PH-2 Chiller area	Near STP
Report No	250924603	250964702	250924803	250924903	250925003
Date of Sampling	05.03.2025	05.03.2025	06.03.2025	05.03.2025	06.03.2025
Day Time					
06:00	47.2	40.5	43.6	49.3	45.9
07:00	49.8	42.8	44.7	50.8	47.2
08:00	50.6	44.3	46.4	52.7	49.8
09:00	51.5	45.2	47.2	54.9	50.7
10:00	53.7	47.4	49.9	56.2	52.6
11:00	54.6	49.8	50.6	58.3	54.4
12:00	57.4	50.9	51.8	60.8	55.9
13:00	59.9	52.5	52.5	61.4	57.8
14:00	60.5	53.7	54.6	62.3	60.5
15:00	61.8	55.8	56.8	64.7	61.3
16:00	62.7	56.5	58.7	65.1	63.4
17:00	64.4	58.3	60.5	67.4	65.8
18:00	60.1	60.9	61.9	66.2	66.1
19:00	59.5	54.4	58.6	63.8	62.5
20:00	56.7	51.5	54.4	57.6	59.3
21:00	51.4	48.3	50.7	55.7	51.4
Night Time					
22:00	49.4	46.4	48.7	53.3	49.1
23:00	47.7	45.7	46.6	52.7	47.6
24:00	46.5	43.5	43.2	49.8	45.3
01:00	44.6	42.8	40.3	47.9	42.7
02:00	43.2	40.3	38.7	45.6	40.9
03:00	42.9	44.7	36.6	43.5	41.8
04:00	48.4	49.5	39.2	46.4	43.5
05:00	52.5	52.7	43.2	50.6	44.4
Day Equivalent (Ld)	58.8	54.0	55.7	62.0	60.3
Night Equivalent (Ln)	48.0	47.4	43.8	49.9	45.3
Ambient Air Quality Standards for Noise levels as per CFO	Day Time			Night Time	
	75			70	

EQUIPMENT DETAILS

S. No	Name of the Instrument	Make	Model	S. No	ID No.	Calibrated on	Calibration due on
1	Sound Level Meter	Lutron	SL-4033 SD	Q678151	BSET/LAB/EQUIP-107	02.12.2024	01.12.2025
2	Sound Level Meter	Lutron	SC-942	Q694166	BSET/LAB/EQUIP-	30.08.2024	29.08.2025

B. Narasimharaju
Reviewed by
B S Narasimharaju Jogi
(Env. Scientist)



V. Vijay Kumar
Authorized Signatory
V. Vijay Kumar
(Env. Engineer)

*Complaints Register is available at Laboratory.

4th Floor, 'AMITY VILLE', 12-13-1270/71/73,
St. Ann's Road, Tarnaka,
Secunderabad - 500017,
Telangana, India

Phone : +91 40 49783062 / 27016806 Fax : +91 40 49783063
Email : lab@bsenvitech.com, info@bsenvitech.com
Website : www.bsenvitech.com
CIN No. : U74210TG1999PTC032358