

IL/FAC/I045/25-26/16

30th May 2025

To,
Regional Officer,
MP Pollution Control board,
Scheme No. 78/ C, Part 2 Aranya,
Vijay Nagar, Indore, Madhya Pradesh, 452010

Subject :- Submission of Environmental Statement Report In Form-V for the period of April 2024 to March 2025.


Respected Sir,

With reference to the above titled subject and in compliance to the gazette notification on environmental audit issued by ministry of environment and forest on 13 March, 1992 amendment vide GSR 386(e) the environment statement in prescribed format of Form-V is being submitted for financial year 2024-25. By M/s Infosys Limited, Scheme no 151 and 169 b, Village Bada bangarda and Tigaria Badshah, Indore Madhya Pradesh, 453112.

Kindly acknowledge the receipt of the same.

Thanking You


For Infosys Limited, Indore



Authorized Signatory

Enclosed :-

1. Form -V (Environmental Statement Report),
2. Copy of Latest Test report of Treated Sewage,
3. Copy of Latest Test report of Ambient Air & Noise.



INFOSYS LIMITED
IL INDORE SEZ DEVELOPER
Scheme No 151 & 169B
Village Bada Bangarda and
Tigriya Badshah Super Corridor Tehsil Hatod,
Indore, Madhya Pradesh – 453 112.
T 91 73148 71860

INFOSYS LIMITED
CIN: L85110KA1981PLC013115
44, Infosys Avenue
Electronics City, Hosur Road
Bengaluru 560 100, India
T 91 80 2852 0261
F 91 80 2852 0362
askus@infosys.com
www.infosys.com

ENVIRONMENTAL STATEMENT (FORM-V)
(With reference to Rule 14 The Environment (Protection) Rules, 1986)
Environmental Statement for the financial year ending 31st March, 2025

PART-A

- I. Name and address of the owner/occupier Of the industry,** : M/s Infosys Limited, Super Corridor, Infosys Limited-Sez Unit-1, Scheme No 151 And 169B, Bada Bangarda And Tigariya Badshah, Indore, Madhya Pradesh, 453112
- Operation or Process** : Software Development
- II. Industry Category** : NA
Primary-STC Code
Secondary – STC Code
- III. Production Capacity** : Software Development & Support
- IV. Date of establishment** : 2017
- V. Date of Last Environment Statement submitted** : 26-Sep-24

PART B

Water & Raw Material Consumption

i. Water Consumption in M³/Day :

S. No.	Water Consumption Head	Quantity
a)	Process	NA
b)	Domestic	Average 60.69 m ³ /day
c)	Cooling	Average 10.33 m ³ /day

Name of Products	Water Consumption per unit of Product	
	During Previous Financial Year 2023-24	During Current Financial Year 2024-25
--- Not Applicable ---		

ii. Raw Material Consumption : Not Applicable

Name of Raw Materials	Name of Products	Consumption of Raw material per unit of output	
		During Previous Financial Year 2023-24	During Current Financial Year 2024-25
--- Not Applicable ---			



PART - C

Pollution discharged to environment / unit of Output : Software Industry
(Parameters as specified in the consent issued)

(A) Water Pollution Load:

S. No.	Pollutants	Quantity of Pollutants discharged (Kg/day)	Concentration of Pollutants discharged (mg/l)	% of variations from prescribed standards with reasons
(1)	pH	7.12	7.12	No deviation from prescribed standards
(2)	BOD	0.17	9.25	
(3)	COD	0.85	47.33	
(4)	Suspended Solids	0.24	13.50	
(5)	Residual Chlorine	<0.010	<5	
(6)	Ammonical Nitrogen	0.05	2.88	
(7)	Fecal Coliform	1.10	61.45	
(8)	Phosphate-PO4	0.00	0.07	

(B) Air Pollution Load:

(B1) Stack emission from DG Set (625 KVA x 2 Nos.):

S. No.	Air Pollutants	Quantity of Pollutants discharged (Kg/Day)	Concentration of Pollutants discharged (mg/Nm ³)	% of variations from prescribed standards with reasons
(1)	Oxides of Nitrogen as NO ₂	26.32	122.14	No deviation from prescribed standards
(2)	Particulate Matters	8.29	38.49	
(3)	Sulphur Dioxide	3.90	18.11	

PART D

Hazardous Waste

[As specified under Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 and subsequent amendments]

Hazardous Waste	Total Quantity	
	During Previous Financial Year 2023-24	During Current Financial Year 2024-25
1. From Operation of Building (during maintenance of DG sets)	0.472 MT	0.348 MT
2. From Pollution Control Facility	--	--



PART E

Solid Waste

	Type of Solid Wastes	Units	Total Quantity	
			During the previous Financial year 23-24	During the current financial year 24-25
a. From process	Plastic Waste	Kgs	2811	4635
	Paper Waste	Kgs	2754	3844
	Glass:	Kgs	0	1000
	Food Waste	Kgs	10802	18184
	Garden waste	Kgs	8484	17784
	Metal	Kgs	73597	8990
	Wood	Kgs	1305	0
	Carpet	Kgs	870	0
	Polystyrene	Kgs	5310	0
b. From Pollution Control Facility	STP Sludge:	Kgs	40	38.98
c. Quantity recycled or re-utilized within the unit.	Food Waste	Kgs	10802	18184
	Garden waste	Kgs	8484	17784
	STP Sludge	Kgs	40	38.98
d. Sold	Metal	Kgs	73597	8990
	Wood	Kgs	1305	0
	Carpet	Kgs	870	0
e. Disposed	Polystyrene	Kgs	5310	0

PART F

Please specify the characteristics (in terms of concentration and quantum) of hazardous wastes as well as solid wastes and indicate disposal practice adopted for both these categories of wastes

Waste is segregated at source. The segregated waste is routed to waste yard. The non hazardous solid waste (Paper, Plastic, Trash etc) has been disposed to Inodre Municipal corporation through authorized vehicle.

The color codes are as follows:

Paper, Plastic , Cans(Sof drinkds) and Trash.

A focused approach to solid waste management has resulted in better disposal systems. Solid waste included all the Non-hazardous waste viz..., paper/cardboard waste, plastic waste and Trash. We have dedicated staff to manage the Effluents, Emissions, Hazardous/Bio-medical/Solid waste and all contractual are trained on waste management.

Bio-Medical Waste: Bio-medical waste and sanitary waste are sent to registered MPPCB authorized incinerator. Also, ensure appropriate BMW segregation, we conduct trainings to the identified BMW handles on regular intervals.



Waste Category	Units	Total Quantity	
		During the previous Financial year (2023-24)	During the current financial year (2024-25)
Biomedical including sanitary waste	Kgs	232.3	310.4

Soil contamination and pollution prevention measures: All waste are stored at dedicated storage areas, provided with secondary containment which are leachate proof.

On/off-site management procedure: Waste generated is segregated at sources and disposal through authorized recyclers. Bio-medical waste and Used Oil has been sent to MPPCB authorized agency for recycling and incineration. The process of waste segregation at the sources is in place. The Segregated waste is routed to waste yard and disposed to agencies. Following are the type of waste and disposal methodology.

Non-Hazardous waste: Waste like Metal, wood, Thermocol and glass are segregated disposed to registered recyclers/ re-processors for further process.

E-waste: E-waste is disposal only through PCB authorized vendors. To collect the e-waste generated.

Waste Category	Units	Total Quantity	
		During the previous Financial year (2023-24)	During the current financial year (2024-25)
E waste sent to recycler:	Kgs	11225	5390

Batteries: The generated batteries are stored in designated place for disposal. These batteries are disposal to authorized recycler. Further the batteries are dismantled by vendor partner to separate spent sulphuric acid, plastic/metal plates, and secondary lead alloys. Lead alloy is smelted and made as fresh lead ingots.

Waste Category	Units	Total Quantity	
		During the previous Financial year (2023-24)	During the current financial year (2024-25)
Battery Waste Sent to recycler:	Kgs	1105	0

Food Waste: OWC-Organic Waste Converter (OWC) of 200 Kg per day capacity is installed and is used to convert organic waste into homogenized odor-free output through Bio Mechanical process and is converted into COMPOST within two weeks which can used as manure for landscape. Also, our Garden waste has been mixed along with food waste and fed into OWC.



PART G

Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production Impact of the pollution control measures taken on conservation of natural resources and consequently on the cost of production

- Installed Solar Plant capacity of Rooftop 190 kW. 8% of power used in our campus is from renewable sources.
- Taken various measures in the campus to ensure optimum use of power and water.
- Single use plastics are banned in the campus.
- Battery operated Golf cart¹, Electric bikes and Electric auto trolley are used inside the campus for movement.
- To create environment related awareness among employees, various activities were conducted.
- Campus has 1 lakes which can store up to 2 crore liters of rainwater.
- Campus has 8 No.s injection wells
- Planted more than 9024 trees in campus so far.

PART H

Additional measures / investment proposal for environmental protection including abatement of pollution:

- Reduction in electricity consumption: 5% per capita (Based on variable consumption for FY2025) by March 31st 2026**
- Reduction in freshwater consumption: 5% per capita (Based on variable consumption for FY2025) by March 31st 2026**.

PART I


Any other particulars in respect of environmental protection and abatement of pollution:

Any other particulars in respect of environmental protection and abatement of pollution

1. Water is used in Buildings, kitchens, toilets and the domestic sewage generated is recycled through Sewage Treatment Plant (Membrane Bio Reactor) and used for landscaping.
2. STP sludge will be treated inhouse in centrifuge and sludge post dried is used as manure.
3. Established organic waste converter to treat canteen waste for making the compost which will be used for gardening and landscaping.

Enclosures:

1. Copy of Test Report for Treated Sewage
2. Copy of Test report for Air Quality & Noise



CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (**Building - 2 "Pasteur"**)
Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
Kumedi, Off. M.R. 10 Toll Naka,
Indore - 452010 (M.P.) INDIA



TC-6384

Issued to: INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO.151 & 169 B, VILLAGE BADA BANGARDA, TIGARIYA BADSHAH, SUPER CORRIDORE, TEHSIL HATOD Indore, Madhya Pradesh India - 453112	CoA ID: 01200901/24-25 Report No.: 01200901/24-25 (v1) ULR No.: TC638425000003495F Issue date: 07-04-2025 Customer Ref(s): N/M Customer ID: IL210006
Sample Name: STP OUTLET WATER Manufacture License No: N/M Manufacturer Name: N/M Manufacturing Date: N/M Reference of Letter: N/M Date of Letter: N/M Date of Receipt: 20-03-2025 Batch Number: N/M Batch Size: N/M A.R. Number: N/M Expiry / Retest Date: N/M	Sample Quantity: 5 Liter+500ml Sealed / Unsealed: Unsealed Packing: PLASTIC CAN+ PLASTIC BOTTLE Analysis Start Date: 22-03-2025 Analysis End Date: 04-04-2025 Sampling Date: 17-03-2025 Sampled By: CLL Sampling Location: STP PLANT Sampler Name: idr01056 - Rinkesh Malviya Page Number: 1 of 2

Test Specification as per CPCB/MPPCB

Sr.No.	Characteristics	Unit	Result	Specification	MDL	Reference Method
Discipline: Chemical Group: Pollution & Environment Subgroup: Waste Water (Effluents / Sewage) Waste Water Parameters						
1.	Description	Not Applicable	Colorless liquid with suspended particles.	N/M	N/M	N/M
2.	pH	Not Applicable	7.7	6.5-9.0	N/M	IS 3025 (Part-11) : 2022
3.	Biological Oxygen Demand (BOD) (3 days at 27°C)	mg/L	16	NMT 30	N/M	IS : 3025(Part 44) : 2023
4.	Chemical Oxygen Demand (COD)	mg/L	80	NMT 250	N/M	IS : 3025(Part 58) : 2023
5.	Total Dissolved Solids	mg/L	441	NMT 2100	N/M	IS : 3025(Part 16)-2023
6.	Total Suspended Solids	mg/L	12	NMT 100	N/M	IS 3025 (Part-17) : 2023
7.	Oil and Grease	mg/L	Less than 5	NMT 10	N/M	IS 3025 (Part-39) : 2021
8.	Chloride, as Cl	mg/L	170.0	NMT 1000	N/M	IS : 3025(Part 32) :1988
9.	Sulphate(asSO4)					
(i).	Sulphate (asSO4)	mg/L	2.0	N/M	1.0	IS 3025 (Part-24/Sec 1):2022
10.	Faecal Coliform	MPN/100 mL	110	NMT 1000	N/M	IS 1622 - 1981
11.	Total Nitrogen (as N)					
(i).	Total Nitrogen (asN)	mg/L	8.1	N/M	N/M	IS 3025(Part 34)1988



IDR00336
07-04-2025 12:16:04

Authorised Signatory

IDR01563
07-04-2025 12:25:25

QA Approver

CERTIFICATE OF ANALYSIS



Issued from:
 Choksi Laboratories Limited (Building - 2 "Pasteur")
 Survey No. 9/1, Balaji Tulsiana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore - 452010 (M.P.) INDIA



TC-6384

Issued to: INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO.151 & 169 B, VILLAGE BADA BANGARDA, TIGARIYA BADSHAH, SUPER CORRIDORE, TEHSIL HATOD Indore, Madhya Pradesh India - 453112	CoA ID: 01200901/24-25 Report No.: 01200901/24-25 (v1) ULR No.: TC638425000003495F Issue date: 07-04-2025 Customer Ref(s): N/M Customer ID: IL210006
Sample Name: STP OUTLET WATER Manufacture License No: N/M Manufacturer Name: N/M Manufacturing Date: N/M Reference of Letter: N/M Date of Letter: N/M Date of Receipt: 20-03-2025 Batch Number: N/M Batch Size: N/M A.R. Number: N/M Expiry / Retest Date: N/M	Sample Quantity: 5 Liter+500ml Sealed / Unsealed: Unsealed Packing: PLASTIC CAN+ PLASTIC BOTTLE Analysis Start Date: 22-03-2025 Analysis End Date: 04-04-2025 Sampling Date: 17-03-2025 Sampled By: CLL Sampling Location: STP PLANT Sampler Name: idr01056 - Rinkesh Malviya Page Number: 2 of 2

Test Specification as per CPCB/MPPCB

Sr.No.	Characteristics	Unit	Result	Specification	MDL	Reference Method
12.	Residual free chlorine, as Cl ₂	mg/L	Not detected	NLT 0.2	0.05	IS 3025 (Part 26):2021
13.	Ammonical Nitrogen (as NH ₄ -N)					
(i).	Ammonical (as NH ₄ -N)Nitrogen	mg/L	36	N/M	N/M	IS 3025(Part-34)1988
14.	Dissolved Phosphate (as PO ₄)	mg/L	Not Detected	N/M	N/M	APHA 4500 _P D
15.	Colour	Hazen unit	Less than 1	N/M	N/M	IS 3025 (Part-4) : 2021
16.	Escherichia coli	MPN/100 mL	<2	NMT 1000	N/M	IS 1622:1981

[End of Report]

Remarks:

1. Test report shall not be reproduced either in part or in full, without written approval of CLL Management.
2. CLL does not give any opinion or interpretation of the same.
3. MDL Refer to Method Detection Limit
4. Sample Drawn by CLL representative
5. Sample information as Furnished by Customer
6. Subject to terms and conditions mentioned at the end of the CoA.
7. This Certificate of Analysis shall not be reproduced either in part or in full , without written approval of CLL Management.
8. This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
9. Total Liability of CLL is limited to the invoiced amount.
10. MDL for Dissolved Phosphate is 0.05 mg/L



IDR00336
07-04-2025 12:16:04

Authorised Signatory

IDR01563
07-04-2025 12:25:25

QA Approver

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA) / CERTIFICATE OF CALIBRATION (CoC):

1. Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
2. This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
3. The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
4. This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
5. Endorsement of products is neither inferred nor implied.
6. In case of any dispute, Indore jurisdiction is applicable.
7. Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
8. Total Liability of CLL is limited to the invoiced amount.
9. In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CLL LABS - APPROVALS / ACCREDITATIONS BY:



Note: Each CLL lab has different approvals / accreditations. Please check with the on-site BD cell for any specific registrations / submissions prior to sending test request. Your test request must mention the purpose / regulatory body / agency for which the testing is to be carried out.

CLL's SERVICE AREAS

Food & Beverages Testing Services

Agro Products (Food Raw Materials & Products, Milk & Milk Products, Agrochemicals, Fertilizers, Food Additives)

Drugs and Chemicals Testing Services:

Pharmaceuticals, Herbals, Cosmetics, Ayurvedic - Raw Materials, Formulations & Chemicals Analysis

Building Materials Testing Services:

Metals, Sand/Aggregate, Bricks, Paving Block, Cement, Paints, Minerals, PVC/HDPE Pipes, Packaging Materials & Wood Products, On-site inspection services for soil and constructions sites.

Water & Waste Water:

Drinking Water (IS:10500), Purified water for pharmaceutical use, Recreational Water, EPA / WHO Water, Water for Injections, Water for food processing, Water for dialysis etc.

Calibration Services:

Thermal, Mechanical (Mass, Volume, Speed, Pressure, Vacuum), Area / Autoclave / Steam tunnel Mapping, Electro-technical, Dimension, etc.

Other Testing, Research & Validation services:

Toys testing, Disinfectants / Sanitizers testing, Consumer products (such as Water purifiers, Sterilizers etc.), Soil investigation & analysis, Waste / Used oil for recycling / incineration, etc.

Environment Services:

Indoor and Outdoor Monitoring for workplaces / hotels / hospitals / homes etc., Industrial monitoring - ambient and stack, River/Lake water quality survey.

CLL's LAB LOCATIONS**Indore Laboratory
(Corporate Office & Center of Excellence)**

Survey No. 9/1, Balaji Tulsiyana Industrial Estate, Kumedi, Off MR10 Toll Plaza, Indore (M.P.) - 452010

Tel: +91-731-3501112 (60 lines)

E-mail : bd@choksilab.com

CLL Baroda Laboratory

829 GIDC, Makarpura Baroda - 390010

Tel: +91-265-2978001

E-mail : baroda@choksilab.com

CLL Panchkula Laboratory

Plot No. 362, Industrial Area, Phase -II,
Panchkula - 734 112 (Haryana)

Tel: +91-172-5048600 / 01 / 02

E-mail : panchkula@choksilab.com

CLL Vapi Laboratory

32, Vibrant Business Park, Opp. UPL, N.H. - 48,
Vapi, Gujarat, India 396195

Tel: +91-260-2433488, 2432715, 2432731

E-mail : vapi@choksilab.com

CLL Goa Laboratory

C-18, C-20 Verna Industrial Estate, Phase - 1A,
Verna - 403722, Goa (India)

Tel: +91-838-0033301 / 02 / 03 / 04

E-mail : goa@choksilab.com

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P – 453112	CoA ID:	03300325/24-25
	Report No.:	03300325/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	Page 1 of 1
Sample Packing & Quantity : Packed in Plastic Bottle, 4*30ml, 2 Filter Paper	Sample Condition : Ok
*Sample Name : Ambient Air	Sampling Plan & Sampling Procedure : As Per IS 5182 and thier parts
Ref.1: *Sampling Location : Near Main Security Gate	Ref.2: Analysis Start Date : 22/03/2025
Ref.3: Date of Monitoring : 17/03/2025 to 18/03/2025	Ref.4: Analysis Completion Date : 31/03/2025
Ref.5: Time of sampling : 11:54 to 11:54 Hours	Ref.6: Duration of Sampling: 24 hours
Ref.7: Ambient Temperature: 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear
Ref.11: Sampling Instruments : 1. CLL-IDR-EQ-M-001242, Cal. Date: 29/05/2024, 2. CLL-IDR-EQ-M-001241, Cal. Date: 29/05/2024	

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Ambient Air

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Sulphur Dioxide, (SO ₂)	µg/m ³	14.4	Max. 80	IS 5182 (Part -2) : 2001
ii	Nitrogen Dioxide, (NO ₂)	µg/m ³	26.9	Max. 80	IS 5182 (Part-6) : 2006
iii	Particulate Matter,(size less than 10µm) or PM ₁₀	µg/m ³	Sampled by: Sharma IDR01411 04.04.2025 13:06	Max. 100	IS 5182 (Part-23) : 2006
iv	Particulate Matter, (size less than 2.5µm) or PM _{2.5}	µg/m ³	38.3	Max. 60	IS 5182 (Part 24): 2019
v	Ozone, (O ₃)	µg/m ³	11.1	Max. 100	IS 5182 (Part 09) : 1974
vi	Lead, (Pb)	µg/m ³	Not Detected [DL=0.001]	Max. 1	CLL-IDR-STP-EMS-010
vii	Ammonia, (NH ₃)	µg/m ³	22.3	Max. 400	IS 5182 (Part 25):2018
viii	Arsenic, (As)	ng/m ³	Not Detected [DL=0.7]	Max. 6	CLL-IDR-STP-EMS-010
ix	Nickel, (Ni)	ng/m ³	Not Detected [DL=0.7]	Max. 20	CLL-IDR-STP-EMS-010
x	Benzene, (C ₆ H ₆)	µg/m ³	BDL[DL=1.0]	Max. 5	IS 5182 (Part 11) : 2006
xi	Benzo (A) Pyrene, (BaP)	ng/m ³	BDL[DL=1.0]	Max. 1	IS 5182 (Part 12) : 2004
xii	Carbon Monoxide, (CO)	mg/m ³	0.8	Max. 2	IS 5182 (Part 10):1999

- Note:**
- This CoA refers only to the Monitored/sampled and tested items.
 - This CoA may not be reproduced in part or full without the written permission of this laboratory.
 - CLL does not give any opinion or interpretation of the same.
 - *Sample information as Furnished by Customer
 - Prescribed Limits as per NAAQS 2009
 - BDL -Below Detection Limit, DL- Detection Limit
 - Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P – 453112	CoA ID:	03300325-1/24-25
	Report No.:	03300325-1/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	Page 1 of 1
Sample Packing & Quantity : Packed in Plastic Bottle, 4*30ml, 2 Filter Paper	Sample Condition : Ok
*Sample Name : Ambient Air	Sampling Plan & Sampling Procedure : As Per IS 5182 and thier parts
Ref.1: *Sampling Location: Out Side of DG Room	Ref.2: Analysis Start Date : 22/03/2025
Ref.3: Date of Monitoring : 17/03/2025 to 18/03/2025	Ref.4: Analysis Completion Date : 31/03/2025
Ref.5: Time of sampling : 12:20 to 12:20 Hours	Ref.6: Duration of Sampling: 24 hours
Ref.7: Ambient Temperature: 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear
Ref.11: Sampling Instruments : 1. CLL-IDR-EQ-M-001664, Cal. Date: 20/12/2024, 2. CLL-IDR-EQ-M-001666, Cal. Date: 20/12/2024	

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Ambient Air

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Sulphur Dioxide, (SO ₂)	µg/m ³	13.7	Max. 80	IS 5182 (Part -2) : 2001
ii	Nitrogen Dioxide, (NO ₂)	µg/m ³	24.0	Max. 80	IS 5182 (Part-6) : 2006
iii	Particulate Matter,(size less than 10µm) or PM ₁₀	µg/m ³	Seur 74 38 Surma IDR01411	Max. 100	IS 5182 (Part-23) : 2006
iv	Particulate Matter, (size less than 2.5µm) or PM _{2.5}	µg/m ³	04.04.2025 13:05 34.1	Max. 60	IS 5182 (Part 24): 2019
v	Ozone, (O ₃)	µg/m ³	10.6	Max. 100	IS 5182 (Part 09) : 1974
vi	Lead, (Pb)	µg/m ³	Not Detected [DL=0.001]	Max. 1	CLL-IDR-STP-EMS-010
vii	Ammonia, (NH ₃)	µg/m ³	17.9	Max. 400	IS 5182 (Part 25):2018
viii	Arsenic, (As)	ng/m ³	Not Detected [DL=0.7]	Max. 6	CLL-IDR-STP-EMS-010
ix	Nickel, (Ni)	ng/m ³	Not Detected [DL=0.7]	Max. 20	CLL-IDR-STP-EMS-010
x	Benzene, (C ₆ H ₆)	µg/m ³	BDL[DL=1.0]	Max. 5	IS 5182 (Part 11) : 2006
xi	Benzo (A) Pyrene, (BaP)	ng/m ³	BDL[DL=1.0]	Max. 1	IS 5182 (Part 12) : 2004
xii	Carbon Monoxide, (CO) [#]	mg/m ³	0.9	Max. 2	IS 5182 (Part 10):1999

- Note:**
- This CoA refers only to the Monitored/sampled and tested items.
 - This CoA may not be reproduced in part or full without the written permission of this laboratory.
 - CLL does not give any opinion or interpretation of the same.
 - *Sample information as Furnished by Customer
 - Prescribed Limits as per NAAQS 2009
 - BDL -Below Detection Limit, DL- Detection Limit
 - Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Bataji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P - 453112	CoA ID:	03300325-2/24-25
	Report No.:	03300325-2/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:		Page 1 of 1
Sample Packing & Quantity : Packed in Plastic Bottle, 4*30ml, 2 Filter Paper	Sample Condition : Ok	
*Sample Name : Ambient Air	Sampling Plan & Sampling Procedure : As Per IS 5182 and thier parts	
Ref.1: *Sampling Location: Infront of SDB-1(Wing -A)	Ref.2: Analysis Start Date : 22/03/2025	
Ref.3: Date of Monitoring : 18/03/2025 to 19/03/2025	Ref.4: Analysis Completion Date : 31/03/2025	
Ref.5: Time of sampling : 12:00 to 12:00 Hours	Ref.6: Duration of Sampling: 24 hours	
Ref.7: Ambient Temperature: 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe	
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear	
Ref.11: Sampling Instruments : 1. CLL-IDR-EQ-M-001242, Cal. Date: 29/05/2024, 2. CLL-IDR-EQ-M-001241, Cal. Date: 29/05/2024		

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Ambient Air

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Sulphur Dioxide, (SO ₂)	µg/m ³	12.3	Max. 80	IS 5182 (Part -2) : 2001
ii	Nitrogen Dioxide, (NO ₂)	µg/m ³	18.4	Max. 80	IS 5182 (Part-6) : 2006
iii	Particulate Matter,(size less than 10µm) or PM ₁₀	µg/m ³	Seur 6738 04/04/2025 13:06 IDR01411	Max. 100	IS 5182 (Part-23) : 2006
iv	Particulate Matter, (size less than 2.5µm) or PM _{2.5}	µg/m ³	32.4	Max. 60	IS 5182 (Part 24): 2019
v	Ozone, (O ₃)	µg/m ³	8.8	Max. 100	IS 5182 (Part 09) : 1974
vi	Lead, (Pb)	µg/m ³	Not Detected [DL=0.001]	Max. 1	CLL-IDR-STP-EMS-010
vii	Ammonia, (NH ₃)	µg/m ³	15.2	Max. 400	IS 5182 (Part 25):2018
viii	Arsenic, (As)	ng/m ³	Not Detected [DL=0.7]	Max. 6	CLL-IDR-STP-EMS-010
ix	Nickel, (Ni)	ng/m ³	Not Detected [DL=0.7]	Max. 20	CLL-IDR-STP-EMS-010
x	Benzene, (C ₆ H ₆)	µg/m ³	BDL[DL=1.0]	Max. 5	IS 5182 (Part 11) : 2006
xi	Benzo (A) Pyrene, (BaP)	ng/m ³	BDL[DL=1.0]	Max. 1	IS 5182 (Part 12) : 2004
xii	Carbon Monoxide, (CO)	mg/m ³	0.7	Max. 2	IS 5182 (Part 10):1999

Note:
 1. This CoA refers only to the Monitored/sampled and tested items.
 2. This CoA may not be reproduced in part or full without the written permission of this laboratory.
 3. CLL does not give any opinion or interpretation of the same.
 4. *Sample Information as Furnished by Customer
 5. Prescribed Limits as per NAAQS 2009
 6. BDL -Below Detection Limit, DL- Detection Limit
 7. Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P - 453112	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>CoA ID:</td> <td>03300325-3/24-25</td> </tr> <tr> <td>Report No.:</td> <td>03300325-3/24-25 (v1)</td> </tr> <tr> <td>Issue Date:</td> <td>04/04/2025</td> </tr> <tr> <td>Date of Sample Received :</td> <td>20/03/2025</td> </tr> <tr> <td>Customer PO Ref. No.:</td> <td>2300227305</td> </tr> <tr> <td>Customer PO Date :</td> <td>22/03/2024</td> </tr> </table>	CoA ID:	03300325-3/24-25	Report No.:	03300325-3/24-25 (v1)	Issue Date:	04/04/2025	Date of Sample Received :	20/03/2025	Customer PO Ref. No.:	2300227305	Customer PO Date :	22/03/2024
CoA ID:	03300325-3/24-25												
Report No.:	03300325-3/24-25 (v1)												
Issue Date:	04/04/2025												
Date of Sample Received :	20/03/2025												
Customer PO Ref. No.:	2300227305												
Customer PO Date :	22/03/2024												

SAMPLE PARTICULARS:	Page 1 of 1
Sample Packing & Quantity : Packed in Plastic Bottle, 4*30ml, 2 Filter Paper	Sample Condition : Ok
*Sample Name : Ambient Air	Sampling Plan & Sampling Procedure : As Per IS 5182 and thier parts
Ref.1: *Sampling Location: Infront of SDB-1 (Wing -B)	Ref.2: Analysis Start Date : 22/03/2025
Ref.3: Date of Monitoring : 18/03/2025 to 19/03/2025	Ref.4: Analysis Completion Date : 31/03/2025
Ref.5: Time of sampling : 12:27 to 12:27 Hours	Ref.6: Duration of Sampling: 24 hours
Ref.7: Ambient Temperature: 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear
Ref.11: Sampling Instruments : 1. CLL-IDR-EQ-M-001242, Cal. Date: 29/05/2024, 2. CLL-IDR-EQ-M-001241, Cal. Date: 29/05/2024	

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Ambient Air

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Sulphur Dioxide, (SO ₂)	µg/m ³	12.7	Max. 80	IS 5182 (Part -2) : 2001
ii	Nitrogen Dioxide, (NO ₂)	µg/m ³	23.3	Max. 80	IS 5182 (Part-6) : 2006
iii	Particulate Matter,(size less than 10µm) or PM ₁₀	µg/m ³	62.3 <small>Saurabh Sharma IDR01411</small>	Max. 100	IS 5182 (Part-23) : 2006
iv	Particulate Matter, (size less than 2.5µm) or PM _{2.5}	µg/m ³	04.09 <small>04.09/2025 13:06</small> 29.0	Max. 60	IS 5182 (Part 24): 2019
v	Ozone, (O ₃)	µg/m ³	8.3	Max. 100	IS 5182 (Part 09) : 1974
vi	Lead, (Pb)	µg/m ³	Not Detected [DL=0.001]	Max. 1	CLL-IDR-STP-EMS-010
vii	Ammonia, (NH ₃)	µg/m ³	14.2	Max. 400	IS 5182 (Part 25):2018
viii	Arsenic, (As)	ng/m ³	Not Detected [DL=0.7]	Max. 6	CLL-IDR-STP-EMS-010
ix	Nickel, (Ni)	ng/m ³	Not Detected [DL=0.7]	Max. 20	CLL-IDR-STP-EMS-010
x	Benzene, (C ₆ H ₆)	µg/m ³	BDL[DL=1.0]	Max. 5	IS 5182 (Part 11) : 2006
xi	Benzo (A) Pyrene, (BaP)	ng/m ³	BDL[DL=1.0]	Max. 1	IS 5182 (Part 12) : 2004
xii	Carbon Monoxide, (CO) [#]	mg/m ³	0.5	Max. 2	IS 5182 (Part 10):1999

Note:

1. This CoA refers only to the Monitored/sampled and tested items.
2. This CoA may not be reproduced in part or full without the written permission of this laboratory.
3. CLL does not give any opinion or interpretation of the same.
4. *Sample information as Furnished by Customer
5. Prescribed Limits as per NAAQS 2009
6. BDL -Below Detection Limit, DL- Detection Limit
7. Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

1. Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
2. This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
3. The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
4. This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
5. Endorsement of products is neither inferred nor implied.
6. In case of any dispute, Indore jurisdiction is applicable.
7. Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
8. Total Liability of CLL is limited to the invoiced amount.
9. In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P – 453112	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>CoA ID:</td> <td>03300325-4/24-25</td> </tr> <tr> <td>Report No.:</td> <td>03300325-4/24-25 (v1)</td> </tr> <tr> <td>Issue Date:</td> <td>04/04/2025</td> </tr> <tr> <td>Date of Sample Received :</td> <td>20/03/2025</td> </tr> <tr> <td>Customer PO Ref. No.:</td> <td>2300227305</td> </tr> <tr> <td>Customer PO Date :</td> <td>22/03/2024</td> </tr> </table>	CoA ID:	03300325-4/24-25	Report No.:	03300325-4/24-25 (v1)	Issue Date:	04/04/2025	Date of Sample Received :	20/03/2025	Customer PO Ref. No.:	2300227305	Customer PO Date :	22/03/2024
CoA ID:	03300325-4/24-25												
Report No.:	03300325-4/24-25 (v1)												
Issue Date:	04/04/2025												
Date of Sample Received :	20/03/2025												
Customer PO Ref. No.:	2300227305												
Customer PO Date :	22/03/2024												

SAMPLE PARTICULARS:	Page 1 of 1
Sample Packing & Quantity : Packed in Air tight Container & 2*50ml, 1 Thimble	Sample Condition : Ok
*Sample Name : Stack Emission	Sampling Plan & Sampling Procedure : As Per IS 11255
Date of Monitoring : 17/03/2025	Time of Monitoring : 16:28 to 17:03 hrs
Analysis Start Date : 22/03/2025	Date of Completion of Analysis : 31/03/2025
Ref.1: *Stack identity : DG Set: 01	Ref.2: *Capacity : 625 KVA (500 KW)
Ref.3: Ambient Temperature : 32°C	Ref.4: Stack Temperature : 176°C
Ref.5: *Stack Diameter : 0.3048 meter	Ref.6: Stack Flue Gas Velocity : 9.76 m/s
Ref.7: Emission flow Rate : 1693.7 Nm ³ /hr	Ref.8: *Fuel Used : HSD
Ref.9: *Fuel consumption : 30 LPH	Ref.10: *Stack Shape & Material of Construction : Circular & MS
Ref.11: *Stack Height from ground level : 30 meter	Ref.12: * Pollution control equipment installed : Acoustic enclosure
Ref.13: Sampled By : IDR00019 Balwant Ganeshe	Ref.14: Sampling Equipment used : CLL-IDR-EQ-M-001438 Cal. Date: 29/05/2024

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Stack Emission

04.04.2025 13:06

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Particulate Matter (PM)	mg/Nm ³	43.0	Max.150	IS : 11255 (Part 1)-1985
ii	Sulphur Dioxide (SO ₂)	mg/Nm ³	17.1	Max.50	IS 11255 (Part 2) 1985
iii	Oxides of Nitrogen as NO ₂	mg/Nm ³	125.3	Not Specified	IS : 11255 (Part 7)-2005
iv	Hydrocarbon (CH ₄)	mg/Nm ³	38.8	Not Specified	IS : 11255 (Part 15)-2019
v	Carbon Monoxide, (CO)	mg/Nm ³	84.6	Not Specified	CLL-IDR-STP-EMS-026:2022

- Note:**
1. This CoA refers only to the Monitored/sampled and tested items.
 2. This CoA may not be reproduced in part or full without the written permission of this laboratory.
 3. CLL does not give any opinion or interpretation of the same.
 4. Prescribed Limits as Per EPA-1986, PCLS/02/2021.
 5. *Sample information as Furnished by Customer
 6. Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

1. Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
2. This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
3. The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
4. This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
5. Endorsement of products is neither inferred nor implied.
6. In case of any dispute, Indore jurisdiction is applicable.
7. Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
8. Total Liability of CLL is limited to the invoiced amount.
9. In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumedi, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P – 453112	CoA ID:	03300325-5/24-25
	Report No.:	03300325-5/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	Page 1 of 1
Sample Packing & Quantity : Packed in Air tight Container & 2*50ml, 1 Thimble	Sample Condition : Ok
*Sample Name : Stack Emission	Sampling Plan & Sampling Procedure : As Per IS 11255
Date of Monitoring : 17/03/2025	Time of Monitoring : 17:10 to 17:48 hrs
Analysis Start Date : 22/03/2025	Date of Completion of Analysis : 31/03/2025
Ref.1: *Stack identity: DG Set: 02	Ref.2: *Capacity : 625 KVA (500 KW)
Ref.3: Ambient Temperature : 32°C	Ref.4: Stack Temperature : 184°C
Ref.5: *Stack Diameter : 0.3048 meter	Ref.6: Stack Flue Gas Velocity : 9.23 m/s
Ref.7: Emission flow Rate : 1573.6 Nm ³ /hr	Ref.8: *Fuel Used : HSD
Ref.9: *Fuel consumption : 30 LPH	Ref.10: *Stack Shape & Material of Construction : Circular & MS
Ref.11: *Stack Height from ground level : 30 meter	Ref.12: * Pollution control equipment installed : Acoustic enclosure
Ref.13: Sampled By : IDR00019 Balwant Ganeshe	Ref.14 : Sampling Equipment used : CLL-IDR-EQ-M-001438 Cal. Date: 29/05/2024

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical Saurabh Sharma IDR01411
Group: Atmospheric Pollution 04.04.2025 13:06
Subgroup: Stack Emission

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Particulate Matter (PM)	mg/Nm ³	38.2	Max.150	IS : 11255 (Part 1)-1985
ii	Sulphur Dioxide (SO ₂)	mg/Nm ³	15.7	Max.50	IS 11255 (Part 2) 1985
iii	Oxides of Nitrogen as NO ₂	mg/Nm ³	105.6	Not Specified	IS : 11255 (Part 7)-2005
iv	Hydrocarbon (CH ₄)	mg/Nm ³	33.3	Not Specified	IS : 11255 (Part 15)-2019
v	Carbon Monoxide, (CO)	mg/Nm ³	74.8	Not Specified	CLL-IDR-STP-EMS-026:2022

- Note:**
- This CoA refers only to the Monitored/sampled and tested items.
 - This CoA may not be reproduced in part or full without the written permission of this laboratory.
 - CLL does not give any opinion or interpretation of the same.
 - Prescribed Limits as Per EPA-1986, PCLS/02/2021.
 - *Sample information as Furnished by Customer
 - Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P – 453112	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>CoA ID:</td> <td>03300325-6/24-25</td> </tr> <tr> <td>Report No.:</td> <td>03300325-6/24-25 (v1)</td> </tr> <tr> <td>Issue Date:</td> <td>04/04/2025</td> </tr> <tr> <td>Date of Sample Received :</td> <td>20/03/2025</td> </tr> <tr> <td>Customer PO Ref. No.:</td> <td>2300227305</td> </tr> <tr> <td>Customer PO Date :</td> <td>22/03/2024</td> </tr> </table>	CoA ID:	03300325-6/24-25	Report No.:	03300325-6/24-25 (v1)	Issue Date:	04/04/2025	Date of Sample Received :	20/03/2025	Customer PO Ref. No.:	2300227305	Customer PO Date :	22/03/2024
CoA ID:	03300325-6/24-25												
Report No.:	03300325-6/24-25 (v1)												
Issue Date:	04/04/2025												
Date of Sample Received :	20/03/2025												
Customer PO Ref. No.:	2300227305												
Customer PO Date :	22/03/2024												

SAMPLE PARTICULARS:	Page 1 of 1
Sample Packing & Quantity : Packed in Air tight Container & 2*50ml, 1 Thimble	Sample Condition : Ok
*Sample Name : Stack Emission	Sampling Plan & Sampling Procedure : As Per IS 11255
Date of Monitoring : 17/03/2025	Time of Monitoring : 13:00 to 13:35 hrs
Analysis Start Date : 22/03/2025	Date of Completion of Analysis : 31/03/2025
Ref.1: *Stack identity: Fire Hydrate Pump No.:01	Ref.2: *Capacity : 105 HP
Ref.3: Ambient Temperature: 32°C	Ref.4: Stack Temperature: 147°C
Ref.5: *Stack Diameter : 0.1016 meter	Ref.6: Stack Flue Gas Velocity: 9.07 m/s
Ref.7: Emission flow Rate : 186.2 Nm ³ /hr	Ref.8: *Fuel Used: HSD
Ref.9: *Fuel consumption : 40 LPH	Ref.10: *Stack Shape & Material of Construction: Circular & MS
Ref.11: *Stack Height from ground level : 9.14 meter	Ref.12: *Pollution control equipment installed : Acoustic enclosure
Ref.13: Sampled By : IDR00019 Balwant Ganeshe	Ref.14: Sampling Equipment used : CLL-IDR-EQ-M-001438 Cal. Date: 29/05/2024

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Stack Emission

Saurabh Sharma IDR01411
04.04.2025 13:06

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Particulate Matter (PM)	mg/Nm ³	33.4	Max.150	IS : 11255 (Part 1)-1985
ii	Sulphur Dioxide (SO ₂)	mg/Nm ³	14.3	Max.50	IS 11255 (Part 2) 1985
iii	Oxides of Nitrogen as NO ₂	mg/Nm ³	96.6	Not Specified	IS : 11255 (Part 7)-2005
iv	Hydrocarbon (CH ₄)	mg/Nm ³	31.1	Not Specified	IS : 11255 (Part 15)-2019
v	Carbon Monoxide, (CO)	mg/Nm ³	72.3	Not Specified	CLL-IDR-STP-EMS-026:2022

- Note:**
1. This CoA refers only to the Monitored/sampled and tested items.
 2. This CoA may not be reproduced in part or full without the written permission of this laboratory.
 3. CLL does not give any opinion or interpretation of the same.
 4. Prescribed Limits as Per EPA-1986, PCLS/02/2021.
 5. *Sample information as Furnished by Customer
 6. Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

1. Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
2. This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
3. The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
4. This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
5. Endorsement of products is neither inferred nor implied.
6. In case of any dispute, Indore jurisdiction is applicable.
7. Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
8. Total Liability of CLL is limited to the invoiced amount.
9. In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P - 453112	CoA ID:	03300325-7/24-25
	Report No.:	03300325-7/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	Page 1 of 1
Sample Packing & Quantity : Packed in Air tight Container & 2*50ml, 1 Thimble	Sample Condition : Ok
*Sample Name : Stack Emission	Sampling Plan & Sampling Procedure : As Per IS 11255
Date of Monitoring : 17/03/2025	Time of Monitoring : 13:45 to 14:23 hrs
Analysis Start Date : 22/03/2025	Date of Completion of Analysis : 31/03/2025
Ref.1: #Stack identity: Fire Hydrate Pump No.:02	Ref.2: #Capacity : 105 HP
Ref.3: Ambient Temperature: 32°C	Ref.4: Stack Temperature: 134°C
Ref.5: #Stack Diameter : 0.1016 meter	Ref.6: Stack Flue Gas Velocity: 8.22 m/s
Ref.7: Emission flow Rate : 174.1 Nm ³ /hr	Ref.8: #Fuel Used: HSD
Ref.9: #Fuel consumption : 40 LPH	Ref.10: #Stack Shape & Material of Construction: Circular & MS
Ref.11: #Stack Height from ground level : 9.14 meter	Ref.12: # Pollution control equipment installed : Acoustic enclosure
Ref.13: Sampled By : IDR00019 Balwant Ganeshe	Ref.14: Sampling Equipment used : CLL-IDR-EQ-M-001438 Cal. Date: 29/05/2024

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Stack Emission

Saurabh Sharma IDR01411
04.04.2025 13:06

Sr. No.	Characteristic	Unit	Result	Prescribed Limits	Test Method
i	Particulate Matter (PM)	mg/Nm ³	36.8	Max.150	IS : 11255 (Part 1)-1985
ii	Sulphur Dioxide (SO ₂)	mg/Nm ³	18.3	Max.50	IS 11255 (Part 2) 1985
iii	Oxides of Nitrogen as NO ₂	mg/Nm ³	103.8	Not Specified	IS : 11255 (Part 7)-2005
iv	Hydrocarbon (CH ₄)	mg/Nm ³	42.8	Not Specified	IS : 11255 (Part 15)-2019
v	Carbon Monoxide, (CO)	mg/Nm ³	93.3	Not Specified	CLL-IDR-STP-EMS-026:2022

- Note:**
- 1.This CoA refers only to the Monitored/sampled and tested items.
 2. This CoA may not be reproduced in part or full without the written permission of this laboratory.
 3. CLL does not give any opinion or interpretation of the same.
 4. Prescribed Limits as Per EPA-1986, PCLS/02/2021.
 5. *Sample information as Furnished by Customer
 6. Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

1. Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
2. This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
3. The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
4. This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
5. Endorsement of products is neither inferred nor implied.
6. In case of any dispute, Indore jurisdiction is applicable.
7. Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
8. Total Liability of CLL is limited to the invoiced amount.
9. In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P - 453112	CoA ID:	03300325-8/24-25
	Report No.:	03300325-8/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	
Sample Packing & Quantity : NA	Sample Condition : NA
#Sample Name : Ambient Noise	Sampling Plan & Sampling Procedure : As Per IS 9989
Ref.1: #Sampling Location: Near Main Security Gate	Ref.2: Analysis Start Date : 22/03/2025
Ref.3: Date of Monitoring : 17/03/2025 to 18/03/2025	Ref.4: Analysis Completion Date : 22/03/2025
Ref.5: Time of sampling : 11:40 to 11:40 Hours	Ref.6: Duration of Sampling : 24 hours
Ref.7: Ambient Temperature : 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear
Ref.11: Sampling Instruments : CLL-IDR-EQ-M-000939 Cal. Date: 29/05/2024	

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
 Group: Atmospheric Pollution
 Subgroup: Ambient Noise

Date	Time (Hrs)	Leq dB(A)	Date	Time (Hrs)	Leq dB(A)
17/03/2025	06:00	61.1	17/03/2025	22:00	66.1
17/03/2025	07:00	63.1	17/03/2025	23:00	63.4
17/03/2025	08:00	66.4	18/03/2025	00:00	63.0
17/03/2025	09:00	65.2	18/03/2025	01:00	61.0
17/03/2025	10:00	69.9	18/03/2025	02:00	61.3
17/03/2025	11:00	72.7	18/03/2025	03:00	64.3
17/03/2025	12:00	70.2	18/03/2025	04:00	61.8
17/03/2025	13:00	69.2	18/03/2025	05:00	64.9
17/03/2025	14:00	69.7			
17/03/2025	15:00	68.2			
17/03/2025	16:00	70.0			
17/03/2025	17:00	76.5			
17/03/2025	18:00	71.1			
17/03/2025	19:00	69.5			
17/03/2025	20:00	68.7			
17/03/2025	21:00	65.1			

L_{10}	70.8	Limit in dB(A) Leq as per THE NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 See Rule 3(1) and 4(1) Ambient Air Quality standard in respect of Noise	
L_{50}	66.2		
L_{90}	61.4		
L_{max}	76.5		
L_{min}	61.0		
$L_{dn(Mean)}$	68.8		
Day Leq dB(A)	70.1		75
Night Leq dB(A)	63.5		70

- Note:**
- This CoA refers only to the Monitored/sampled and tested items.
 - This CoA may not be reproduced in part or full without the written permission of this laboratory.
 - CLL does not give any opinion or interpretation of the same.
 - #Sample information as Furnished by Customer
 - Prescribed Limits as per EPA-1986, PCLS/02/2021.
 - Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P - 453112	CoA ID:	03300325-9/24-25
	Report No.:	03300325-9/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	
Sample Packing & Quantity : NA	Sample Condition : NA
#Sample Name : Ambient Noise	Sampling Plan & Sampling Procedure : As Per IS 9989
Ref.1: #Sampling Location: Infront of SDB-1(Wing -A)	Ref.2: Analysis Start Date : 22/03/2025
Ref.3: Date of Monitoring : 18/03/2025 to 19/03/2025	Ref.4: Analysis Completion Date : 22/03/2025
Ref.5: Time of sampling : 12:10 to 12:10 Hours	Ref.6: Duration of Sampling : 24 hours
Ref.7: Ambient Temperature : 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear
Ref.11: Sampling Instruments : CLL-IDR-EQ-M-000976 Cal. Date: 20/06/2024	

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Ambient Noise

Date	Time (Hrs)	Leq dB(A)	Date	Time (Hrs)	Leq dB(A)
18/03/2025	06:00	62.1	18/03/2025	22:00	64.0
18/03/2025	07:00	64.4	18/03/2025	23:00	62.3
18/03/2025	08:00	67.2	19/03/2025	00:00	60.7
18/03/2025	09:00	67.4	19/03/2025	01:00	58.0
18/03/2025	10:00	68.2	19/03/2025	02:00	57.8
18/03/2025	11:00	70.0	19/03/2025	03:00	59.9
18/03/2025	12:00	65.8	19/03/2025	04:00	56.8
18/03/2025	13:00	65.2	19/03/2025	05:00	60.9
18/03/2025	14:00	65.8	----	----	----
18/03/2025	15:00	65.4	----	----	----
18/03/2025	16:00	65.7	----	----	----
18/03/2025	17:00	73.3	----	----	----
18/03/2025	18:00	68.6	----	----	----
18/03/2025	19:00	67.6	----	----	----
18/03/2025	20:00	66.0	----	----	----
18/03/2025	21:00	62.4	----	----	----
L ₁₀		68.5	Limit in dB(A) Leq as per THE NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 See Rule 3(1) and 4(1) Ambient Air Quality standard in respect of Noise		
L ₅₀		65.3			
L ₉₀		58.5			
L _{max}		73.3			
L _{min}		56.8			
L _{dn(Mean)}		66.2			
Day Leq dB(A)		67.5			
Night Leq dB(A)		60.7	70		

- Note:**
- This CoA refers only to the Monitored/sampled and tested items.
 - This CoA may not be reproduced in part or full without the written permission of this laboratory.
 - CLL does not give any opinion or interpretation of the same.
 - *Sample information as Furnished by Customer
 - Prescribed Limits as per EPA-1986, PCLS/02/2021.
 - Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P - 453112	CoA ID:	03300325-10/24-25
	Report No.:	03300325-10/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	
Sample Packing & Quantity : NA	Sample Condition : NA
*Sample Name : Ambient Noise	Sampling Plan & Sampling Procedure : As Per IS 9989
Ref.1: *Sampling Location: Infront of SDB-1 (Wing-B)	Ref.2: Analysis Start Date : 22/03/2025
Ref.3: Date of Monitoring : 18/03/2025 to 19/03/2025	Ref.4: Analysis Completion Date : 22/03/2025
Ref.5: Time of sampling : 12:30 to 12:30 Hours	Ref.6: Duration of Sampling : 24 hours
Ref.7: Ambient Temperature : 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear
Ref.11: Sampling Instruments : CLL-IDR-EQ-M-001829, Cal. Date: 17/04/2024	

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
 Group: Atmospheric Pollution
 Subgroup: Ambient Noise

Date	Time (Hrs)	Leq dB(A)	Date	Time (Hrs)	Leq dB(A)
18/03/2025	06:00	56.9	18/03/2025	22:00	58.6
18/03/2025	07:00	58.9	18/03/2025	23:00	56.3
18/03/2025	08:00	62.0	19/03/2025	00:00	54.8
18/03/2025	09:00	61.3	19/03/2025	01:00	53.0
18/03/2025	10:00	61.6	19/03/2025	02:00	53.2
18/03/2025	11:00	63.6	19/03/2025	03:00	55.5
18/03/2025	12:00	61.4	19/03/2025	04:00	52.6
18/03/2025	13:00	61.2	19/03/2025	05:00	57.3
18/03/2025	14:00	62.2	----	----	----
18/03/2025	15:00	61.7	----	----	----
18/03/2025	16:00	62.6	----	----	----
18/03/2025	17:00	69.6	----	----	----
18/03/2025	18:00	65.0	----	----	----
18/03/2025	19:00	64.7	----	----	----
18/03/2025	20:00	61.6	----	----	----
18/03/2025	21:00	57.0	----	----	----

L ₁₀	64.4	Limit in dB(A) Leq as per THE NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 See Rule 3(1) and 4(1) Ambient Air Quality standard in respect of Noise	
L ₅₀	61.3		
L ₉₀	53.7		
L _{max}	69.6		
L _{min}	52.6		
L _{dn(Mean)}	61.7		
Day Leq dB(A)	63.1		75
Night Leq dB(A)	55.7		70

- Note:**
- This CoA refers only to the Monitored/sampled and tested items.
 - This CoA may not be reproduced in part or full without the written permission of this laboratory.
 - CLL does not give any opinion or interpretation of the same.
 - *Sample information as Furnished by Customer
 - Prescribed Limits as per EPA-1986, PCLS/02/2021.
 - Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only

CERTIFICATE OF ANALYSIS



Issued from:
Choksi Laboratories Limited (Building No.02 "Pasteur")
 Survey No. 9/1, Balaji Tulsiyana Industrial Estate,
 Kumed, Off. M.R. 10 Toll Naka,
 Indore -452010 (M.P.), INDIA

Issued to: M/s. INFOSYS LIMITED IL INDORE SEZ DEVELOPER SCHEME NO 151 & 169 B VILLAGE BADA BANGARDA SUPER CORRIDOR THE-HATOD INDORE M.P – 453112	CoA ID:	03300325-11/24-25
	Report No.:	03300325-11/24-25 (v1)
	Issue Date:	04/04/2025
	Date of Sample Received :	20/03/2025
	Customer PO Ref. No.:	2300227305
	Customer PO Date :	22/03/2024

SAMPLE PARTICULARS:	
Sample Packing & Quantity : NA	Sample Condition : NA
#Sample Name : Ambient Noise	Sampling Plan & Sampling Procedure : As Per IS 9989
Ref.1: *Sampling Location: Outside DG Room	Ref.2: Analysis Start Date : 22/03/2025
Ref.3: Date of Monitoring : 17/03/2025 to 18/03/2025	Ref.4: Analysis Completion Date : 22/03/2025
Ref.5: Time of sampling : 13:00 to 13:00 Hours	Ref.6: Duration of Sampling : 24-hours
Ref.7: Ambient Temperature : 32°C	Ref.8: Sampled By : IDR00019 Balwant Ganeshe
Ref.9: Relative humidity at Sampling Location : 56%	Ref.10: Weather Condition During Sampling : Sunny & Clear
Ref.11: Sampling Instruments : CLL-IDR-EQ-M-001827, Cal. Date: 17/04/2024	

TEST SPECIFICATION AS PER CENTRAL/MP POLLUTION CONTROL BOARD (CPCB/MPPCB)

Discipline: Chemical
Group: Atmospheric Pollution
Subgroup: Ambient Noise

Date	Time (Hrs)	Leq dB(A)	Date	Time (Hrs)	Leq dB(A)
17/03/2025	06:00	60.5	17/03/2025	22:00	62.2
17/03/2025	07:00	62.7	17/03/2025	23:00	61.3
17/03/2025	08:00	65.9	18/03/2025	00:00	60.6
17/03/2025	09:00	63.8	18/03/2025	01:00	58.5
17/03/2025	10:00	65.8	18/03/2025	02:00	58.9
17/03/2025	11:00	68.8	18/03/2025	03:00	60.9
17/03/2025	12:00	67.7	18/03/2025	04:00	58.1
17/03/2025	13:00	67.6	18/03/2025	05:00	62.6
17/03/2025	14:00	68.6	----	----	----
17/03/2025	15:00	66.7	----	----	----
17/03/2025	16:00	68.7	----	----	----
17/03/2025	17:00	73.1	----	----	----
17/03/2025	18:00	69.6	----	----	----
17/03/2025	19:00	66.6	----	----	----
17/03/2025	20:00	65.6	----	----	----
17/03/2025	21:00	61.7	----	----	----

Limit in dB(A) Leq as per THE NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 See Rule 3(1) and 4(1) Ambient Air Quality standard in respect of Noise

L₁₀	68.8	
L₅₀	64.7	
L₉₀	59.4	
L_{max}	73.1	
L_{min}	58.1	
L_{dn(Mean)}	66.2	
Day Leq dB(A)	67.5	75
Night Leq dB(A)	60.7	70

- Note:**
- This CoA refers only to the Monitored/sampled and tested items.
 - This CoA may not be reproduced in part or full without the written permission of this laboratory.
 - CLL does not give any opinion or interpretation of the same.
 - *Sample information as Furnished by Customer
 - Prescribed Limits as per EPA-1986, PCLS/02/2021.
 - Subject to terms and conditions mentioned at the end of the CoA.

- END OF CoA -

IMPORTANT INFORMATION FOR CERTIFICATE OF ANALYSIS (CoA)

- Sample(s) / Instruments are drawn and submitted by the client unless otherwise stated.
- This certificate refers only the particular item and reported parameters submitted for calibration / analysis.
- The results reported in this certificate are valid for the sample / instrument received as is and at the time of and under the stipulated conditions of measurement.
- This certificate is for the customer's information only, and can neither be used in part nor in full, in any media or court of law, without prior written permission of CLL.
- Endorsement of products is neither inferred nor implied.
- In case of any dispute, Indore jurisdiction is applicable.
- Perishable samples will be destroyed after testing; toxic / hazardous samples will be returned to the customer or shall be forwarded for incineration.
- Total Liability of CLL is limited to the invoiced amount.
- In the event, no zone is mentioned, CoA/CoC must be considered for Domestic (India) only