

IL/BBSR/FAC/MoEF/2025-26/20

Date: 27<sup>th</sup> Nov 2025

To  
The Govt. of India  
Ministry of Environment, Forest & Climate Change  
Regional Office Eastern Zone  
A/3, Chandrasekharpur  
Bhubaneswar – 751 023

Ref: MoEF Clearance Letter No. 21-429/2006-IA.III.


**Subject: Submission of Half yearly Environment compliance report for the period April 2025 to September 2025 of Infosys Limited at E/4 Info city, Chandaka Industrial Estate, Bhubaneswar -751024.**

Dear Sir,

With reference to the above cited subject, we are submitting herewith the Half-Yearly Environmental Compliance Report for the period of **April 2025 to September 2025** for Infosys Limited, Plot no. E/4, Info city, Chandaka Industrial Estate, Bhubaneswar -751024. Also, we have mailed the soft copies of analysis report to mail id - [mef.or@nic.in](mailto:mef.or@nic.in) & [roez.bsr-mef@nic.in](mailto:roez.bsr-mef@nic.in).

Kindly accept and acknowledge the receipt of same.

Thanking you,  
Yours Faithfully,



Authorized Signatory

Infosys Limited,  
Bhubaneswar



Enclosure:

1. Compliance Report
2. Annexure –I (Monitoring Report)
3. Annexure – II (Initiative Conserve Resources)
4. Analysis reports from April 2025 to September 2025

Copy to: The Orissa State pollution control Board, Paribesh Bhawan, A/118, Unit-VIII, BBSR.

**INFOSYS LIMITED**  
Plot No. E / 4, Info City  
Bhubaneswar 751 024, India  
T 91 672 2700  
91 672 2800  
F 91 674 232 0186

Corporate Office:  
CIN: L85110KA1981PLC013115  
44, Infosys Avenue  
Electronics City, Hosur Road  
Bengaluru 560 100, India  
T 91 80 2852 0261  
F 91 80 2852 0362  
[askus@infosys.com](mailto:askus@infosys.com)  
[www.infosys.com](http://www.infosys.com)

IL/BBSR/FAC/MoEF/2025-26/20\_1

Date: 27<sup>th</sup> Nov 2025

To  
The Govt. of India  
Ministry of Environment, Forest & Climate Change  
Regional Office Eastern Zone  
A/3, Chandrasekharpur  
Bhubaneswar – 751 023

Ref: MoEF Clearance Letter No. 21-429/2006-IA.III.


**Subject: Submission of Half yearly Environment compliance report for the period April 2025 to September 2025 of Infosys Limited at E/4 Info city, Chandaka Industrial Estate, Bhubaneswar -751024.**

Dear Sir,

With reference to the above cited subject, we are submitting herewith the Half-Yearly Environmental Compliance Report for the period of **April 2025 to September 2025** for Infosys Limited, Plot no. E/4, Info city, Chandaka Industrial Estate, Bhubaneswar -751024. Also, we have mailed the soft copies of analysis report to mail id - [mef.or@nic.in](mailto:mef.or@nic.in) & [roez.bsr-mef@nic.in](mailto:roez.bsr-mef@nic.in).

Kindly accept and acknowledge the receipt of same.

Thanking you,  
Yours Faithfully,



Authorized Signatory

Infosys Limited,  
Bhubaneswar



*Prabhu Smit*  
27/11/25

**Enclosure:**

1. Compliance Report
2. Annexure –I (Monitoring Report)
3. Annexure – II (Initiative Conserve Resources)
4. Analysis reports from April 2025 to September 2025

✓ Copy to: The Orissa State pollution control Board, Paribesh Bhawan, A/118, Unit-VIII, BBSR.

**INFOSYS LIMITED**  
Plot No. E / 4, Info City  
Bhubaneswar 751 024, India  
T 91 672 2700  
91 672 2800  
F 91 674 232 0186

Corporate Office:  
CIN: L85110KA1981PLC013115  
44, Infosys Avenue  
Electronics City, Hosur Road  
Bengaluru 560 100, India  
T 91 80 2852 0261  
F 91 80 2852 0362  
[askus@infosys.com](mailto:askus@infosys.com)  
[www.infosys.com](http://www.infosys.com)

## COMPLIANCE REPORT

Compliance to Environmental Clearance Letter No. 21-429/2006-IA.III  
Infosys Limited at E/4 Info city, Chandaka Industrial Estate,  
Bhubaneswar -751 024

Period of compliance report: April 2025 to September 2025.

<b>Part A: SPECIFIC CONDITIONS</b>		
<b>I. Construction Phase</b>		
	<b>Conditions</b>	<b>Compliance</b>
i	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.	Not Applicable as proposed project is in operational phase.
ii	A first aid room will be provided in the Project both during construction and operation of the Project.	Not Applicable as proposed project is in operational phase.
iii	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.	Not Applicable as proposed project is in operational phase.
iv	Provision should be made for the supply of fuel utensils such as pressure cooker etc.	Not Applicable as proposed project is in operational phase.
v	All the labors to be engaged for construction should be screened for health and adequately treated before engaging them to work at the site.	Not Applicable as proposed project is in operational phase.
vi	For disinfection of wastewater, use ultras violate radiation, not chlorination.	Not Applicable as proposed project is in operational phase.
vii	Solid waste management-provide arrangements for composting biodegradable wastes at site.	Not Applicable as proposed project is in operational phase.
viii	All the top soil excavated during construction activities should be stored for use in horticulture/landscape development within Project.	Not Applicable as proposed project is in operational phase.
ix	Use of diesel generator sets during construction phase should be enclosed type and should conform to EPA rules prescribed for air and noise emission standards.	Not Applicable as proposed project is in operational phase.

x	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase.	Not Applicable as proposed project is in operational phase.
xi	Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate water courses and the dump sites for such material be secured so that they should not leach into the ground water.	Not Applicable as proposed project is in operational phase.
xii	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to E(P) Rules prescribed for air and noise emission standards.	Not Applicable as proposed project is in operational phase.
xiii	Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.	Not Applicable as proposed project is in operational phase.
xiv	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of sept,1999 and amended as on August,2003	Not Applicable as proposed project is in operational phase.
xv	Ready mixed concrete must be used in building construction.	Not Applicable as proposed project is in operational phase.
xvi	Storm water control and its reuse as per CGWB and BIS standards for various applications	Not Applicable as proposed project is in operational phase.
xvii	Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices referred.	Not Applicable as proposed project is in operational phase.
xviii	Permission to draw ground water shall be obtained from the competent Authority prior to construction / operation of the project.	Not Applicable as proposed project is in operational phase.
xix	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Not Applicable as proposed project is in operational phase.

xx	Treatment of 100% grey water by decentralized treatment should be done.	Not Applicable as proposed project is in operational phase.
xxi	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor-based control.	Not Applicable as proposed project is in operational phase.
xxii	Use of glass may be reduced by up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	Not Applicable as proposed project is in operational phase.
xxiii	Roof should meet prescriptive requirement as per Energy conservation building code by using appropriate thermal insulation material to fulfill requirement.	Not Applicable as proposed project is in operational phase.
xxiv	Adequate measures to reduce air and noise pollution during construction keeping in mind CPCB norms on noise limits.	Not Applicable as proposed project is in operational phase.
xxv	Opaque wall should meet prescriptive requirement as per energy conservation building code which is proposed to be mandatory for all air-conditioned spaces while it is as per rational for non-airconditioned spaces by use of appropriate thermal insulation material to fulfill requirement.	Not Applicable as proposed project is in operational phase.
xxvi	Disposal of Muck should not create any adverse effect on the neighboring communities and disposed taking necessary precautions.	Not Applicable as proposed project is in operational phase.
<b>II. Operation Phase</b>		
i	The installation of the sewage treatment plant (STP) should be certified by an independent expert and should submit a report in this regard to the Ministry before the project is commissioned for operation.	Sewage generation from the campus is 240 Kl/d. Third party testing is done on monthly basis. The sewage is treated to tertiary level confirming to OSPCB standards and reuses for landscaping and flushing.
ii	Water harvesting system and energy conservation measures like installation of solar panels for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.	Rainwater is being collected, stored and reused for Landscaping. 550 kW Solar Plant is installed on terrace and solar heater is being used for heating water.

iii	The solid waste generated should be properly collected & segregated before disposal to the City Municipal Facility. The in-vessel bio conversion technique should be used for composting the organic waste.	All solid wastes are properly collected and segregated before disposal. Additionally, a biogas plant and vermicomposting are used to compost organic waste effectively.
iv	Any hazardous waste including biomedical waste should be disposed of as per applicable Rules & norms with necessary approvals of the Orissa State Pollution Control Board.	Hazardous and bio medical waste is sent for safe disposal to third party (OSPCB authorized waste vendor).
v	The green belt design along the periphery of the plot shall be planned to achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped with plants of indigenous variety	The landscape is developed in approx. 46% area of the campus. There are over 61 tree species, with a total of 6,402 trees planted, all of which are indigenous varieties.
vi	Incremental pollution loads on the ambient air quality, noise and water quality should be periodically monitored after commissioning of the project	Incremental pollution loads on the ambient air quality; noise and water quality are being monitored on monthly basis by third party PCB authorized and NABL accredited vendor.
vii	Application of solar energy should be incorporated for illumination of common areas, lightings for gardens and street lighting in addition to provision for solar water heating.	We have installed 550 KW roof top solar for campus consumption. In addition to this our 100% GRID billable units are Green Power. Solar Panels we are using for water heating in Guest Houses. All our light fittings are LED.
viii	Adequate measure should be taken to avoid any traffic congestion near the entry and exit points from the roads adjoining the proposed project site.	Entry and exit to the campus are located in such a way that it does not affect public traffic system on the adjoining roads.
ix	A report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U factors etc. and submitted to the ministry in three months' time.	Detailed attached with this report.

**PART-B. GENERAL CONDITIONS**

i	The environmental safeguards contained in the EIA Report should be implemented in letter and spirit.	Agreed and followed. We are certified to ISO14001 and ISO45001 Standards. Infosys publish its sustainability report based on the latest Global Reporting Initiative (GRI) G4 comprehensive framework. GRI is the most widely respected sustainability reporting framework worldwide.
ii	Six monthly monitoring reports should be submitted to the ministry and its Regional Office, Bhubaneshwar.	Being complied. Submitted regularly
iii	Officials from the Regional Office of MOEF, Bhubaneshwar who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MOEF should be forwarded to the CCF, Regional office of MOEF, Bhubaneshwar.	Agreed and is followed.
iv	In the case of any changes(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.	Point Noted
v	The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Point Noted
vi	All other statutory clearances such as the approvals for storage of diesel from <b>Chief Controller of Explosives</b> , Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.	License from the Chief Controller of Explosives - Ministry of Commerce and Industry Petroleum and Explosives Safety organization (PESO) License No: <b>P/HQ/OR/15/999 (P18977) Dated 09/02/2012 valid till 31st Dec 2031</b>  Fire Approval: For All Buildings Fire NOC is available Civil Aviation: NA Forest Conservation Act: NA Wildlife protection Act: NA

vii	<p>The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Orissa State Pollution Control Board and may also be seen on the website of the Ministry of Environment and Forests at <a href="http://www.envfor.nic.in">http://www.envfor.nic.in</a> The advertisement should be made within 7days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bangalore.</p>	Done during initial stage
viii	<p>These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974 the Air (Prevention and control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.</p>	Accepted. We are complying with all the rules and regulations laid against our projects
ix	<p>Under the provisions of Environment (Protection) Act, 1986 legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.</p>	Point Noted
x	<p>Environmental clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation vs. Union of India in Writ Petition (Civil) No.460 of 2004 as may be applicable to this project</p>	Point Noted

## Annexure-I


### Monitoring report

The environmental status was assessed, and report prepared by PCB authorized and NABL accredited laboratories (Mitra S. K. Pvt Ltd). The following environmental components were focused:

- Air Environment (Ambient Air Quality & Noise Levels.)
- Land Environment (Surface soil and characteristics)
- Water Environment (WTP Water & Raw Water)


### Ambient Air Quality

Ambient air quality was monitored at various locations within the campus, with each station surveyed for 24 hours. Selection of air quality monitoring station was done as per MoEF guidelines for conducting EIA study. The pollutant concentration levels of PM 10, PM 2.5, Sulphur Dioxide (SO<sub>2</sub>), Oxides of Nitrogen (NO<sub>x</sub>), NH<sub>3</sub>, Ni, AS, Benzene, Benzo (a) Pyrene, O<sub>3</sub>, CO and Pb are measured. It was observed that concentration levels of all parameters are well within the prescribed limits and AS, Benzene, Benzo (a) Pyrene and O<sub>3</sub> are below detection limit at all locations.



## Soil Quality

To assess the baseline soil quality, various numbers of soil samples from different areas are collected and analyzed. The color of surface soil at the site is light brown.







## Annexure – II

### Initiative to conserve resources

Impacts were also evaluated qualitatively using engineering judgment and best management practices. Adequate environmental management measures are incorporated to minimize the adverse environmental impacts and assure sustainable development of the area.

### Energy

- Monitoring lighting and fans in night shifts.
- Optimization of chiller and AHU operations.
- Solar energy used for water heating in Hostel & Guest House.
- Use of low energy and environmental friendly materials, process and equipment's.
- Energy efficient HVAC and lighting system.
- Purchase of energy efficient appliances.
- Installation of Motion sensors in all the rest rooms. Installation of LED in rest rooms.
- Terminator programs for auto shut down of computers after office hours and during weekends.
- Rectification is done to old equipment for energy efficient equipment.

### Paper

- Password protection enabled for printers & photocopier machine to minimize paper wastage.
- Printers – Enabled Economy mode by 2 pages / sheet & duplex printing
- Study material and certification documents made available at common place to enable better utilization.
- Encourage the use of scanned copies to avoid need for printing.
- Recycled paper introduced for note keeping.
- Track employees printing more than 100 pages per day and seek justification.

### Water

- Daily water meter readings being monitored for all locations to study consumption pattern & identifying gaps / losses.
- Isolation of non-functional areas.
- Leakage testing and arresting of firefighting pipelines.
- Press-Matic & Sensor taps in place of conventional taps in Food Court.
- Recycled water used for landscaping.
- Reuse of rainwater through roof top water harvesting.

# Mitra S. K. Private Limited

Plot No-987/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]

T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	05.05.2025
Date of Sample	03.04.2025	PO Number	2300245683
Time of Sample	10:00 AM	Instrument used for Sampling	RDS (APM 860), ERS (APM 154)
Location	Near Food Court	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/04/100	Calibration Due on	02.07.2025

### Customer Details

INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024


Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	62.4	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	26.2	60 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no-01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.4	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	17.6	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.39	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	12.8	400 (24 Hours)	TPM/MSK/ENV/AP/01/08 Issue no- 01 Issue Dated: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-10.3.4 by ICP-OES; June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-10.3.4 by ICP-OES; June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	5 (Annual)	TPM/MSK/ENV/AP/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 13): 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE--Limit as per NAAQ Standard: 2009

The above sample results complies with NAAQ Standard: 2009.

Remarks - BDL (Below Detection Limit)

Report Prepared By



For Mitra S.K. Private Limited

A. K. Laha  
Auditor Lead Signatory

H.O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-887/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC0290371]

T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	05.05.2025
Date of Sample	04.04.2025	PO Number	2300243683
Time of Sample	10:20 AM	Instrument used for Sampling	RDS (APM 860), FPS (AFM 154)
Location	Near DG Area	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/04/101	Calibration Due on	02.07.2025

### Customer Details

INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024

Sl. No.	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (S(0.3µm))	µg/m <sup>3</sup>	72.8	100 (24 Hours)	IS-5182 (Part 23): 2006
2.	Particulate matter (S(2.5µm))	µg/m <sup>3</sup>	34.2	50 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no-01 Issue Date: April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.8	80 (24 Hours)	IS-5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	24.4	80 (24 Hours)	IS-5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.70	2 (8 Hours)	IS-5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	20.1	100 (8 Hours)	IS-5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	13.6	400 (24 Hours)	TPM/MSK/ENV/AP/01/08 Issue no-01 Issue Date: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-10.3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-10.3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	5 (Annual)	TPM/MSK/ENV/AP/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS-5182 (Part 11): 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS-5182 (Part 12): 2004

NOTE - Limits as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Report Prepared By *Syng*



For Mitra S.K. Private Limited  
Authorized Signatory

H.O. Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

PLOT NO-697/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956FTG023037]

T : (0674) 2360817, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	05.05.2025
Date of Sample	04.04.2025	PO Number	2300245683
Time of Sample	10:45 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 134)
Location	Near STP Area	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/04/502	Calibration Due on	02.07.2025

### Customer Details

INFOSYS LIMITED  
PLOT NO. B/4 INFROCITY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	77.8	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	36.1	60 (24 Hours)	TPM/MSK/ENV/AP/01/03/Issue no.: 01/Issue Date: April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.4	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	28.6	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.76	2 (8 Hours)	IS 5182 (Part 10) (NDR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	20.9	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammenila (NH <sub>3</sub> )	µg/m <sup>3</sup>	15.2	400 (24 Hours)	TPM/MSK/ENV/AP/01/08/Issue no.: 01/Issue Dated: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<3.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/AP/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benz(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE: - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Report Prepared By



For Mitra S.K. Private Limited

*S. Kumar*  
Authorized Signatory

H.O.: Shracl Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 40 14 3090 / 2265 0008 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-887/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U61809WB1956PTCO230371]

T : (0674) 2360817, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	02.06.2025
Date of Sample	06.05.2025	PO Number	2300245683
Time of Sample	10.00 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 154)
Location	Near Food Court	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/05/100	Calibration Due on	02.07.2025

**Customer Details**  
INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	60.4	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	28.7	60 (24 Hours)	TPM/MSK/ENVY(AP/01/03 Issue no-01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.8	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	19.2	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.58	2 (8 Hours)	IS 5182 (Part 10)(NDR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<0.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	10.4	400 (24 Hours)	TPM/MSK/ENVY(AP/01/8 Issue no-01 Issue Dated April 02 : 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	µg/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	µg/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENVY(AP/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11) : 2006
12.	Benzo(a)pyrene (BaP)	µg/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12) : 2004

NOTE - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)

*Sikany*  
Report Prepared By



For Mitra S.K. Private Limited  
*S.K. Vats*  
Authorized Signatory

H.O.: Shraochi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-567/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC- Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1958PTC023037]

T : (0674) 2360917, 9777450168  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	02.06.2025
Date of Sample	07.05.2025	PO Number	2300245683
Time of Sample	10:20 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 154)
Location	Near DG Area	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/05/101	Calibration Due on	02.07.2025

Customer Details  
INFOSYS LIMITED  
PLOT NO. E4 INFOCITY, BHUBANESWAR-751024


Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	71.4	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	32.1	60 (24 Hours)	TPM/MSK/ENV(AP)/01/03 Issue no-01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.2	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	20.8	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.66	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	11.5	400 (24 Hours)	TPM/MSK/ENV(AP)/01/08 Issue no-01 Issue Dated: April 02 : 2018
8.	Lead (Pb)	ng/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-10 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-10 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV(AP)/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11) : 2006
12.	Benzo(e)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12) : 2004

NOTE - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)

S.K. Das  
Report Prepared By



For Mitra S.K Private Limited  
Authorized Signatory

H.O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0008 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-887/2426, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751016  
[CLN: U61809WB1956PTC023037]

T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	02.06.2025
Date of Sample	07.05.2025	PO Number	2300245683
Time of Sample	10.45 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 154)
Location	Near STP Area	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/05/502	Calibration Due on	02.07.2025

Customer Details  
INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024

Sl No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	73.8	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	35.1	60 (24 Hours)	TPM/MSK/ENVV(AP)/01/03 Issue no- 01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.8	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	24.1	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.70	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	20.2	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	14.6	400 (24 Hours)	TPM/MSK/ENVV(AP)/01/8 Issue no- 01 Issue Dated: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENVV(AP)/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11) : 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12) : 2004

NOTE - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

S.K. Singh  
Report Prepared By



For Mitra S.K Private Limited  
A.K. Laha  
Authorized Signatory

H.O.: Shrachin Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 40 14 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0006 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-8872428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
LCIN: U51909WB1996PTC023097

T : (0674) 2860817, 9777450188  
F : (0674) 2862919



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	03.07.2025
Date of Sample	07.06.2025	PO Number	2300245683
Time of Sample	10:00 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 154)
Location	Near MLPL	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/06/100	Calibration Due on	02.07.2025

Customer Details  
**INFOSYS LIMITED**  
**PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024**

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	58.4	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	29.7	60 (24 Hours)	TPM/MSK/ENV(AP)/01/03 Issue no- 01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.4	80 (24 Hours)	IS:5182 (Part 2) : 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	17.6	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.60	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<0.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	11.8	400 (24 Hours)	TPM/MSK/ENV(AP)/01/8 Issue no- 01 Issue Dated: April 02 : 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV(AP)/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11) : 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12) : 2004

NOTE - Limit as per NAAQ Standard 2009

Remarks - BDL (Below Detection Limit)

Report Prepared By



For Mitra S.K Private Limited  
  
 Authorized Signatory

H.O.: Shraichi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
 T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-887/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751016  
(CIN: U51909WB1088FTG023037)

T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	03.07.2025
Date of Sample	07.06.2025	PO Number	2300245683
Time of Sample	10:20 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 154)
Location	Near Chiller Room	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/05/101	Calibration Done on	02.07.2025

Customer Details  
**INFOSYS LIMITED**  
**PLOT NO, E/4 INFOCITY, BHUBANESWAR-751024**


Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	62.8	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	30.1	60 (24 Hours)	TPM/MSK/ENVY(AP)/01/03 Issue no-01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.9	80 (24 Hours)	IS 5182 (Part 4): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	22.4	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.69	2 (8 Hours)	IS 5182 (Part 10) (NIDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	12.4	400 (24 Hours)	TPM/MSK/ENVY(AP)/01/8 Issue no-01 Issue Dated: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-10.3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-10.3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENVY(AP)/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)

Report Prepared By



For Mitra S.K Private Limited  
**A. K. Ratha**  
 Authorized Signatory

# Mitra S. K. Private Limited

Plot No-887/2-428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751016  
[CIN: U51908WB1956PTC023037]

T : (0674) 2360917, 9777450188  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	03.07.2025
Date of Sample	07.06.2025	PO Number	2300245683
Time of Sample	10.45 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 154)
Location	Near Cricket Ground	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/06/502	Calibration Due on	02.07.2025

Customer Details  
INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024

Sl. No.	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	55.8	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	24.6	60 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no- 01 Issue Date: April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.2	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	19.7	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.49	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	10.1	400 (24 Hours)	TPM/MSK/ENV/AP/01/18 Issue no- 01 Issue Dated: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/AP/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12) : 2004

NOTE: Limit as per NAAQ Standard 2009.

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)

Report Prepared By: *S. K. Singh*



For Mitra S.K. Private Limited  
*A. L. Rathi*  
Authorized Signatory

H.O.: Shrichi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-887242B, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khandwa, Odisha-751016  
[CIN: U51809WB1858P00230387]  
T: (0674) 2560617, 9777450168  
F: (0674) 2562018



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	04.08.2025
Date of Sample	04.07.2025	PO Number	2300245683
Time of Sample	10:00 AM	Instrument used for Sampling	RDS (APM 860) FPS (APM 550)
Location	Near Gate No.2	Calibration Done on	21.03.2025
Sample ID	MSK/LED/2025-26/07/18	Calibration Due on	20.03.2026

Customer Details  
INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	58.6	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	28.2	60 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no- 01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.8	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	21.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.62	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/AP/01/8 Issue no- 01 Issue Dated April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	5 (Annual)	TPM/MSK/ENV/AP/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benz(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE - Limit as per NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)

Report Prepared By *S.K. Mohanty*



For Mitra S.K. Private Limited  
*A.K. Rath*  
Authorized Signatory

H.O. Shreechi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 40 14 3000 / 2265 0008 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com



# Mitra S. K. Private Limited

PLOT No-087/2428, Ekamra Vile Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751018  
TCIN: US1909WB1956PTC0230971

T: (0674) 2360847, 9777450189  
F: (0674) 2362818

## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	04.08.2025
Date of Sample	04/07/2025	PO Number	2900245683
Time of Sample	10:20 AM	Instrument used for Sampling	RDS (AFM 860), FPS (AFM 550)
Location	Near Gate No.3	Calibration Done on	21.05.2025
Sample ID	MSKGL/ED/2025-2607/119	Calibration Done on	20.09.2026

Customer Details		INFOSYS LIMITED PLOT NO. E4 INFO CITY, BHUBANESWAR-751024			
Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	60.1	100 (24 Hours)	IS 5182 (Part 2): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	30.6	60 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no- 01 Issue Date: April 02-2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.5	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	19.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.60	2 (8 Hours)	IS 5182 (Part 10) (NDR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/AP/01/08 Issue no- 01 Issue Dated: April 02-2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	µg/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	µg/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/AP/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE:- Limit as per NAAQ Standard 2009.  
The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)



Report Prepared By *S.K. Nohary*

For Mitra S.K Private Limited  
*S.K. Nohary*  
Authorized Signatory

H.O: Shreechi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 2212249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com



# Mitra S. K. Private Limited

Plot No-887/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC0230037]

T: (0674) 2360817, 8777\*50189  
F: (0674) 2362918

## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	01.08.2025
Date of Sample	05.07.2025	PO Number	2300245683
Time of Sample	10.45 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 550)
Location	Near DGT Area	Calibration Done on	21.03.2025
Sample ID	MSKQJED/2025-26/07/20	Calibration Due on	20.03.2026

**Customer Details**  
**INROSYS LIMITED**  
**PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024**

Sl. No.	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	66.5	100 (24 Hours)	IS 5182 (Part 23):2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	32.5	60 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no- 01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	7.1	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	22.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.72	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no- 01 Issue Dated: April 02 : 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-10.3.4 by ICP-OES: June: 1999
9.	Nickel (Ni)	µg/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-10.3.4 by ICP-OES: June: 1999
10.	Arsenic (As)	µg/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/AP/01/03: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

**NOTE - Limit as per NAAQ Standard 2009**

The above sample results complies with NAAQ Standard 2009.

Remarks -- BDL (Below Detection Limit)



Report Prepared By *S.K. Mohanty*

For Mitra S.K. Private Limited  
*S.K. Pathy*  
 Authorized Signatory

H.O.: Shriachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
 T: 91-33-22172249 / 4014-3000 / 2265 0008 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-887/2426, Ekanna Vills Squire,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC, Village,  
Bhubaneswar, Khordha, Odisha-751016  
ICIN: US1909WB1958PTC0230971

T : (0674) 2860817, 9777450189  
F : (0674) 2382919



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	01.09.2025
Date of Sample	12.08.2025	PO Number	2300245683
Time of Sample	10:00 AM	Instrument used for Sampling	RDS (APM-860), FFS (APM-550)
Location	Near Gate No.2	Calibration Done on	21.03.2025
Sample ID	MSKGL/ED/2025-26/08/469	Calibration Due on	20.03.2026


INFOSYS LIMITED  
PLOT NO. E4 INFOCITY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	45.6	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5 µm)	µg/m <sup>3</sup>	28.2	60 (24 Hours)	TPM/MSK/ENV/APY/01/03 Issue no- 01 Issue Date: April 02, 2018.
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.2	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	22.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.62	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/APY/01/8 Issue no- 01 Issue Dated: April 02 : 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO.3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO.3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/APY/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)



Report Prepared By: *S.K. Mohanty*

For Mitra S.K Private Limited  
*A.V. Rath*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-887/2428, Ekamra Villa, Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC, Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51899WB1999PTCO23037]

T : (0674) 2660817, 9777450189  
F : (0674) 2962918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	01.09.2025
Date of Sample	12.08.2025	PO Number	2300245683
Time of Sample	10:20 AM	Instrument used for Sampling	RDS(APM 860), FPS (APM 550)
Location	Near Gate No.3	Calibration Done on	21.03.2025
Sample ID	MSK/CL/ED/2025-26/08/469	Calibration Due on	20.03.2026


Customer Details  
INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	44.6	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	22.4	60 (24 Hours)	TPM/MSK/ENV/APY/01/8 Issue no-01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.2	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	24.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.64	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/APY/01/8 Issue no-01 Issue Dated April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	µg/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/APY/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)



Report Prepared By *S.K. Mohanty*

For Mitra S.K Private Limited  
*S.K. Mohanty*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-587/2428, Ekamra Vihar, Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1966PTC023037]

T : (0674) 2360047, 9777450188  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	01.09.2025
Date of Sample	13.08.2025	PO Number	2300245683
Time of Sample	10:45 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 550)
Location	Near Gate No. 1	Calibration Done on	21.03.2025
Sample ID	MSKGL/ED/2025-26/08/470	Calibration Due on	20.03.2026


Customer Details  
INFOSYS LIMITED  
PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	57.2	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	30.8	60 (24 Hours)	TPM/MSK/ENV/AP/01/09 Issue no- 01 Issue Date April 02, 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.4	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	21.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.72	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/AP/01/08 Issue no-01 Issue Dated: April 02, 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/AP/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11) : 2006
12.	Benzo(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12) : 2004

NOTE - Limits as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)



Report Prepared By *S.K. Mohanty*

For Mitra S.K Private Limited  
*A.K. Rath*  
Authorized Signatory

H.O. Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com



# Mitra S. K. Private Limited

Plot No-267/2/2/25, Shama Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khurda, Odisha-751012  
[CIN: U51909WB1000PTC023037]

T : (0674) 280017, 9777480100  
F : (0674) 280018

## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	06.10.2025
Date of Sample	20.09.2025	PO Number	2300245683
Time of Sample	10.00 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 550)
Location	Near Gate No.2	Calibration Done on	21.03.2025
Sample ID	MSKGL/ED/2025-26/09/1190	Calibration Done on	20.03.2026

**INFOSYS LIMITED**  
PLOT NO. 24 INFOCITY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	51.2	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5µm)	µg/m <sup>3</sup>	23.4	60 (24 Hours)	TPM/MSK/ENV/APY01/03 Issue no- 01 Issue Date: April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.4	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	24.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.68	2 (8 Hours)	IS 5182 (Part 10) (NIDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/APY01/8 Issue no- 01 Issue Date: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	µg/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/APY01/15 : 2018
11.	Benzenes (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzene (Dyrene (BaP))	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE: Limit as per NAAQ Standard 2009

Remarks - BDL (Below Detection Limit)

Report Prepared By *S. K. Mohanty*



For Mitra S.K Private Limited  
*A.K. Rout*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-887/2426, Ekantra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751016  
[GIN: US1909WB1656PTC023037]

T : (0674) 2360617, 9777450188  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	10.10.2025
Date of Sample	19.09.2025	PO Number	2300245683
Time of Sample	10:20 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM/550)
Location	Near Gate No.3	Calibration Done on	21.03.2025
Sample ID	MSK/GL/ED/2025-26/09/1191	Calibration Due on	20.03.2026

**INPOSYS LIMITED**  
PLOT NO. E/4 INFROCTY, BHUBANESWAR-751024

Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	48.6	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<3µm)	µg/m <sup>3</sup>	25.6	60 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no- 01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.4	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	27.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.38	2 (8 Hours)	IS 5182 (Part 10) (NDR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<0.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/AP/01/08 Issue no- 01 Issue Dated: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-10 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	ng/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-10 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	ng/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/AP/01/15: 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benz(a)pyrene (BaP)	ng/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE - Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks - BDL (Below Detection Limit)

Report Prepared By *S.K. Mohanty*



For Mitra S.K Private Limited  
*S.K. Pathy*  
Authorized Signatory

H.O.: Bhadrachal Centre (6th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0008 / 2265 0007 F: 91 33 2265 0008 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited

Plot No-667/2426, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751018  
[CIN: U51909WB1996PTC023037]

T : (0674) 2360817, 9777450108  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Air Quality	Date of Report	04.10.2025
Date of Sample	20.09.2025	PO Number	2300245683
Time of Sample	10.45 AM	Instrument used for Sampling	RDS (APM 860), FPS (APM 550)
Location	Near Gate No. 1	Calibration Done on	21.03.2025
Sample ID	MSKGL/ED/2025-26/09/1192	Calibration Due on	20.03.2026

Customer Details		INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024			
Sl. No	PARAMETERS	UNIT	RESULTS	LIMITS	PROTOCOL/TEST METHOD
1.	Particulate matter (<10µm)	µg/m <sup>3</sup>	52.6	100 (24 Hours)	IS 5182 (Part 23): 2006
2.	Particulate matter (<2.5 µm)	µg/m <sup>3</sup>	28.9	60 (24 Hours)	TPM/MSK/ENV/AP/01/03 Issue no-01 Issue Date April 02: 2018
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m <sup>3</sup>	6.0	80 (24 Hours)	IS 5182 (Part 2): 2001
4.	Nitrogen dioxide (NO <sub>2</sub> )	µg/m <sup>3</sup>	23.0	80 (24 Hours)	IS 5182 (Part 6): 2006
5.	Carbon monoxide (CO)	mg/m <sup>3</sup>	0.68	2 (8 Hours)	IS 5182 (Part 10) (NDIR): 1999
6.	Ozone (O <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	100 (8 Hours)	IS 5182 (Part 9): 1974
7.	Ammonia (NH <sub>3</sub> )	µg/m <sup>3</sup>	<20.0	400 (24 Hours)	TPM/MSK/ENV/AP/01/08 Issue no-01 Issue Date: April 02: 2018
8.	Lead (Pb)	µg/m <sup>3</sup>	<0.01	1 (24 Hours)	USEPA-IO 3.4 by ICP-OES, June: 1999
9.	Nickel (Ni)	µg/m <sup>3</sup>	<5.0	20 (Annual)	USEPA-IO 3.4 by ICP-OES, June: 1999
10.	Arsenic (As)	µg/m <sup>3</sup>	<1.0	6 (Annual)	TPM/MSK/ENV/AP/01/15 : 2018
11.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<4.2	5 (Annual)	IS 5182 (Part 11): 2006
12.	Benzene (C <sub>6</sub> H <sub>6</sub> )	µg/m <sup>3</sup>	<0.5	1 (Annual)	IS 5182 (Part 12): 2004

NOTE: Limit as per NAAQ Standard 2009

The above sample results complies with NAAQ Standard 2009.

Remarks → BDL (Below Detection Limit)

Report Prepared By *S.K. Mohanty*



For Mitra S.K Private Limited  
*S.K. Routh*  
Authorized Signatory

H.O.: Branch Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 22172249 / 4014 3000 / 2265 0006 / 2265 0007 F: 91 33 2265 0006 E: info@mitrask.com W: www.mitrask.com

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Ambient Noise Monitoring	Date of Report	05.05.2025
Date of Sample	03.04.2025 - 04.04.2025	PO Number	2300245683
Time of Sample	11.00 AM	Instrument used for Sampling	HTC, SL-1350
Location	Near CCC Pump House	Calibration Done on	03.07.2024
	Near STP Area		
	Near Food Court		
	Near DG Area		
Sample ID	MSKGL/ED/2025-26/04/500	Calibration Due on	02.07.2025
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No	Sampling Date	Sampling Location	Results in Leq dB(A)	
			Day Time (06.00 Hr - 22.00 Hr)	Night Time (22.00 Hr - 06.00 Hr)
1.	03.04.2025	Near CCC Pump House	59.2	43.1
2.	03.04.2025	Near STP Area	58.8	49.5
3.	04.04.2025	Near Food Court	49.2	38.6
4.	04.04.2025	Near DG Area	55.7	46.9

Noise Limit as per CPCB		
Category of Area/Zone	Leq dB(A) Day Time	Leq dB(A) Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Remarks :- The above sample results complies with CPCB Standard

Report Prepared by:  
*S. P. Sanyal*



For Mitra S. K. Private Limited

*A. K. Rout*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Ambient Noise Monitoring	Date of Report	02.06.2025
Date of Sample	07.05.2025 – 08.05.2025	PO Number	2300245683
Time of Sample	11.00 AM	Instrument used for Sampling	HTC,SL-1350
Location	Near CCC Pump House	Calibration Done on	03.07.2024
	Near STP Area		
	Near Food Court		
	Near DG Area		
Sample ID	MSKGL/ED/2025-26/05/500	Calibration Due on	02.07.2025
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Sampling Date	Sampling Location	Results in Leq dB(A)	
			Day Time (06.00 Hr - 22.00 Hr)	Night Time (22.00 Hr - 06.00 Hr)
1.	07.05.2025	Near CCC Pump House	53.7	48.1
2.	07.05.2025	Near STP Area	56.5	52.3
3.	08.05.2025	Near Food Court	52.3	50.7
4.	08.05.2025	Near DG Area	63.6	47.6

Noise Limit as per CPCB		
Category of Area/Zone	Leq dB(A) Day Time	Leq dB(A) Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Remarks :- The above sample results complies with CPCB Standard

Report Prepared by:



For Mitra S. K. Private Limited

Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Ambient Noise Monitoring	Date of Report	03.07.2025
Date of Sample	07.06.2025 – 08.06.2025	PO Number	2300245683
Time of Sample	11.00 AM	Instrument used for Sampling	HTC,SL-1350
Location	STP in STPI Campus	Calibration Done on	03.07.2024
	Near MLPL		
	Near Cricket Ground		
	Near Chiller Room		
Sample ID	MSKGL/ED/2025-26/06/500	Calibration Due on	02.07.2025
Customer Details	INFOSYS LIMITED PLOT NO, E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No	Sampling Date	Sampling Location	Results in Leq dB(A)	
			Day Time (06.00 Hr - 22.00 Hr)	Night Time (22.00 Hr - 06.00 Hr)
1.	07.06.2025	STP in STPI Campus	53.0	48.3
2.	08.06.2025	Near MLPL	53.8	45.8
3.	07.06.2025	Near Cricket Ground	54.7	46.5
4.	08.06.2025	Near Chiller Room	54.0	50.0

Noise Limit as per CPCB		
Category of Area/Zone	Leq dB(A) Day Time	Leq dB(A) Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Remarks :- The above sample results complies with CPCB Standard

*A. K. Ganguly*  
Report Prepared by:



For Mitra S. K. Private Limited

*A. K. Ganguly*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
(CIN: U51909WB1956PTG023037)  
T: (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Ambient Noise Monitoring	Date of Report	04.08.2025
Date of Sample	04.07.2025 - 05.07.2025	PO Number	2300245683
Time of Sample	11.00 AM	Instrument used for Sampling	HTC,SL-1350
Location	Near STP in STPI Campus	Calibration Done on	31.03.2025
	Near Gate No.3		
	Near Gate No.2		
	Near DG Area		
Sample ID	MSKGL/ED/2025-26/07/500	Calibration Due on	30.03.2026
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl No	Sampling Date	Sampling Location	Results in Leq dB(A)	
			Day Time (06.00 Hr - 22.00 Hr)	Night Time (22.00 Hr - 06.00 Hr)
1.	04.07.2025	Near STP in STPI Campus	53.5	48.8
2.	04.07.2025	Near Gate No.3	53.9	46.2
3.	04.07.2025	Near Gate No.2	55.6	46.3
4.	05.07.2025	Near DG Area	54.6	47.5

Noise Limit as per CPCB		
Category of Area/Zone	Leq dB(A) Day Time	Leq dB(A) Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Remarks: - The above sample results complies with CPCB Standard

Report Prepared by

*S.K. Mahanty*

For Mitra S. K. Private Limited

*A.K. Rath*  
Authorized Signatory



H.O.: Shracl Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 4014 3000 / 2265 0006 / 2265 0007, F: 91 33 2265 0008, E: info@mitrask.com, W: www.mitrask.com

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Ambient Noise Monitoring	Date of Report	01.09.2025
Date of Sample	12.08.2025 – 13.08.2025	PO Number	2300245683
Time of Sample	11.00 AM	Instrument used for Sampling	HTC,SL-1350
Location	Near STP in STPI Campus	Calibration Done on	31.03.2025
	Near Gate No.3		
	Near Gate No.2		
	Near DG Area		
Sample ID	MSKGL/ED/2025-26/08/853	Calibration Due on	30.03.2026
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No	Sampling Date	Sampling Location	Results in Leg dB(A)	
			Day Time (06.00 Hr - 22.00 Hr)	Night Time (22.00 Hr - 06.00 Hr)
1.	12.08.2025	Near STP in STPI Campus	56.4	49.6
2.	12.08.2025	Near Gate No.3	53.8	46.5
3.	12.08.2025	Near Gate No.2	51.9	45.8
4.	13.08.2025	Near Gate No.1	52.0	47.2

Noise Limit as per CPCB		
Category of Area/Zone	Leq dB(A) Day Time	Leq dB(A) Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Remarks :- The above sample results complies with CPCB Standard.

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited

*A.K. Rath*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-887/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Ambient Noise Monitoring	Date of Report	06.10.2025
Date of Sample	19.09.2025 - 20.09.2025	PO Number	2300245683
Time of Sample	11.00 AM	Instrument used for Sampling	HTC,SL-1350
Location	Near STP in STPI Campus	Calibration Done on	31.03.2025
	Near Gate No.3		
	Near Gate No.2		
	Near DG Area		
Sample ID	MSKGL/ED/2025-26/09/888	Calibration Due on	30.03.2026
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No	Sampling Date	Sampling Location	Results in Leq dB(A)	
			Day Time (06.00 Hr - 22.00 Hr)	Night Time (22.00 Hr - 06.00 Hr)
1.	20.09.2025	Near STP in STPI Campus	52.9	50.2
2.	20.09.2025	Near Gate No.3	55.0	48.7
3.	19.09.2025	Near Gate No.2	53.4	44.0
4.	19.09.2025	Near Gate No.1	50.0	48.2

Noise Limit as per CPCB		
Category of Area/Zone	Leq dB(A) Day Time	Leq dB(A) Night Time
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Remarks :- The above sample results complies with CPCB Standard

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited

*A.K. Reddy*

Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT


Type of Sample	DG Insertion Loss	Date of Report	05.05.2025
Date of Sample	04.04.2025	PO Number	2300245683
Time of Sample	11.30 AM	Instrument used for Sampling	HTC,SL-1350
Location	DG-1,DG-2,DG-3	Calibration Done on	03.07.2024
Sample ID	MSKGL/BD/2025-26/04/426	Calibration Due on	02.07.2025
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Date & Time	DG Name & Capacity	Serial No	Alternator Serial No	Data inside the DG dB(A)	Data outside the DG dB(A)	Insertion Loss dB(A)	Limit Minimum Insertion Loss dB (A)
04.04.2025	DG - 1 (1010 KVA)	25461129	N21B062860	101.8	73.4	28.4	25
04.04.2025	DG - 2 (1500 KVA)	8RM00896	74 - 353	100.7	72.9	27.8	
04.04.2025	DG - 3 (1250 KVA)	24Z09426	74 - 083	102.6	73.1	29.5	

Distance - 0.5 mts from the enclosure


Remarks :- The above sample results complies with the Standard

N.B - Noise Limit for Generator Sets run with Diesel were notified by Environment (Protection) second Amendment Rules vide GSR 371(E), dated 17th May 2002 at serial no.94 and its amendments vide GSR No 520(E) dated 1st July 2003; GSR 448(E), dated 12th July 2004; GSR 315(E) dated 16th May 2005; GSR 464(E) dated 7th August 2006; GSR 566(E) dated 29th August 2007 and GSR 752(E) dated 24th October 2008; G.S.R. 215 (E), dated 15th March, 2011 under the Environment (Protection) Act, 1986

Report Prepared by: 



For Mitra S. K. Private Limited

  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT


Type of Sample	DG Insertion Loss	Date of Report	02.06.2025
Date of Sample	09.05.2025	PO Number	2300245683
Time of Sample	11.30 AM	Instrument used for Sampling	HTC,SL-1350
Location	DG-1,DG-2,DG-3	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/05/426	Calibration Due on	02.07.2025
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Date & Time	DG Name & Capacity	Serial No	Alternator Serial No	Data inside the DG dB(A)	Data outside the DG dB(A)	Insertion Loss dB(A)	Limit Minimum Insertion Loss dB (A)
09.05.2025	DG - 1 (1010 KVA)	25461129	N21B062860	100.0	67.3	32.7	25
09.05.2025	DG - 2 (1500 KVA)	8RM00896	74 - 353	102.4	70.5	31.9	
09.05.2025	DG - 3 (1250 KVA)	24Z09426	74 - 083	100.8	72.6	28.2	

Distance - 0.5 mts from the enclosure

Remarks :- The above sample results complies with the Standard

N.B - Noise Limit for Generator Sets run with Diesel were notified by Environment (Protection) second Amendment Rules vide GSR 371(E), dated 17th May 2002 at serial no.94 and its amendments vide GSR No:520(E) dated 1st July 2003; GSR 448(E), dated 12th July 2004; GSR 315(E) dated 16th May 2005; GSR 464(E) dated 7th August 2006; GSR 566(E) dated 29th August 2007 and GSR 752(E) dated 24th October 2008; G.S.R. 215 (E), dated 15th March, 2011 under the Environment (Protection) Act, 1986)

Report Prepared by: 



For Mitra S. K. Private Limited

  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	DG Insertion Loss	Date of Report	03.07.2025
Date of Sample	07.06.2025	PO Number	2300245683
Time of Sample	11.30 AM	Instrument used for Sampling	HTC,SL-1350
Location	DG-1,DG-2,DG-3	Calibration Done on	03.07.2024
Sample ID	MSKGL/ED/2025-26/06/426	Calibration Due on	02.07.2025
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Date & Time	DG Name & Capacity	Serial No	Alternator Serial No	Data inside the DG dB(A)	Data outside the DG dB(A)	Insertion Loss dB(A)	Limit Minimum Insertion Loss dB (A)
07.06.2025	DG - 1 (1010 KVA)	25461129	N21B062860	100.5	73.2	27.3	25
07.06.2025	DG - 2 (1500 KVA)	8RM00896	74 -353	102.5	75.8	26.7	
07.06.2025	DG - 3 (1250 KVA)	24Z09426	74 - 083	101.7	72.9	28.8	

Distance - 0.5 mts from the enclosure

Remarks :- The above sample results complies with the Standard

N.B - Noise Limit for Generator Sets run with Diesel were notified by Environment (Protection) second Amendment Rules vide GSR 371(E), dated 17th May 2002 at serial no.94 and its amendments vide GSR No 520(E) dated 1st July 2003; GSR 448(E), dated 12th July 2004; GSR 315(E) dated 16th May 2005; GSR 464(E) dated 7th August 2006; GSR 566(E) dated 29th August 2007 and GSR 752(E) dated 24th October 2008; G.S.R. 215 (E), dated 15th March, 2011 under the Environment (Protection) Act, 1986

Report Prepared by:  
*S. K. Kanya*



For Mitra S. K. Private Limited  
*A. K. Rath*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T: (0674) 2360917, 9777450189  
F: (0674) 2362918

## TEST REPORT

Type of Sample	DG Insertion Loss	Date of Report	04.08.2025
Date of Sample	05.07.2025	PO Number	2300245683
Time of Sample	12.30 PM	Instrument used for Sampling	HTC,SL-1350
Location	DG-1,DG-2,DG-3	Calibration Done on	31.03.2025
Sample ID	MSKGL/ED/2025-26707/426	Calibration Due on	30.03.2026
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Date & Time	DG Name & Capacity	Serial No	Alternator Serial No	Data inside the DG dB(A)	Data outside the DG dB(A)	Insertion Loss dB(A)	Limit Minimum Insertion Loss dB (A)
05.07.2025	DG - 1 (1010 KVA)	25461129	N21B062860	95.8	62.7	33.1	25
05.07.2025	DG - 2 (1500 KVA)	8RM00896	74 - 353	98.2	69.0	29.2	
05.07.2025	DG - 3 (1250 KVA)	24Z09426	74 - 083	96.2	64.8	31.4	

Distance - 0.5 mts from the enclosure

Remarks :- The above sample results complies with the Standard

N.B - Noise Limit for Generator Sets run with Diesel were notified by Environment (Protection) second Amendment Rules vide GSR 371(E), dated 17th May 2002 at serial no.94 and its amendments vide GSR No 520(E) dated 1st July 2003; GSR 448(E), dated 12th July 2004; GSR 315(E) dated 16th May 2005; GSR 464(E) dated 7th August 2006; GSR 566(E) dated 29th August 2007 and GSR 752(E) dated 24th October 2008; G.S.R. 215 (E), dated 15th March, 2011 under the Environment (Protection) Act, 1986)

Report Prepared by: *S.K. Mahanty*



For Mitra S. K. Private Limited

*A.K. Radh*  
Authorized Signatory

H.O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 4014 3000 / 2265 0006 / 2265 0007, F: 91 33 2265 0008, E: info@mitrask.com, W: www.mitrask.com

# Mitra S. K. Private Limited



TESTING INSPECTION

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	DG Insertion Loss	Date of Report	01.09.2025
Date of Sample	16.08.2025	PO Number	2300245683
Time of Sample	12.30 PM	Instrument used for Sampling	HTC,SL-1350
Location	DG-1,DG-2,DG-3	Calibration Done on	31.03.2025
Sample ID	MSKGL/ED/2025-26/08/857	Calibration Due on	30.03.2026
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Date & Time	DG Name & Capacity	Serial No	Alternator Serial No	Data inside the DG dB(A)	Data outside the DG dB(A)	Insertion Loss dB(A)	Limit Minimum Insertion Loss dB (A)
16.08.2025	DG - 1 (1010 KVA)	25461129	N21B062860	99.9	72.2	27.5	25
16.08.2025	DG - 2 (1500 KVA)	8RM00896	74 - 353	102.8	74.2	28.6	
16.08.2025	DG - 3 (1250 KVA)	24Z09426	74 - 083	98.8	70.9	27.9	

Distance - 0.5 mts from the enclosure

Remarks :- The above sample results complies with the Standard

N.B - Noise Limit for Generator Sets run with Diesel were notified by Environment (Protection) second Amendment Rules vide GSR 371(E), dated 17th May 2002 at serial no.94 and its amendments vide GSR No 520(E) dated 1st July 2003; GSR 448(E), dated 12th July 2004; GSR 315(E) dated 16th May 2005; GSR 464(E) dated 7th August 2006; GSR 566(E) dated 29th August 2007 and GSR 752(E) dated 24th October 2008; G.S.R. 215 (E), dated 15th March, 2011 under the Environment (Protection) Act, 1986)

Report Prepared by *S.K. Mohanty*



For Mitra S. K. Private Limited

*A. K. Rath*

Authorized Signatory

# Mitra S. K. Private Limited

Plot No-887/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	DG Insertion Loss	Date of Report	06.10.2025
Date of Sample	20.09.2025	PO Number	2300245683
Time of Sample	10.30 AM	Instrument used for Sampling	HTC, SL-1350
Location	DG-1, DG-2, DG-3	Calibration Done on	31.03.2025
Sample ID	MSKGL/ED/2025-26/09/893	Calibration Due on	30.03.2026
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Date & Time	DG Name & Capacity	Serial No	Alternator Serial No	Data inside the DG dB(A)	Data outside the DG dB(A)	Insertion Loss dB(A)	Limit Minimum Insertion Loss dB (A)
20.09.2025	DG - 1 (1010 KVA)	25461129	N21B062860	100.6	71.8	28.8	25
20.09.2025	DG - 2 (1500 KVA)	8RM00896	74 - 353	103.7	75.9	27.8	
20.09.2025	DG - 3 (1250 KVA)	24Z09426	74 - 083	101.4	72.3	29.1	

Distance - 0.5 mts from the enclosure

Remarks :- The above sample results complies with the Standard

N.B - Noise Limit for Generator Sets run with Diesel were notified by Environment (Protection) second Amendment Rules vide GSR 371(E), dated 17th May 2002 at serial no.94 and its amendments vide GSR No 520(E) dated 1st July 2003; GSR 448(E), dated 12th July 2004; GSR 315(E) dated 16th May 2005; GSR 464(E) dated 7th August 2006; GSR 566(E) dated 29th August 2007 and GSR 752(E) dated 24th October 2008; G.S.R. 215 (E), dated 15th March, 2011 under the Environment (Protection) Act, 1986

Report Prepared by: *S. K. Mohanty*



For Mitra S. K. Private Limited

*S. K. Pathy*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Soil	Date of Report	03.07.2025
Date of Sample	08.06.2025	PO Number	2300245683
Time of Sample	04.45 PM	Instrument used for Sampling	N.A
Location	Hazardous Waste Storage Area	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/06/176	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Reddish Brown 5.5 YR 3/6
2.	Alkalinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/1/U Methods of soil analysis soil science society for America part II, pg 945	0.050
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rffin:1995	0.39
4.	Available Phosphorus (as P)	%	TPM/MSK/E/1/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	<3.0
5.	Bicarbonate	%	TPM/MSK/E/1/W, Methods of Soil Analysis (Soil Science society for America)Part II, pg 945	0.042
6.	Carbonate	%	TPM/MSK/E/1/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	Nil
7.	pH (1:2.5) at 25°C	None	IS 2720 (Part 26)-1987; Rffin:2007	7.88
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rffin:1995	0.69
9.	Available Chloride	%	TPM/MSK/E/1/J, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.008
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rffin:2006	<12.0
11.	Available Nitrate	%	TPM/MSK/E/1/S methods of Soil Analysis Soil Analysis Soil Science society for America Part II,pg 1219	<4.0
12.	Exchangeable Calcium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	0.47
13.	Exchangeable Magnesium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1003	0.033

Report Prepared by: *C. Kango*

For Mitra S. K. Private Limited

*A. K. Rath*  
Authorized Signatory



# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Soil	Date of Report	03.07.2025
Date of Sample	08.06.2025	PO Number	2300245683
Time of Sample	04.45 PM	Instrument used for Sampling	N.A
Location	HSD Storage Yard	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/06/180	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Reddish Yellow 3.5YR 2/6
2.	Alkalinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/I/U Methods of soil analysis soil science society for America part II ,pg 945	0.029
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rffm:1995	0.76
4.	Available Phosphorus (as P)	%	TPM/MSK/E/I/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	5.7
5.	Bicarbonate	%	TPM/MSK/E/I/W, Methods of Soil Analysis (Soil Science society for America)Part II, pg 945	0.049
6.	Carbonate	%	TPM/MSK/E/I/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	Nil
7.	pH (1:2.5) at 25°C	None	IS 2720 (Part 26)-1987; Rffm:2007	7.45
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rffm:1995	0.55
9.	Available Chloride	%	TPM/MSK/E/I/J, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.007
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rffm:2006	<15.0
11.	Available Nitrate	%	TPM/MSK/E/I/S methods of Soil Analysis Soil Analysis Soil Science society for America Part II,pg 1219	<4.0
12.	Exchangeable Calcium	%	TPM/MSK/E/I/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	0.14
13.	Exchangeable Magnesium	%	TPM/MSK/E/I/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1003	0.052

*S. K. Singh*  
Report Prepared by:



For Mitra S. K. Private Limited

*A. U. Rath*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Soil	Date of Report	03.07.2025
Date of Sample	08.06.2025	PO Number	2300245683
Time of Sample	04.45 PM	Instrument used for Sampling	N.A
Location	Lube Oil Storage Area	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/06/175	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Yellowish Red 5 YR 5/6
2.	Alkalinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/1/U Methods of soil analysis soil science society for America part II ,pg 945	0.076
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rffm:1995	0.022
4.	Available Phosphorus (as P)	%	TPM/MSK/E/1/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	<3.0
5.	Bicarbonate	%	TPM/MSK/E/1/W, Methods of Soil Analysis (Soil Science society for America)Part II, pg 945	0.066
6.	Carbonate	%	TPM/MSK/E/1/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	Nil
7.	pH (1:2.5) at 25°C	None	IS 2720 (Part 26)-1987; Rffm:2007	7.97
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rffm:1995	0.49
9.	Available Chloride	%	TPM/MSK/E/1/J, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.007
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rffm:2006	<12.0
11.	Available Nitrate	%	TPM/MSK/E/1/S methods of Soil Analysis Soil Analysis Soil Science society for America Part II.pg 1219	8.4
12.	Exchangeable Calcium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	0.55
13.	Exchangeable Magnesium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1003	0.047

*S. K. Ganguly*  
Report Prepared by:

For Mitra S. K. Private Limited

*A. C. Rath*  
Authorized Signatory



# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Soil	Date of Report	03.07.2025
Date of Sample	08.06.2025	PO Number	2300245683
Time of Sample	05.00 PM	Instrument used for Sampling	N.A
Location	Near STP Road	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/06/177	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Brown 4YR 5/4
2.	Alkalinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/1/U Methods of soil analysis soil science society for America part II ,pg 945	0.072
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rffm:1995	0.49
4.	Available Phosphorus (as P)	%	TPM/MSK/E/1/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	<3.0
5.	Bicarbonate	%	TPM/MSK/E/1/W, Methods of Soil Analysis (Soil Science society for America)Part II, pg 945	0.056
6.	Carbonate	%	TPM/MSK/E/1/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	Nil
7.	pH (1-2.5) at 25°C	None	IS 2720 (Part 26)-1987; Rffm:2007	8.01
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rffm:1995	0.47
9.	Available Chloride	%	TPM/MSK/E/1/J, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.008
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rffm:2006	<12.0
11.	Available Nitrate	%	TPM/MSK/E/1/S methods of Soil Analysis Soil Analysis Soil Science society for America Part II,pg 1219	<4.0
12.	Exchangeable Calcium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	0.51
13.	Exchangeable Magnesium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1003	0.038

*S. Kang*  
Report Prepared by:



For Mitra S. K. Private Limited

*A. C. Patra*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydey Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Soil	Date of Report	06.08.2025
Date of Sample	20.09.2025	PO Number	2300245683
Time of Sample	04.50 PM	Instrument used for Sampling	N.A
Location	Hazardous Waste Storage Area	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/09/807	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Reddish Brown 2.5YR4/8
2.	Alkalinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/I/U Methods of soil analysis soil science society for America part II, pg 945	0.040
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rffm:1995	0.74
4.	Available Phosphorus (as P)	%	TPM/MSK/E/I/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	<3.0
5.	Bicarbonate	%	TPM/MSK/E/I/W, Methods of Soil Analysis (Soil Science society for America)Part II, pg 945	0.016
6.	Carbonate	%	TPM/MSK/E/I/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	NII
7.	pH (1:2.5) at 25°C	None	IS 2720 (Part 26)-1987; Rffm:2007	6.87
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rffm:1995	0.47
9.	Available Chloride	%	TPM/MSK/E/I/J, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.009
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rffm:2006	<12.0
11.	Available Nitrate	%	TPM/MSK/E/I/S, methods of Soil Analysis Soil Analysis Soil Science society for America Part II,pg 1219	<4.0
12.	Exchangeable Calcium	%	TPM/MSK/E/I/R, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	0.55
13.	Exchangeable Magnesium	%	TPM/MSK/E/I/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1003	0.069

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited

*A.K. Pathy*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Soil	Date of Report	06.10.2025
Date of Sample	20.07.2025	PO Number	2300245683
Time of Sample	02.05 PM	Instrument used for Sampling	N.A
Location	HSD Storage Yard	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/09/805	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Red 2.5YR4/8
2.	Alkalinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/I/U Methods of soil analysis soil science society for America part II, pg 945	0.0124
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rfim:1995	1.39
4.	Available Phosphorus (as P)	%	TPM/MSK/E/I/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	5.3
5.	Bicarbonate	%	TPM/MSK/E/I/W, Methods of Soil Analysis (Soil Science society for America) Part II, pg 945	0.0151
6.	Carbonate	%	TPM/MSK/E/I/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	Nil
7.	pH (1:2.5) at 25°C	None	IS 2720 (Part 26)-1987; Rfim:2007	6.91
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rfim:1995	0.81
9.	Available Chloride	%	TPM/MSK/E/I/I, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.008
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rfim:2006	<12.0
11.	Available Nitrate	%	TPM/MSK/E/I/S methods of Soil Analysis Soil Analysis Soil Science society for America Part II pg 1219	<4.0
12.	Exchangeable Calcium	%	TPM/MSK/E/I/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	0.37
13.	Exchangeable Magnesium	%	TPM/MSK/E/I/E, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1003	0.088

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited

*A.K. Pathy*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Soil	Date of Report	06.10.2025
Date of Sample	20.09.2025	PO Number	2300245683
Time of Sample	02.55 PM	Instrument used for Sampling	N.A
Location	Lube Oil Storage Area	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/09/808	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Yellowish Red 5YR5/6
2.	Alkallinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/I/U Methods of soil analysis soil science society for America part II ,pg 945	0.032
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rffm:1995	0.51
4.	Available Phosphorus (as P)	%	TPM/MSK/E/I/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	<3.0
5.	Bicarbonate	%	TPM/MSK/E/I/W, Methods of Soil Analysis (Soil Science society for America)Part II, pg 945	0.022
6.	Carbonate	%	TPM/MSK/E/I/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	Nil
7.	pH (12.5) at 25°C	None	IS 2720 (Part 26)-1987; Rffm:2007	7.78
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rffm:1995	0.30
9.	Available Chloride	%	TPM/MSK/E/I/JI, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.008
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rffm:2006	<12.0
11.	Available Nitrate	%	TPM/MSK/E/I/S methods of Soil Analysis Soil Analysis Soil Science society for America Part II, pg.1219	8.4
12.	Exchangeable Calcium	%	TPM/MSK/E/I/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	1.55
13.	Exchangeable Magnesium	%	TPM/MSK/E/I/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg.1003	0.045

Report Prepared by: *d.k. Mohanty*



For Mitra S. K. Private Limited

*d.k. Rath*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
(CIN: U51909WB1956PTC023037)  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Soil	Date of Report	06.10.2025
Date of Sample	20.10.2025	PO Number	2300245683
Time of Sample	04.00 PM	Instrument used for Sampling	N.A
Location	Near STP Road	Calibration Done on	N.A
Sample ID	MSKGL/ED/2025-26/09/806	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

Sl. No.	Parameters	Unit	Test Method	Result
1.	Colour	None	Lab Method	Reddish Yellow 5YR6/6
2.	Alkalinity (as CaCO <sub>3</sub> )	%	TPM/MSK/E/1/U Methods of soil analysis soil science society for America part II ,pg 945	0.016
3.	Organic Matter	%	IS 2720 (Part 22)-1972; Rffin:1995	0.54
4.	Available Phosphorus (as P)	%	TPM/MSK/E/1/L, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1040-1041	<3.0
5.	Bicarbonate	%	TPM/MSK/E/1/W, Methods of Soil Analysis (Soil Science society for America)Part II, pg 945	0.044
6.	Carbonate	%	TPM/MSK/E/1/X, Methods of Soil Analysis (soil Science society for America) Part II, pg 945	Nil
7.	pH (1:2.5) at 25°C	None	IS 2720 (Part 26)-1987; Rffin:2007	7.12
8.	Total Carbon	%	IS 2720 (Part 22)-1972; Rffin:1995	0.32
9.	Available Chloride	%	TPM/MSK/E/1/J, Methods of soil Analysis (Soil Science society for America) Part II, Pg.947	0.009
10.	Available Sulphate	%	IS 2720 (Part 27)-1977; Rffin:2006	<12.0
11.	Available Nitrate	%	TPM/MSK/E/1/S methods of Soil Analysis Soil Analysis Soil Science society for America Part II,pg 1219	<4.0
12.	Exchangeable Calcium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1006	0.74
13.	Exchangeable Magnesium	%	TPM/MSK/E/1/F, Methods of Soil Analysis (Soil Science Society for America) Part-II, pg 1003	0.035

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited

*A.K. Pathy*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Raw Water	Date of Report	03.05.2025
Date of Sample	03.04.2025	PO Number	2300245683
Time of Sample	01.30 PM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/PD/2025-26/04/182	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INROCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 - 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 - 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH (at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	7.10
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rffm: 2009	45
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rffm: 2013	BDL(DL:0.2)
4.	Colour (Hazen Unit)	5	15	3025 (Part 4)-1983; Rffm:2002	BDL(DL:1.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rffm:2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm: 2009	BDL(DL:0.05)
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2009	8.1
9.	Total Dissolved Solids in mg/l	500	2000	3025 (Part 15)-1984; Rffm:2002	79.6
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rffm: 2009	6.2
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2009	2.2
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	20.0

Remarks: - BDL - Below Detection Limit

The above sample complies with IS 10500:2012

Report Prepared by: *P. Yang*



For Mitra S. K. Private Limited.

*A.K. Reddy*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Raw Water	Date of Report	02.06.2025
Date of Sample	07.05:2025	PO Number	2300245683
Time of Sample	01.30 PM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/05/182	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH ( at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	6.42
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rffm: 2009	5.0
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rffm: 2013	BDL(DL:0.2)
4.	Colour ( Hazen Unit )	5	15	3025 (Part 4)-1983; Rffm:2002	BDL(DL:1.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rffm:2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm: 2009	BDL(DL:0.05)
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2009	8.8
9.	Total Dissolved Solids in mg/l	500	2000	3025 (Part 16)-1984; Rffm:2002	88.0
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rffm: 2009	8.0
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2009	1.2
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	18.0

Remarks: - BDL – Below Detection Limit

The above sample complies with IS 10500:2012

Report Prepared by:  
*S. Kanya*



For Mitra S. K. Private Limited.

*A. K. Das*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
(CIN: U51909WB1956PTC023037)  
T: (0674) 2360917, 9777450189  
F: (0674) 2362918



## TEST REPORT

Type of Sample	Raw Water	Date of Report	03.07.2025
Date of Sample	07.06.2025	PO Number	2300245683
Time of Sample	05.45 PM	Instrument used for Sampling	N/A
Location	Water Treatment Plant	Calibration Done on	N/A
Sample ID	MSKGL/PD/2025-26/06/387	Calibration Due on	N/A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHURANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 - 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185: 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185: 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 - 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH (at 26° C)	6.5 - 8.5	No Relaxation	IS: 3025 (Part 11)-1984 Rfim: 2012	6.97
2.	Sulphate (as SO <sub>4</sub> ) in mg/l	200	400	IS 3025 (Part 24)- 1986 Rfim: 2014	BDL(DL:4.0)
3.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rfim: 2014	3.6
4.	Arsenic (as As) in mg/l	0.01	0.05	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
5.	Lead (as Pb) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
6.	Zinc (as Zn) in mg/l	5.0	15.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
7.	Copper (as Cu) in mg/l	0.05	1.5	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.0002)
8.	Mercury (as Hg) in mg/l	0.001	No Relaxation	IS 3025 (PART 2)- 2004 RA: 2014	BDL(DL:0.001)
9.	Cadmium (as Cd) in mg/l	0.003	No Relaxation	IS 3025 (PART 2)- 2004 RA: 2014	BDL(DL:0.5)
10.	Mineral Oil in mg/l	0.5	No Relaxation	IS 3025 (Part 39)-1991 Rfim: 2014	BDL(DL:0.2)
11.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rfim: 2013	BDL(DL:0.2)
12.	Colour (Hazen Unit)	5	15	IS 3025 (Part 4)-1983; Rfim: 2012	BDL(DL:1.0)
13.	Odour	Agreeable	Agreeable	IS 3025 (Part 5)-1983 Rfim: 2012	Agreeable
14.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rfim: 2012	BDL(DL:1.0)
15.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rfim: 2014	BDL(DL:0.1)
16.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rfim: 2014	BDL(DL:0.05)
17.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rfim: 2014	7.8
18.	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984; Rfim: 2014	72.0
19.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rfim: 2014	6.4
20.	Aluminium (as Al) in mg/l	0.03	0.2	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.01)
21.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rfim: 2014	1.1
22.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	15.8
23.	Boron (as B) in mg/l	0.5	1.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.3)
24.	Manganese (as Mn) in mg/l	0.1	0.3	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
25.	Nitrate (as NO <sub>3</sub> ) in mg/l	45	No Relaxation	IS 3025 (Part 34)-1988 Rfim: 2014	BDL(DL:0.5)
26.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	0.001	0.002	IS 3025 (Part 43)- 1992 Rfim: 2014	BDL(DL:0.001)
27.	Selenium (as Se) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
28.	Total Chromium (as Cr) in mg/l	0.05	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.01)
29.	Cyanide (as CN) in mg/l	0.05	No Relaxation	IS 3025 (Part 27)- 1986 Rfim: 2014	BDL(DL:0.01)
30.	Anionic Detergents (as MBAS) in mg/l	0.2	1.0	IS 13428(Annex K)- 2005	BDL(DL:0.05)
31.	Polynuclear Aromatic Hydrocarbons (as PAH) in mg/l	0.0001	No Relaxation	APHA (23rd Edn) 6440C	BDL(DL:0.0001)

Continuation Sheet



Date- 03.07.2025

Ref. No. BBS/520

## Pesticide Residues Limits as per IS 10500:2012

Sl. No.	Pesticide	Limit	Test Methods	Result
(i)	Alachlor in µg/l	20	US EPA 307	BDL(DL:0.02)
(ii)	Atrazine in µg/l	2.0	US EPA 8141 A	BDL(DL:0.02)
(iii)	Aldrin in µg/l	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(iv)	Dieldrin in µg/l	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(v)	Alpha-HCH in µg/l	0.01	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(vi)	Beta-HCH in µg/l	0.04	US EPA 508, AOAC 990.06	BDL(DL:0.02)
(vii)	Butachlor in µg/l	125	US EPA 8141 A	BDL(DL:0.02)
(viii)	Chlorpyrifos in µg/l	30	US EPA 8141A	BDL(DL:0.01)
(ix)	Delta-HCH in µg/l	0.04	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(x)	2,4-Dichlorophenoxyacetic acid in µg/l	30	US EPA 515	BDL(DL:0.01)
(xi)	o,p-DDT in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xii)	p,p-DDT in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiii)	o,p-DDE in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiv)	p,p-DDE in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xv)	o,p-DDD in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvi)	p,p-DDD in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvii)	Endosulfan alpha in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xviii)	Endosulfan beta in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xix)	Endosulfan sulfate in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.02)
(xx)	Ethion in µg/l	3.0	US EPA 1657A	BDL(DL:0.01)
(xxi)	Gamma-HCH(Lindane) in µg/l	2.0	US EPA 508, AOAC 990.06	BDL(DL:0.02)
(xxii)	Isoprothuron in µg/l	9	US EPA 532	BDL(DL:0.02)
(xxiii)	Malathion in µg/l	190	US EPA 8141 A	BDL(DL:0.02)
(xxiv)	Methyl parathion in µg/l	0.3	US EPA 8141 A	BDL(DL:0.02)
(xxv)	Monocrotophos in µg/l	1.0	US EPA 8141 A	BDL(DL:0.02)
(xxvi)	Phorate in µg/l	2.0	US EPA 8141A	BDL(DL:0.02)

Remarks:-

The above sample complies with IS 10500:2012

Remarks:- BDL - Below Detection Limit

Report Prepared by:



For Mitra S. K. Private Limited.

Authorized Signatory

# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Raw Water	Date of Report	04.08.2025
Date of Sample	04.07.2025	PO Number	2300245683
Time of Sample	11.30 AM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/07/182	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH (at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rfim: 2012	6.50
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rfim: 2009	3.7
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)-2008 Rfim: 2013	BDL(DL:0.1)
4.	Colour ( Hazen Unit )	5	15	3025 (Part 4)-1983; Rfim:2002	BDL(DL:2.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rfim: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rfim:2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rfim: 2009	0.13
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rfim: 2009	8.2
9.	Total Dissolved Solids in mg/l	500	2000	3025 (Part 16)-1984; Rfim:2002	72.0
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rfim: 2009	4.1
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rfim: 2009	1.3
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	14.0

Remarks: - BDL – Below Detection Limit

The above sample complies with IS 10500:2012

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited.

*A.K. Pathy*  
Authorized Signatory

H.O.: Shrachi Centre (5th Floor), 74B, Acharya Jagadish Chandra Bose Road, Kolkata - 700 016, West Bengal, India  
T: 91 33 4014 3000 / 2265 0006 / 2265 0007, F: 91 33 2265 0008, E: info@mitrask.com, W: www.mitrask.com

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Raw Water	Date of Report	01.09.2025
Date of Sample	13.08.2025	PO Number	2300245683
Time of Sample	12.35 AM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/08/0297	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH ( at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffin: 2012	6.75
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rffin: 2009	4.1
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rffin: 2013	BDL(DL:0.1)
4.	Colour ( Hazen Unit )	5	15	3025 (Part 4)-1983; Rffin:2002	BDL(DL:2.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffin: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rffin:2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffin: 2009	0.11
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffin: 2009	6.3
9.	Total Dissolved Solids in mg/l	500	2000	3025 (Part 16)-1984; Rffin:2002	80.0
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rffin: 2009	4.2
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffin: 2009	1.4
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	16.0

Remarks: - BDL - Below Detection Limit

The above sample complies with IS 10500:2012

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited.

*A.K. Rath*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T: (0674) 2360917, 9777450189  
F: (0674) 2362018



## TEST REPORT

Type of Sample	Raw Water	Date of Report	06.10.2025
Date of Sample	19.09.2025	PO Number	2300245683
Time of Sample	10.40 AM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/09/921	Calibration Due on	N.A
Customer Details		INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024	

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 - 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 - 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH ( at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	7.12
2.	Sulphate (as SO <sub>4</sub> ) in mg/l	200	400	IS 3025 (Part 24)- 1986 Rffm: 2014	4.9
3.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rffm: 2014	7.8
4.	Arsenic (as As) in mg/l	0.01	0.05	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
5.	Lead (as Pb) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
6.	Zinc (as Zn) in mg/l	5.0	15.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
7.	Copper (as Cu) in mg/l	0.05	1.5	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
8.	Mercury (as Hg) in mg/l	0.001	No Relaxation	IS 3025 (Part 48)-1994 Rffm: 2014	BDL(DL:0.0002)
9.	Cadmium (as Cd) in mg/l	0.003	No Relaxation	IS 3025 (PART 2) 2004 RA 2014	BDL(DL:0.001)
10.	Mineral Oil in mg/l	0.5	No Relaxation	IS 3025 (Part 39)-1991 Rffm: 2014	BDL(DL:0.5)
11.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rffm: 2013	BDL(DL:0.2)
12.	Colour ( Hazen Unit )	5	15	3025 (Part 4)-1983; Rffm:2012	BDL(DL:1.0)
13.	Odour	Agreeable	Agreeable	IS 3025 (Part 5)-1983 Rffm:2012	Agreeable
14.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
15.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rffm:2014	BDL(DL:0.1)
16.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm: 2014	BDL(DL:0.05)
17.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2014	9.2
18.	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984; Rffm:2014	82.0
19.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rffm: 2014	8.2
20.	Aluminium (as Al) in mg/l	0.03	0.2	IS 3025 (Part 2)-2004 RA: 2014	BDL(DL:0.01)
21.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2014	3.8
22.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	18.6
23.	Boron (as B) in mg/l	0.5	1.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.3)
24.	Manganese (as Mn) in mg/l	0.1	0.3	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
25.	Nitrate (as NO <sub>3</sub> ) in mg/l	45	No Relaxation	IS 3025 (Part 34)-1988 Rffm: 2014	BDL(DL:0.5)
26.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	0.001	0.002	IS 3025 (Part 43)- 1992 Rffm: 2014	BDL(DL:0.001)
27.	Selenium (as Se) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
28.	Total Chromium ( as Cr) in mg/l	0.05	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.01)
29.	Cyanide (as CN) in mg/l	0.05	No Relaxation	IS 3025 (Part 27)- 1986 Rffm: 2014	BDL(DL:0.01)
30.	Anionic Detergents (as MBAS) in mg/l	0.2	1.0	IS 13428(Annex K)- 2005	BDL(DL:0.05)
31.	Polynuclear Aromatic Hydrocarbons (as PAH) in mg/l	0.0001	No Relaxation	APHA (23rd Edtn) 6440C	BDL(DL:0.0001)

Ref. No. BBS/921

Date- 06.10.2025

## Pesticide Residues Limits as per IS 10500:2012

Sl. No.	Pesticide	Limit	Test Methods	Result
(i)	Alachlor in µg/l	20	US EPA 507	BDL(DL:0.02)
(ii)	Atrazine in µg/l	2.0	US EPA 8141 A	BDL(DL:0.02)
(iii)	Aldrin in µg/l	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(iv)	Dieldrin in µg/l	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(v)	Alpha-HCH in µg/l	0.01	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(vi)	Beta-HCH in µg/l	0.04	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(vii)	Butachlor in µg/l	125	US EPA 8141 A	BDL(DL:0.02)
(viii)	Chlorpyrifos in µg/l	30	US EPA 8141A	BDL(DL:0.02)
(ix)	Delta-HCH in µg/l	0.04	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(x)	2,4-Dichlorophenoxyacetic acid in µg/l	30	US EPA 515	BDL(DL:0.01)
(xi)	o,p-DDT in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xii)	p,p-DDT in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiii)	o,p-DDE in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiv)	p,p-DDE in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xv)	o,p-DDD in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvi)	p,p-DDD in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvii)	Endosulfan alpha in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xviii)	Endosulfan beta in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xix)	Endosulfan sulfate in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xx)	Ethion in µg/l	3.0	US EPA 1657A	BDL(DL:0.02)
(xxi)	Gamma-HCH(Lindane) in µg/l	2.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xxii)	Isoproturon in µg/l	9	US EPA 532	BDL(DL:0.02)
(xxiii)	Malathion in µg/l	190	US EPA 8141 A	BDL(DL:0.02)
(xxiv)	Methyl parathion in µg/l	0.3	US EPA 8141 A	BDL(DL:0.02)
(xxv)	Monocrotophos in µg/l	1.0	US EPA 8141 A	BDL(DL:0.02)
(xxvi)	Phorate in µg/l	2.0	US EPA 8141A	BDL(DL:0.02)

**Remarks: -**

The above sample complies with IS 10500:2012

**Remarks: - BDL - Below Detection Limit**

Report Prepared by:

S.K. Mohanty



For Mitra S. K. Private Limited.

S.K. Path.

Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Treated Water	Date of Report	05.05.2025
Date of Sample	03.04.2025	PO Number	2300245683
Time of Sample	01:15 PM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/04/183	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH (at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	6.96
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)-1991 Rffm: 2009	14.6
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)-2008 Rffm: 2013	BDL(DL:0.2)
4.	Colour (Hazen Unit)	5	15	IS 3025 (Part 4)-1983 Rffm: 2002	BDL(DL:1.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)-1986 Rffm: 2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm: 2009	BDL(DL:0.05)
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2009	8.4
9.	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984 Rffm: 2002	110.8
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)-1986 Rffm: 2009	46.2
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2009	6.4
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	68.6

Remarks:- BDL – Below Detection Limit

The above sample complies with IS 10500:2012.

Report Prepared by: *S. Yang*



For Mitra S. K. Private Limited.

*A. K. Rats*  
Authorized Signatory

# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Treated Water	Date of Report	02.06.2025
Date of Sample	07.05.2025	PO Number	2300245683
Time of Sample	01.15 PM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/05/183	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH ( at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	6.58
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rffm: 2009	3.7
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rffm: 2013	BDL(DL:0.2)
4.	Colour ( Hazen Unit )	5	15	3025 (Part 4)-1983; Rffm:2002	BDL(DL:1.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rffm:2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm: 2009	BDL(DL:0.05)
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2009	8.3
9.	Total Dissolved Solids in mg/l	500	2000	3025 (Part 16)-1984; Rffm:2002	91.0
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rffm: 2009	6.4
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2009	1.8
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	17.0

Remarks: - BDL – Below Detection Limit

The above sample complies with IS 10500:2012

Report Prepared by: *Siyanga*

For Mitra S. K. Private Limited.

*A.K. Das*  
Authorized Signatory



# Mitra S. K. Private Limited



Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918

## TEST REPORT

Type of Sample	Treated Water	Date of Report	03.07.2025
Date of Sample	07.06.2025	PO Number	2300245683
Time of Sample	04.55 PM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/06/388	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH ( at 26° C )	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	7.22
2.	Sulphate (as SO <sub>4</sub> ) in mg/l	200	400	IS 3025 (Part 24)- 1986 Rffm: 2014	BDL(DL:4.0)
3.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rffm: 2014	4.4
4.	Arsenic (as As) in mg/l	0.01	0.05	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
5.	Lead (as Pb) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
6.	Zinc (as Zn) in mg/l	5.0	15.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
7.	Copper (as Cu) in mg/l	0.05	1.5	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
8.	Mercury (as Hg) in mg/l	0.001	No Relaxation	IS 3025 (Part 48)-1994 Rffm: 2014	BDL(DL:0.0002)
9.	Cadmium (as Cd) in mg/l	0.003	No Relaxation	IS 3025 (PART 2) 2004 RA 2014	BDL(DL:0.001)
10.	Mineral Oil in mg/l	0.5	No Relaxation	IS 3025 (Part 39)-1991 Rffm: 2014	BDL(DL:0.5)
11.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rffm: 2013	BDL(DL:0.2)
12.	Colour ( Hazen Unit )	5	15	3025 (Part 4)-1983; Rffm:2012	BDL(DL:1.0)
13.	Odour	Agreeable	Agreeable	IS 3025 (Part 5)-1983 Rffm:2012	Agreeable
14.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
15.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rffm:2014	BDL(DL:0.1)
16.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm: 2014	BDL(DL:0.05)
17.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2014	5.2
18.	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984; Rffm:2014	82.0
19.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rffm: 2014	16.3
20.	Aluminium (as Al) in mg/l	0.03	0.2	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.01)
21.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2014	1.6
22.	Total Hardness ( as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	14.1
23.	Boron (as B) in mg/l	0.5	1.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.3)
24.	Manganese (as Mn) in mg/l	0.1	0.3	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
25.	Nitrate (as NO <sub>3</sub> ) in mg/l	45	No Relaxation	IS 3025 (Part 34)-1988 Rffm: 2014	BDL(DL:0.5)
26.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	0.001	0.002	IS 3025 (Part 43)- 1992 Rffm:2014	BDL(DL:0.001)
27.	Selenium (as Se) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
28.	Total Chromium ( as Cr ) in mg/l	0.05	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.01)
29.	Cyanide (as CN) in mg/l	0.05	No Relaxation	IS 3025 (Part 27)- 1986 Rffm: 2014	BDL(DL:0.01)
30.	Anionic Detergents (as MBAS) in mg/l	0.2	1.0	IS 13428(Annex K)- 2005	BDL(DL:0.05)
31.	Polynuclear Aromatic Hydrocarbons (as PAH) in mg/l	0.0001	No Relaxation	APHA (23rd Edtn) 6440C	BDL(DL:0.0001)

Ref. No. BBS/523

Date- 03.07.2025

**Pesticide Residues Limits as per IS 10500:2012**

Sl. No.	Pesticide	Limit	Test Methods	Result
(i)	Alachlor in µg/l	20	US EPA 507	BDL(DL:0.02)
(ii)	Atrazine in µg/l	2.0	US EPA 8141 A	BDL(DL:0.02)
(iii)	Aldrin in µg/l	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(iv)	Dieldrin in µg/l	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(v)	Alpha-HCH in µg/l	0.01	US EPA508, AOAC 990.06	BDL(DL:0.01)
(vi)	Beta-HCH in µg/l	0.04	US EPA508, AOAC 990.06	BDL(DL:0.01)
(vii)	Butachlor in µg/l	125	US EPA 8141 A	BDL(DL:0.02)
(viii)	Chlorpyrifos in µg/l	30	US EPA 8141A	BDL(DL:0.02)
(ix)	Delta-HCH in µg/l	0.04	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(x)	2,4-Dichlorophenoxyacetic acid in µg/l	30	US EPA 515	BDL(DL:0.01)
(xi)	o,p-DDT in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xii)	p,p-DDT in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiii)	o,p-DDE in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiv)	p,p-DDE in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xv)	o,p-DDD in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvi)	p,p-DDD in µg/l	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvii)	Endosulfan alpha in µg/l	0.4	US EPA508, AOAC990.06	BDL(DL:0.01)
(xviii)	Endosulfan beta in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xix)	Endosulfan sulfate in µg/l	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xx)	Ethion in µg/l	3.0	US EPA 1657A	BDL(DL:0.02)
(xxi)	Gama-HCH(Lindane) in µg/l	2.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xxii)	Isoproturon in µg/l	9	US EPA 532	BDL(DL:0.02)
(xxiii)	Malathion in µg/l	190	US EPA 8141 A	BDL(DL:0.02)
(xxiv)	Methyl parathion in µg/l	0.3	US EPA 8141 A	BDL(DL:0.02)
(xxv)	Monocrotophos in µg/l	1.0	US EPA 8141 A	BDL(DL:0.02)
(xxvi)	Phorate in µg/l	2.0	US EPA 8141A	BDL(DL:0.02)

**Remarks: -**

The above sample complies with IS 10500:2012

**Remarks: - BDL – Below Detection Limit**

*S. Kamra*  
Report Prepared by:



For Mitra S. K. Private Limited.

*A. C. Rath*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Treated Water	Date of Report	04.08.2025
Date of Sample	04.07.2025	PO Number	2300245683
Time of Sample	03:55 PM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/07/085	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH (at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	6.45
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)-1991 Rffm: 2009	41
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)-2008 Rffm: 2013	BDL(DL:0.2)
4.	Colour (Hazen Unit)	5	15	3025 (Part 4)-1983; Rffm:2002	BDL(DL:1.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)-1986 Rffm:2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm:2009	0.08
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2009	8.2
9.	Total Dissolved Solids in mg/l	500	2000	3025 (Part 16)-1984; Rffm:2002	60.0
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)-1986 Rffm: 2009	12.0
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2009	1.0
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	14.0

Remarks: - BDL - Below Detection Limit

The above sample complies with IS 10500:2012

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited,  
*A.K. Path*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-687/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Treated Water	Date of Report	01.09.2025
Date of Sample	13.08.2025	PO Number	2300245683
Time of Sample	11.55 PM	Instrument used for Sampling	N.A
Location	Water Treatment Plant	Calibration Done on	N.A
Sample ID	MSKGL/FD/2025-26/08/0298	Calibration Due on	N.A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH ( at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rffm: 2012	6.51
2.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rffm: 2009	3.7
3.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rffm: 2013	BDL(DL:0.2)
4.	Colour ( Hazen Unit )	5	15	3025 (Part 4)-1983; Rffm:2002	BDL(DL:1.0)
5.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rffm: 2012	BDL(DL:1.0)
6.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rffm:2009	BDL(DL:0.1)
7.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rffm: 2009	0.1
8.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rffm: 2009	7.3
9.	Total Dissolved Solids in mg/l	500	2000	3025 (Part 16)-1984; Rffm:2002	72.0
10.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rffm: 2009	6.2
11.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rffm: 2009	1.3
12.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	14.0

Remarks: - BDL – Below Detection Limit

The above sample complies with IS 10500:2012

Report Prepared by: *S.K. Mohanty*



For Mitra S. K. Private Limited.

*A.K. Pathy*  
Authorized Signatory

# Mitra S. K. Private Limited

Plot No-887/2428, Ekamra Villa Square,  
Jaydev Vihar, 1<sup>st</sup> Floor, IRC Village,  
Bhubaneswar, Khordha, Odisha-751015  
[CIN: U51909WB1956PTC023037]  
T : (0674) 2360917, 9777450189  
F : (0674) 2362918



## TEST REPORT

Type of Sample	Treated Water	Date of Report	06.10.2025
Date of Sample	19.09.2025	PO Number	2300245683
Time of Sample	10.55 AM	Instrument used for Sampling	N/A
Location	Water Treatment Plant	Calibration Done on	N/A
Sample ID	MSKGL/FD/2025-26/09/922	Calibration Due on	N/A
Customer Details	INFOSYS LIMITED PLOT NO. E/4 INFOCITY, BHUBANESWAR-751024		

### BACTERIOLOGICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No	Test Parameters	Limit	Test Method / Specification	Result
1.	E. Coli/100ml	Not Detectable	IS: 15185 : 2016	Not Detected
2.	Total Coliform Organism/100ml	Not Detectable	IS: 15185 : 2016	Not Detected

### CHEMICAL ANALYSIS RESULT AS PER IS: 10500 – 2012

Sl. No.	Test Parameter	Requirement (Acceptable Limit)	Permissible limit in the absence of alternate Source	Test Method / Specification	Result
1.	pH (at 26° C)	6.5 - 8.5	No Relaxation	IS 3025 (Part 11)-1984 Rfim: 2012	6.98
2.	Sulphate (as SO <sub>4</sub> ) in mg/l	200	400	IS 3025 (Part 24)- 1986 Rfim: 2014	BDL(DL:4.0)
3.	Calcium (as Ca) in mg/l	75	200	IS 3025 (Part 40)- 1991 Rfim: 2014	5.4
4.	Arsenic (as As) in mg/l	0.01	0.05	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
5.	Lead (as Pb) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
6.	Zinc (as Zn) in mg/l	5.0	15.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
7.	Copper (as Cu) in mg/l	0.05	1.5	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
8.	Mercury (as Hg) in mg/l	0.001	No Relaxation	IS 3025 (Part 48)-1994 Rfim: 2014	BDL(DL:0.0002)
9.	Cadmium (as Cd) in mg/l	0.003	No Relaxation	IS 3025 (PART 2)- 2004 RA: 2014	BDL(DL:0.001)
10.	Mineral Oil in mg/l	0.5	No Relaxation	IS 3025 (Part 39)-1991 Rfim: 2014	BDL(DL:0.5)
11.	Fluoride (as F) in mg/l	1.0	1.5	IS 3025 (Part 60)- 2008 Rfim: 2013	BDL(DL:0.2)
12.	Colour (Hazen Unit)	5	15	3025 (Part 4)-1983; Rfim:2012	BDL(DL:1.0)
13.	Odour	Agreeable	Agreeable	IS 3025 (Part 5)-1983 Rfim:2012	Agreeable
14.	Turbidity in (N.T.U)	1	5	IS 3025 (Part 10)-1984 Rfim: 2012	BDL(DL:1.0)
15.	Residual free Chlorine in mg/l	0.2	1.0	IS 3025 (Part 26)- 1986 Rfim:2014	BDL(DL:0.1)
16.	Iron (as Fe) in mg/l	1.0	No Relaxation	IS 3025 (Part 53)-1988 Rfim: 2014	BDL(DL:0.05)
17.	Chloride (as Cl) in mg/l	250	1000	IS 3025 (Part 32)-1988 Rfim: 2014	52
18.	Total Dissolved Solids in mg/l	500	2000	IS 3025 (Part 16)-1984; Rfim:2014	94.0
19.	Alkalinity (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 23)- 1986 Rfim: 2014	21.8
20.	Aluminium (as Al) in mg/l	0.03	0.2	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.01)
21.	Magnesium (as Mg) in mg/l	30	100	IS 3025 (Part 46)-1994 Rfim: 2014	2.6
22.	Total Hardness (as CaCO <sub>3</sub> ) in mg/l	200	600	IS 3025 (Part 21)-2013	12.9
23.	Boron (as B) in mg/l	0.5	1.0	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.3)
24.	Manganese (as Mn) in mg/l	0.1	0.3	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.02)
25.	Nitrate (as NO <sub>3</sub> ) in mg/l	45	No Relaxation	IS 3025 (Part 34)-1988 Rfim: 2014	BDL(DL:0.5)
26.	Phenolic Compounds (as C <sub>6</sub> H <sub>5</sub> OH) in mg/l	0.001	0.002	IS 3025 (Part 43)- 1992 Rfimd 2014	BDL(DL:0.001)
27.	Selenium (as Se) in mg/l	0.01	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.005)
28.	Total Chromium (as Cr) in mg/l	0.05	No Relaxation	IS 3025 (Part 2)- 2004 RA: 2014	BDL(DL:0.01)
29.	Cyanide (as CN) in mg/l	0.05	No Relaxation	IS 3025 (Part 27)- 1986 Rfim: 2014	BDL(DL:0.01)
30.	Aliphatic Detergents (as LAS) in mg/l	0.2	1.0	IS 13428(Annex K)- 2005	BDL(DL:0.05)
31.	Polycyclic Aromatic Hydrocarbons (as PAH) in mg/l	0.0001	No Relaxation	APHA (23rd Edtn) 6440C	BDL(DL:0.0001)

Ref. No. BBS/922

Date- 06.10.2015

**Pesticide Residues Limits as per IS 10500:2012**

Sl. No.	Pesticide	Limit	Test Methods	Result
(i)	Alachlor in $\mu\text{g/l}$	20	US EPA 307	BDL(DL:0.02)
(ii)	Atrazine in $\mu\text{g/l}$	2.0	US EPA 8141 A	BDL(DL:0.02)
(iii)	Aldrin in $\mu\text{g/l}$	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(iv)	Dieldrin in $\mu\text{g/l}$	0.03	US EPA 525.2, AOAC 991.06	BDL(DL:0.01)
(v)	Alpha-HCH in $\mu\text{g/l}$	0.01	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(vi)	Beta-HCH in $\mu\text{g/l}$	0.04	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(vii)	Butachlor in $\mu\text{g/l}$	125	US EPA 8141 A	BDL(DL:0.02)
(viii)	Chlorpyrifos in $\mu\text{g/l}$	30	US EPA 8141A	BDL(DL:0.02)
(ix)	Delta-HCH in $\mu\text{g/l}$	0.04	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(x)	2,4-Dichlorophenoxyacetic acid in $\mu\text{g/l}$	30	US EPA 515	BDL(DL:0.01)
(xi)	o,p-DDT in $\mu\text{g/l}$	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xii)	p,p-DDT in $\mu\text{g/l}$	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiii)	o,p-DDE in $\mu\text{g/l}$	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xiv)	p,p-DDE in $\mu\text{g/l}$	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xv)	o,p-DDD in $\mu\text{g/l}$	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvi)	p,p-DDD in $\mu\text{g/l}$	1.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xvii)	Endosulfan alpha in $\mu\text{g/l}$	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xviii)	Endosulfan beta in $\mu\text{g/l}$	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xix)	Endosulfan sulfate in $\mu\text{g/l}$	0.4	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xx)	Ethion in $\mu\text{g/l}$	3.0	US EPA 1657A	BDL(DL:0.02)
(xxi)	Gama-HCH(Lindane) in $\mu\text{g/l}$	2.0	US EPA 508, AOAC 990.06	BDL(DL:0.01)
(xxii)	Isoproturon in $\mu\text{g/l}$	9	US EPA 532	BDL(DL:0.02)
(xxiii)	Malathion in $\mu\text{g/l}$	190	US EPA 8141 A	BDL(DL:0.02)
(xxiv)	Methyl parathion in $\mu\text{g/l}$	0.3	US EPA 8141 A	BDL(DL:0.02)
(xxv)	Monocrotophos in $\mu\text{g/l}$	1.0	US EPA 8141 A	BDL(DL:0.02)
(xxvi)	Phorate in $\mu\text{g/l}$	2.0	US EPA 8141A	BDL(DL:0.02)

**Remarks: -**

The above sample complies with IS 10500:2012

**Remarks: - BDL - Below Detection Limit**

Report Prepared by

S. K. Mohanty



For Mitra S. K. Private Limited.

A. K. Pathak

Authorized Signatory