

SEIAA/COMPLIANCE-REPORT-EQUINOX/2024-25/02

29th May 2025

To,
Member of Secretary, SEIAA,
Forests Ecology and Environmental Department,
7th Floor, 4th Stage, M.S Building,
Dr. Ambedkar Veedhi,
Bengaluru – 560001.

Dear Sir/Madam,

Sub: Submission of Six-monthly compliance report (from October'2024 to March'2025) of completed construction project at Plot No.47, Sy.No. 10, Konappana Agrahara Village, Begur Hobli, Electronics City, Bengaluru - 560100.

Ref 1: Environmental clearance vide No: SEIAA 26 CON 2009. Dated: 07-01-2010

As per the requirement of the above environmental clearance, we are submitting the following half yearly reports for your perusal.

Annexure 1: Compliance report with status

Annexure 2: Ambient air quality reports

Annexure 3: Ambient noise monitoring reports

Annexure 4: DG stack monitoring reports

Annexure 5: STP water analysis reports

Kindly accept and acknowledge the receipt of the same.

Thanking you,

Yours Sincerely,

For INFOSYS LIMITED

Bhave Si Com

AUTHORIZED SIGNATORY

INFOSYSLIMITED

CIN: L85110KA1981PLC013115

44, Infosys Avenue Electronics City, Hosur Road Bengaluru 560 100, India

T 91 80 2852 0261

F 91 80 2852 0362

askus@infosys.com

www.infosys.com

COMPLIANCE TO EC CONDITIONS For EQUINOX (SEIAA:26: Con:2009)

Ms Infosys Limited

Plot No.47, Sy.No. 10, Konappana Agrahara Village, Begur Hobli, Electronics City, Bengaluru - 560100

Plot No. 47, Sy. No. 10, Konappana Agrahara Village, Begur Hobli, Electronics City, Bengaluru - 560100 Part A- SPECIFIC CONDITIONS				
Sl.No	EC Conditions	Compliance Status		
1. <u>Cc</u>	nstruction Phase			
1.	Set up an environment management cell and ensure that the cell manages / maintains all the environmental aspects such as sewage treatment, solid waste disposal, maintenance of green belt areas, etc., and in case the commercial space is sold / leased, then enter into an agreement with the prospective buyers to			
	ensure that they maintain the cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied to raise a corpus fund to maintain the Environment cell.	Project construction is completed and adhered to EC conditions.		
2	Appoint an Environment and safety engineer during the construction phase to take care of environment and safety aspects.			
3	The project proponent should ensure that during the construction phase utmost care is taken to ensure that there is no noise nuisance, no air and water pollution and no disturbance to the nearby inhabitants. In case of violation, the project construction activity may have to be directed to be stopped.			
4	The project proponent should cover the project site from all sides by raising sufficiently tall barricades with sheets to ensure that pollutants do not spill to the surroundings.			
5	Provide at the main entrances bell gates, which are located at least 12' inside the boundary of the project to enable smooth flow of traffic on the main road leading to the entrance.			
6	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction work force.			
7	A First Aid Room should be provided in the Project both during construction and operation of the project.			
8	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of waste water and solid wastes generated during construction phase should be ensured.			
9	Provision shall be made for the housing of construction laborers within the site with all necessary infrastructures. The housing may be in the form of temporary structures to be removed after the completion of the project. The facilities shall include the creche.			



23	Water demand during construction should be reduced by use of pre mixed concrete, curing agents and other best practices Only tertiary treated water shall be used for construction as per G.O. No. FEE 188 ENV 2003 dated 14.08.2003	
24	No ground water is to be drawn without permission from the Central Ground Water Authority.	
25	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	
26	Treatment of 100% grey water by decentralized treatment should be done.	
27	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	
28	Use of glass shall not exceed 40% of exposed area to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	
29	The provision of Energy Conservation Building code, 2006 shall be fully complied with.	
30	Roof should meet prescriptive requirement as per Energy Conservation Building Code, 2006 by using appropriate thermal insulation material.	
31	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, 2006 which is proposed to be mandatory for all air conditioned spaces while it is optional for non-air conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.	>
32	The proponent shall allocate Rs. 5 lakhs to the development of Karanji Lake of Mysore/Development of infrastructure at Bannerghatta Biological park towards the corporate social commitment made vide letter dated 02.10.2010 as committed and report be submitted to the authority.	
П,	Operation Phase.	
1	The installation of the Sewage Treatment Plant (STP) of total capacity 100 KLD should be carried out before the construction of the second floor of the main structure is commenced and the plant shall be got certified by an independent expert and a report in this regard should be submitted to the SEIAA immediately. Discharge of treated sewage shall conform to the norms & standards of the Karnataka State Pollution Control Board. Treated	Sewage treatment plant of 80 KLD capacity is installed and commissioned to treat the generated sewage and meet the KSPCB urban reuse standard for
	sewage should be used for flushing, gardening, etc. as proposed,	flushing, gardening and HVAC usage.
2	Rainwater harvesting for roof run-off with 30 Cum capacity of 02 tanks at ground level for rainwater collection and also surface run-off harvesting as per the plan submitted should be implemented.	Combination of Recharge pit, injection wells & desilting pit are



7	Incremental pollution loads on the ambient air quality; noise and water quality should be periodically monitored after commissioning of the project.	Ambient air quality & Noise monitoring are carried on quarterly basis. Water quality is monitored on a Monthly basis.
8	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for the complex should be provided. Details in this regard should be submitted to the SEIAA.	Solar photo voltaic plant is installed on the roof tops and the same is utilized in the building for meeting electricity needs. The layout of street & building maximizes the potential for solar energy devices. Solar street lightings are installed in common area, landscape area.
9	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized, and no public space should be utilized.	Car parking facility is provided in basement area and MLCP, no public space has been used for parking.
10	A Report on the energy conservation measures confirming to energy conservation norms finalized by the Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submit to the SEIAA in three months time.	Submitted during construction phase
11	All toilets should have dual plumbing line for using treated water and no wastewater is discharged from the unit.	Dual piping system is implemented for use of STP treated water for flushing.
12	The Environment Management Plan including the human health and Safety management plan and Fire Safety and Protection plan proposed by the proponent shall be strictly implemented.	EMP's are executed considering various Environment, Health, Safety & Fire protection activities.
13	The proposed building shall have D.G.Set of 3 Nos. X 750 KVA as an alternate power supply source as proposed.	Project area is provided with 1010 KVA and 1250 KVA DG sets as an alternate power supply.
14	The project Authorities shall submit an undertaking to the Authority regarding availing water supply through pipeline for the operating phase and not through tankers.	Obtained BWSSB connection for water supply.



	The advertisement should be made within 7 days from the day of isue of the clearance letter and a copy of the same should be forwarded to the APCCF, Regional Office of the MoEF at Bengaluru/ Department of Environment and Ecology, Bengaluru.	
11	The project proponent should display the conditions prominently at the entrance of the project on a suitable size board for the information of the public.	Displayed condition on the board at the entrance of project site.
12	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991and EIA Notification, 2006.	Adhered to EC condition
13	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.	Construction work has been started after obtaining Environmental clearance
14	The issuance of Environment Clearance doesn't confer any right to the project proponent to operate/ run the project without obtaining Statutory clearances/sanctions from all other concerned authorities.	Adhered to EC condition and obtained statutory clearances/sanctions from the concerned authorities

