

HBLSEZ/FAC/MoEF/19-20/01

November 22, 2019

The Director(s),  
Ministry of Environment and Forests,  
Government of India, Regional office (south zone),  
Kendriya Sadan, IV Floor, E & F Wings,  
17th Main Road, II Block, Koramangala,  
Bengaluru – 560034

Dear Sir,

**Sub:** Submission of Six-month compliance report (April 2019 to September 2019) for the Development of IT/ITES Office building at Survey Nos 217P, 353P, 221P, 222, 223, 224, 225, 226P,238, 239/1P, 239/2P, 245/1P, 245/2P, 245/3P, 246/1P, 246/2P,246/3P, 247/1P, 247/2P, 248P, 254P, 257/3P and 257/4P of Gokul village, Hubballi Taluk, Hubballi-Dharwad district, by M/s. Infosys Limited, Bengaluru.

**Ref:** Environmental Clearance vide No. SEIAA 182 CON 2015 dated: 21st Dec 2015 issued by SEIAA Karnataka.

As per the requirement of the above environmental clearance, we are hereby submitting hard & soft copy of the compliance report to the conditions stipulated in the EC for your perusal.

1. Compliance report - Annexure 1
2. Ambient air quality & Noise reports - Annexure 2
3. STP outlet sample analysis report - Annexure 3
4. Ground water test report - Annexure 4
5. Emission test report - Annexure 5

Kindly acknowledge the same

Yours faithfully,

Authorized Signatory,

Suresh M Kunnath

Regional Manager - Facilities and Administration

Infosys Ltd.

Hubli -580030.

Email: [biss\\_varghese@infosys.com](mailto:biss_varghese@infosys.com)

Mobile : 8105886703

**INFOSYS LIMITED**

CIN: L85110KA1981PLC013115

44, Infosys Avenue

Electronics City, Hosur Road

Bengaluru 560 100, India

T - 91 80 2852 0261

F - 91 80 2852 0362

[askus@infosys.com](mailto:askus@infosys.com)[www.infosys.com](http://www.infosys.com)

**COMPLIANCE REPORT FOR  
DEVELOPMENT OF IT/ITES OFFICE**

**BUILDING PROJECT  
[April 2019 – September 2019]  
AT**

**SY. NO's 217P, 353P, 221P, 222, 223, 224, 225, 226P,  
238, 239/1P, 239/2P, 245/1P, 245/2P, 245/3P, 246/1P, 246/2P,  
246/3P, 247/1P, 247/2P, 248P, 254P, 257/3P and 257/4P  
OF GOKUL VILLAGE,  
HUBBALLI TALUK,  
DHARWAD DISTRICT**

**PROMOTER:  
M/s. INFOSYS LIMITED,  
BENGALURU**

**PROJECT AT A GLANCE**

1.	Name & address of the project proponent	M/s. Infosys Limited, 44, Electronic city, Hosur Road, Bengaluru - 560 100
2.	Name & address of the project location	Development of IT/ITES Office Building project at Sy. No 217P, 353P, 221P, 222, 223, 224, 225, 226P, 238, 239/1P, 239/2P, 245/1P, 245/2P, 245/3P, 246/1P, 246/2P, 246/3P, 247/1P, 247/2P, 248P, 254P, 257/3P and 257/4P of Gokul Village, Hubballi Taluk, Dharwad District
3.	Type of the project	Development of IT/ITES Office Building
4.	Project description	Proposed Building consists of 2 Nos. of Software Development (Building -1 & 3), Building in G+5UF, Food court & Customer Care centre (Building -2) in G+2UF & Employee Care centre (Building - 4) in G+3UF.
5.	Cost of the project proposed	Rs.322 Crores
6.	Total Site area proposed	1,74,215.82 Sqmt
7.	Total Built up area proposed	66,795 Sqmt
8.	Environmental clearance No.	No. SEIAA 182 CON 2015 Dated 21 <sup>st</sup> Dec 2015
9.	Status of Construction	- Food court & Customer Care centre [building 2] -BUA of 68,609 Sq ft Completed - Software Development blocks [building 1&3] -288430 Sq ft is Completed - Employee Care centre (Building - 4)- yet to be started

COMPLIANCE TO EC CONDITIONS

**PART A - SPECIFIC CONDITIONS:**

I.	CONSTRUCTION PHASE	
Sl. No.	EC Conditions	Action taken
1.	Set up an environment management cell and ensure that the cell manages/ maintains all the environmental aspects such as sewage treatment, solid waste disposal, maintenance of green belt areas, etc., and in case the commercial space is sold/ leased, then enter into an agreement with the prospective buyers to ensure that they maintain the cell and take care of all environment concerns during the operation phase of the project. In addition, sufficient fees should be levied so as to raise a corpus fund to maintain the Environment cell.	All environmental aspects such as sewage treatment, solid waste disposal, maintenance of green belt areas are being maintained in the site.  Environmental Management cell has been setup and continued for operation phase.
2.	Appoint an Environment and safety engineer during the construction phase to take care of environment and safety aspects.	We have safety engineers in the project site to take care of environment and safety aspects.
3.	The project proponent should ensure that during the construction phase utmost care is taken to ensure that there is no noise nuisance,  no air and water pollution and no disturbance to the nearby inhabitants. In case of violation, the project construction activity may have to be directed to be stopped.	Precautionary measures are taken to avoid nuisance, air and water pollution.  The DG sets are provided with adequate stacks to reduce the effect of air pollutants emitted. The acoustic enclosures have been provided to avoid the nuisance due to noise generated from the DG sets.  Major construction activities are carrying in day time to avoid the noise nuisance. Air and Noise quality

		analysis were conducted in the project site. The analysis reports are enclosed as <b>Annexure - A</b> .
4.	The project proponent should cover the project site from all sides by raising sufficiently tall barricades with sheets to ensure that pollutants do not spill to the surroundings	Project site is covered by compound wall with barricades to curtail the spilling of pollutants to the surrounding for the construction area.
5.	Provide at the main entrances bell gates, which are located at least 12' inside the boundary of the project to enable smooth flow of traffic on the main road leading to the entrance.	Provision is made at the main entrance to enable smooth flow of traffic on the main road leading to the entrance
6.	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase. Sufficient number of toilets/bathrooms shall be provided with required mobile toilets, mobile STP for construction work force.	All required sanitary and hygienic measures are adopted & will be maintained throughout the construction phase. Sufficient numbers of toilets & bathrooms are provided for the labours & the generated sewage is being treated in STP STP treated water test reports are enclosed as <b>Annexure - B</b> .
7.	A First Aid Room should be provided in the Project both during construction and operation of the project.	The first aid room is provided in the project site & this facility will be continued during operation phase also.
8.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and	Drinking water for the construction labours is sourced through external agencies & the analysis report for the same is enclosed as <b>Annexure - C</b> . The generated sewage is treating in STP. Dust bins are provided in the

	solid wastes generated during the construction phase should be ensured.	site for collection of domestic solid waste and collected waste is bifurcated as organic & recyclable waste and handed over to local vendors
9.	Provision shall be made for the housing of construction labourers within the site with all necessary infrastructures. The housing may be in the form of temporary structures to be removed after the completion of the project. The facilities shall include the crèche.	For the construction labours, temporary housing facilities are made within the project site & same will be removed once after the completion of the project.
10.	Provision should be made for the supply of fuel (kerosene or cooking gas); utensils such as pressure cookers etc. to the labourers during construction phase.	LPG is provided as fuel for cooking.
11.	All the labourers to be engaged for construction should be screened for health and adequately treated before engaging them to work at the site and detailed report submitted to SEIAA. Safety standards as per National Building Code (NBC) should be ensured	The labours health screening was done before appointing them for construction work. Periodic medical evaluation camp is conducting for all the labours working in the project site.
12.	For dis-infection of wastewater which is not meant for recycling for toilet flushing, use ultra violet radiation and not chlorination. For treated wastewater meant for reuse for toilet flushing, disinfect by using chlorination.	Sewage generated from the labourers during construction is treating in STP. Treated water is using for construction / Landscaping after disinfection. During operation phase, treated water will be used for flushing after disinfect by using chlorination
13.	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	We have used the generated top soil for backfilling, for landscaping and for road formation.

14.	<p>Disposal of muck, construction debris during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.</p>	<p>The generated construction debris is used within the site for roads &amp; pavement formation; hence there is no possibility of adverse effect on the neighboring communities</p>
15.	<p>Soil and ground water samples should be tested at the project site during the construction phase to ascertain that there is no threat to ground water quality by leaching of heavy metals and or other toxic contaminants and report submitted to SEIAA.</p>	<p>The ground water samples near project site are tested</p>
16.	<p>Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.</p>	<p>Ready mix concrete is using for construction activity &amp; other similar activities are carried out on impervious floors. Hence there are no possibilities of leaching of pollutants.</p>
17.	<p>The diesel generator sets to be used during construction phase should be of low Sulphur diesel type and should conform to E (P) Rules prescribed for air and noise emission standards.</p>	<p>The fuel using for DG sets is of low Sulphur content &amp; conforms to E (P) Rules prescribed for air and noise emission standards.</p>
18.	<p>Vehicles hired for bringing construction material to the site should be in good condition and should conform to the applicable air and noise emission standards and should be operated only during non-peak hours.</p>	<p>The vehicles using during construction are maintained in good condition &amp; are operated during non-peak hours. To comply air &amp; noise emission standards, emission test are conducted for all vehicles. Emission test reports are enclosed as <b>Annexure-E</b>.</p>

19.	Ambient noise levels should conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures to reduce air and noise pollution during construction keeping in mind CPCB norms on noise limits.	<ul style="list-style-type: none"> <li>• The site is periodically watered to reduce emissions of dust particles.</li> <li>• Site is barricaded all along the boundary to avoid fugitive dust emission.</li> <li>• Less noise generating Equipments are using for construction.</li> <li>• Ambient air and noise test were conducted in the project site and the reports are enclosed in <b>Annexure - A</b>.</li> </ul>
20.	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on August 2003.	As there is no availability of fly ash made building materials, no usage of such materials in the construction work.
21.	Ready mixed concrete must be used in building construction.	Ready mixed concrete is being used in building construction.
22.	Storm water control and its re-use as per CGWB and BIS standards for various applications.	Storm water control and its re-use are adopted in the proposed project, as the stage wise construction is going on, it will be implemented accordingly.
23.	Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices and only tertiary treated water shall be used for construction as per G.O. No. FEE 188 ENV 2003 dated 14.08.2003.	To reduce water demand ready mixed concrete, precast concrete blocks etc, are using in construction
24.	No ground water is to be drawn without permission from the Central Ground Water Authority.	No ground water is using in the project site.



25.	Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.	Dual plumbing plan is implemented in the proposed project.
26.	Treatment of 100% grey water by decentralized treatment should be done.	Sewage Treatment plant is operational. At present no grey water is generated at site.
27.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	Pressure reducing devices is installed in various plumbing fixtures.
28.	Use of glass shall not exceed 40% of exposed area to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.	All vision glass panels used are dark tinted, reflective and tinted with low-E coating with the U-value of 1.80. Spandrel Glass panels are dark tinted. Clear glass being used only for the entrance lobby which is covered and thus protected from solar heat gain by the building natural shading
29.	The provision of Energy Conservation Building code, 2007 shall be fully complied with.	Whole Building Simulation route was selected for ECBC compliance instead of prescriptive route.
30.	Roof should meet prescriptive requirement as per Energy Conservation Building Code, 2007 by using appropriate thermal insulation material.	As per Energy Conservation Building Code, thermal insulation techniques & materials are being used in construction
31.	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, 2007 which is proposed to be mandatory for all air conditioned spaces while it is optional for non-air conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.	The opaque wall is proposed to meet prescriptive requirement. The U & R values are proposed to achieve as per ECBC guidelines.

32.	Facilities such as ramps and separate parking shall be provided for the benefit of physically challenged.	Buildings are designed to ensure easy access for differently abled employees.
33.	The project shall be made operational only after necessary infrastructure/connection for water supply and sewerage line is provided and commissioned by the Competent Authorities.	The project will commence its operation only after obtaining necessary infrastructure/ connection for water supply and sewerage line from the Competent Authorities. For supply of water agreement with KSWP is available. Obtained Consent for operation from KSPCB
34.	The project authority shall maintain and operate the common infrastructure facilities created including STP and solid waste management facility efficiently.	We will maintain and operate the STP with other related issues and solid waste management facility efficiently
35.	The project authority shall incorporate a suitable condition in the Sale Agreement/Deed to be made with the buyers that the occupier/buyer holds the responsibilities jointly with other users to maintain common infrastructure facilities created including STP and solid waste management facility.	As the project is proposed for our own use we will maintain all infrastructure and other facilities throughout the operation phase.
36.	The Proponent shall obtain the construction material such as stones and jelly etc. only from the approved quarries and other construction material shall also be procured from the authorized agencies/traders.	The materials using for construction are being obtained from approved quarries & from the authorized agencies/traders
37.	The proponent shall obtain approval from the competent authorities for structural safety of the building due to earthquake, adequacy of fire fighting equipment etc. as per the National Building Code (NBC) including protection measures for lightning etc.	The project is planned as per the NBC Standards; necessary protection measures are adopted & we have obtained approval from the competent authorities for structural safety of the building.

38.	The project authorities shall ensure that no water bodies are polluted due to project activities.	It is ensured that no water bodies will be polluted from the project.
39.	Safety standards as per National Building Code (NBC), 2005 should be followed and ensured.	NBC safety standards will be followed.
40.	The project Authorities shall ensure that the National Building Code, 2005 is fully complied with and adhered to.	It is ensured that proposed project is planned as per NBC and it fully complied with.
41.	The project authorities shall not use Kharab land if any for any purpose and keep available to the general public duly displaying a board as public property. No structure of any kind be put up in the Kharab land and shall be afforested and maintained as green belt only.	No Kharab land has been used in the proposed project.
42.	The project authority shall obtain NOC before commencement of the construction activity and clearance after the completion of the construction from the Fire and Emergency Services Department, if applicable.	We have obtained NOC before commencement of the construction activity from Fire and Emergency Services Department. Also we have received the fire clearance certificate after the completion of buildings.
43.	The project Authorities shall ensure the time specification prescribed the Honourable High Court of Karnataka in W.P. No. 1958/2011 (LBRES- PIL) on 04.12.2012 for different activities involved in construction work.	Time specification prescribed by the Honourable High Court of Karnataka on 04.12.2012 for different activities involved in construction work is being followed
44.	The proponent shall take up the construction activity only after obtaining NOC clearance from the competent authority for assured supply of water as the case may be.	Agreement with KSWP is available for the supply of water

45.	<p>The project authorities shall ensure that the construction activity is undertaken strictly in accordance with the approved site plan / layout drawing annexed to this Environmental Clearance letter. However, it is subject to compliance to the provisions of local authorities regarding setbacks, FAR etc. Shall be adhered to.</p>	We will obey the EC condition.
46.	<p>The existing water body, canals and rajakaluve and other drainage and water bound structures shall be retained unaltered with due buffer zone as applicable and maintained under tree cover.</p>	<p>There is no existing water body, canals and rajakaluve near the project site. Water body, canals, rajakaluve and other drainage and water bound structures will be unaltered.</p> <p>There is no existing water body, canals and rajakaluve near the project site.</p>
47.	<p>The project authorities shall leave the appropriate buffer from the boundary lake and on either side of the channel / nala and other water bodies as per the norms of the local planning Authority and this shall be free from any permanent structures. The buffer so maintained shall be planted with indigenous tree species such as Neem, Akash Mallige, Mahagoni, Honge, Kadamba Ficus, etc and maintained as green belt.</p>	
48.	<p>The natural sloping pattern of the project site shall remain unaltered and the natural hydrology of the area be maintained as it is to ensure natural flow of storm water.</p>	<p>No alteration will be made for the natural sloping pattern of the project site and the natural hydrology of the area will be maintained as it is to ensure natural flow of storm water.</p>
49.	<p>Lakes and other water bodies within and/or at the vicinity of the project area shall be protected and conserved.</p>	<p>Lakes and other water bodies within and / or at the vicinity of the project area will be protected and conserved.</p>

II.	OPERATION PHASE	
1	<p>The installation of the Sewage Treatment Plant (STP) of total capacity 276 KLD should be carried out before the construction of the second floor of the main structure is commenced and</p> <p>the plant shall be got certified by an independent expert and a report in this regard should be submitted to the SEIAA immediately. Discharge of treated sewage shall conform to the norms &amp; standards of the Karnataka State Pollution Control Board. Treated sewage should be used for flushing, gardening, etc. as proposed, using dual plumbing line.</p>	<p>Sewage Treatment plant has been proposed and its construction works are completed. Obtained consent for operation from KSPCB. STP is designed to treat the sewage to meet the KSPCB urban reuse standards and the treated sewage will be reused for flushing and for gardening.</p>
2	<p>Rainwater harvesting for roof run-off with 330 Cum capacity of tanks at ground level for rainwater collection and also surface run-off harvesting as per the plan submitted should be implemented with 122 Nos. of recharge pits and pre-treatment must be done to remove suspended matter, oil and grease before recharging the surface run off.</p>	<p>The rain water harvesting plan is implemented in the project site; rain water harvesting tanks having 518 KL capacity is constructed. Also 4 crores liter capacity of pond is available. 10 tube wells are constructed for rain water harvesting.</p>
3	<p>Ensure that the excess runoff rainwater from the greenbelt area, which is irrigated by treated water, does not get into recharge pits and contaminate the ground water. Such excess flow should be safely let in to the storm water drains.</p>	<p>Proper care has been taken, not to contaminate the ground water from the excess runoff rainwater from the greenbelt area, which is irrigated by treated water; and excess runoff will be safely collected in a pond.</p>
4	<p>The solid waste generated should be properly collected and segregated insitu. The Biodegradable organic waste be composted by installing bio-converter in site and used. The</p>	<p>The generated solid waste will be collected in separate bins &amp; the organic waste will be processed in proposed organic waste converter within the project site &amp; recyclable will be handed over to authorized recyclers.</p>

	non-biodegradable waste be disposed to the authorized recyclers.	
5	Any hazardous waste including biomedical waste should be disposed off as per the applicable Rules and norms with necessary approvals of the Karnataka State Pollution Control Board.	The hazardous waste i.e. waste oil, generated from the proposed project will be from DG sets. This will be stored in leak proof containers & will be hand over to KSPCB authorized waste oil recyclers.
6	The project proponent shall develop a minimum of 33% of the project area for green belt. The proposed Greenscape is 1,23,561.32 Sqm (70.92% of total plot area). The proponent shall undertake Plantation of heavy foliage indigenous tree species such as Mahagoni, Honge, Neem, Akash Mallige, Kadamba, Ficus and Ashoka, etc at an espacement of 3mts x 3 mts i.e. 1111 plants/hectare.  The green belt design along the periphery of the plot shall achieve attenuation factor confirming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.	Green belt is planned accordingly for 70.92% of the project site area with native species.
7	Incremental pollution loads on the ambient air quality; noise and water quality should be periodically monitored after commissioning of the project.	Regular monitoring of ambient air, noise and water quality analysis will be carried out after commissioning of the project.
8	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A	Energy generated from proposed solar PV will be used for lightings.

	<p>hybrid system or fully solar system for the complex should be provided. Details in this regard should be submitted to the SEIAA.</p>	
9	<p>Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.</p>	<p>Surface car parking facility is provided &amp; no public space will be used for parking.</p>
10	<p>A Report on the energy conservation measures confirming to energy conservation norms finalized by the Bureau of Energy Efficiency should be prepared incorporating details about building materials &amp; technology, R &amp; U Factors etc and submit to the SEIAA in three months time.</p>	<p>Whole Building Simulation route was selected for ECBC compliance instead of prescriptive route.</p>
11	<p>All toilets should have dual plumbing line for using treated water and no wastewater is discharged from the unit.</p>	<p>Dual piping system has been implemented in the proposed project.</p>
12	<p>The Environment Management Plan including the human health and Safety management plan and Fire Safety and Protection plan proposed by the proponent shall be strictly implemented.</p>	<p>Environment Management Plan including the human health and Safety management plan and Fire Safety and Protection plan will be implemented.</p>
13	<p>The proposed building shall have D.G. Set of 2 Nos. x 1010 KVA and 1No. X 750 KVA as an alternate power supply source as proposed.</p>	<p>Installed D.G. Set of 1 No X 500 KVA and 1 No X 320 KVA as an alternate power supply source for the buildings.</p>
	<b>PART B - GENERAL CONDITIONS</b>	

1.	The Environmental safeguards contained in the application should be implemented in letter and spirit.	The Environmental safeguards as mentioned in the application have been implemented effectively during construction phase and The same will be implemented with true spirit in operation phase also.
2.	All commitments made by the proponents in their application, and subsequent letters addressed to the SEAC/SEIAA should be accomplished before the construction work of the project is completed.	It is being followed.
3.	Half yearly monitoring reports should be submitted to the SEIAA and the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office, MoEF, Bengaluru.	Six monthly monitoring reports along with the compliance to the Environmental clearance conditions are being submitted to R.O, MoEF and KSEIAA.
4.	Officials from the Department of Environment and Ecology, Bengaluru/ Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office of MoEF, Bengaluru who would be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF / SEIAA should be forwarded to the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office of MoEF,	Will adhere to EC condition.



	Bengaluru / Department of Environment and Ecology, Bengaluru.	
5	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.	Will adhere to EC condition.
6	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.	Will adhere to EC condition.
7	The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environmental clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Same will be followed, if any.
8	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.	All necessary permissions have been obtained from the competent authorities

9	<p>The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the Karnataka State Pollution Control board and may also be seen on the website of the SEIAA, Karnataka at <a href="http://www.seiaa.kar.nic.in">http://www.seiaa.kar.nic.in</a>. Or <a href="http://seiaa.karnataka.gov.in">http://seiaa.karnataka.gov.in</a>, <a href="http://environmentclearance.nic.in">http://environmentclearance.nic.in</a>. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional Director (Environment), Department of Environment and Ecology, Government of Karnataka, Karwar and the APCCF, Regional Office, MoEF at Bengaluru/Department of Environment and Ecology, Bengaluru.</p>	Already complied.
10	The project proponent should display the conditions prominently at the entrance of the project on a suitable size board for the information of the public.	We have displayed the conditions on the board at the entrance of the project.
11	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted
12	These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) act	For the proposed project, CFE & CFO has been obtained under Water act & Air act; EC has been obtained under EIA notification and as per these stipulations, development is schedule in the

	1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.	project site.
13	For the proposed project, CFE has been obtained under Water act & Air act; EC has been obtained under EIA notification and as per these stipulations, development is schedule in the project site.	Construction work for the proposed project has been started after obtaining the environmental clearance
14	The issuance of Environment Clearance doesn't confer any right to the project proponent to operate/run the project without obtaining Statutory clearances/sanctions from all other concerned authorities.	We will obey the EC condition.



SHE Techno Laboratory Pvt. Ltd.  
H. 120 (2/21), 1st Floor, 1st Main,  
Industrial Town, Rajahmundry  
Bangalore - 560 044

e-mail: shechno@shechno.com  
Tel: +91-30-2215-6630

## Test Report

### Noise level Monitoring Report

Name of the Industry & Address		Infosys Sy.No. 217P, 353P, 221P, Gokul Village, Hubballi Taluk, Dharwad District.	
Sample Collected by		SHE Techno Laboratory Pvt Ltd	
Particulars of sample collected		Noise Level Measurements	
Date of Collection :	06.05.2019	Date of Sample Receipt :	07.05.2019
Report Number :	STLPL/05/6693	Report Date :	09.05.2019


SL No.	Sample Location	Sample Code	Period of Sampling in min	Sampling Frequency in min	Results			KSPCB Standards (Commercial Area)
					Max dB(A)	Min dB(A)	Leq dB(A)	
1.	Near Main Gate	941	30	1	63.8	61.5	62.6	65dB(A) Day Time

Inference	The Results Conforms to KSPCB Standards.
-----------	------------------------------------------

\*\*\*\*\* End of Test Report\*\*\*\*\*

Page 1 of 1

  
ANALYST

  
AUTHORIZED SIGNATORY / Technical / Quality Manager

- Note:**
- The results refer only to the tested samples & applicable parameters.
  - This report not to be reproduced wholly or in part & cannot be used as evidence in the Court of Law & should not be used in any advertising media without our special permission in writing.
  - Sample is drawn by us unless otherwise stated. Sample will be destroyed after seven days from the date of issue of test certificate unless otherwise specified. Perishable samples will not be retained.
  - Total liability of our laboratory is to invoiced amount. Any disputes arising out of this report is subjected to Bangalore jurisdiction only.



## Test Report

### Analysis Report of Ambient Air Quality

<b>Name &amp; Address of the Customer</b>		Infosys Sy.No. 217P, 353P, 221P, Gokul Village, Hubballi Taluk, Dharwad District.	
<b>Sample Collected by</b>		SHE Techno Laboratory Pvt Ltd	
<b>Sample Code</b>		931	
<b>Date of Collection :</b>	06.05.2019	<b>Date of Sample Receipt :</b>	07.05.2019
<b>Report Number :</b>	STLPL/05/6692	<b>Report Date :</b>	09.05.2019

SL.No.	Parameters & Units	Results	NAAQ Standards	Protocol
		Near Main Gate		
1	Particulate Matter (PM <sub>10</sub> ) µg/m <sup>3</sup>	90.2	100	IS: 5182 (P23)
2	Particulate Matter (PM <sub>2.5</sub> ) µg/m <sup>3</sup>	25.7	60	CPCB Manual
3	Sulphur Dioxide, µg/m <sup>3</sup>	7.0	80	IS: 5182 (P2)
4	Nitrogen Dioxide, µg/m <sup>3</sup>	24.8	80	IS: 5182 (P6)

<b>Inference</b>	The Results Conforms to NAAQ Standards.
------------------	-----------------------------------------

\*\*\*\*\* End of Test Report\*\*\*\*\*

Page 1 of 1

*[Signature]*  
ANALYST

*[Signature]* K.L.  
AUTHORIZED SIGNATORY / Technical / Quality Manager

- Note:**
- The results refer only to the tested samples & applicable parameters.
  - This report not to be reproduced wholly or in part & cannot be used as evidence in the Court of law & should not be used in any advertising media without our special permission in writing.
  - Sample is drawn by us unless otherwise stated. Sample will be destroyed after seven days from the date of issue of test certificate unless otherwise specified. Perishable samples will not be retained.
  - Total liability of our laboratory is to invoiced amount. Any dispute arising out of this report is subjected to Bangalore jurisdiction only.



**Eau Chemical (Mfg) Pvt. Ltd.,**  
 Eauchem Towers, Plot No.90-A, Ambal Nagar Main Road,  
 Keelkattalai, Chennai - 600 117. Tamil Nadu.  
 Ph: 22470205 / 22470206 Fax:22472027  
 Email: [ecmpl@vsnl.net](mailto:ecmpl@vsnl.net) / [eauchem@vsnl.net](mailto:eauchem@vsnl.net)  
 Web: <http://www.eauchem.com>



### TEST REPORT

SAMPLE CODE NO. :	EW1905-024-01	REPORT DATE :	15.05.2019
REPORT NO. :	ECAR1905-024	SAMPLE DRAWN BY :	Customer
COMPANY NAME & ADDRESS :	Aqua Matrix System Pvt Ltd., [Infosys Hubli] New No: 11/2, Old No: 21, L Block 26 <sup>th</sup> Street, Anna Nagar, Chennai-600 102 Ph: 044-2663 2760/ 2663 3760		
SAMPLE MARK :	STP Inlet		
QUANTITY OF SAMPLE REC'D :	1*2 Ltrs		
SAMPLING METHOD :	---		
SAMPLE COLLECTED ON :	---		
SAMPLE RECIEVED ON :	09.05.2019		
TEST COMMENCED ON :	09.05.2019		
TEST COMPLETED ON :	14.05.2019		

S.No	Parameters	APHA 23 <sup>rd</sup> Edition 2017	Result	Unit
1.	pH @ 25°C	4500 H <sup>+</sup> B	7.72	---
2.	Total Dissolved Solids	2540 C	2712	mg/L
3.	Total Suspended Solids	2540 D	156	mg/L
4.	Chemical Oxygen Demand	5220 B	312	mg/L
5.	Biochemical Oxygen Demand	5210 B	108	mg/L
6.	Oil & Grease	5520 B	28	mg/L

For Eau Chemical (Mfg) Pvt. Ltd

*(Signature)*

Authorized signatory  
 D.Janagiraman-Tech.Manager

**NOTE:**

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 7 days from the date of issue of the test report.

\*\*\*End of Report\*\*\*

Page 1 of 1

**Solutions for Water, Process, Effluent & Air**



## Eau Chemical (Mfg) Pvt. Ltd.,

Eauchem Towers, Plot No.90-A, Ambal Nagar Main Road,  
Keelkattalai, Chennai – 600 117. Tamil Nadu.  
Ph: 22470205 / 22470206 Fax:22472027  
Email: [ecmpl@vsnl.net](mailto:ecmpl@vsnl.net) / [eauchem@vsnl.net](mailto:eauchem@vsnl.net)  
Web: <http://www.eauchem.com>



### TEST REPORT

SAMPLE CODE NO.	: EW1905-024-02	REPORT DATE	: 15.05.2019
REPORT NO.	: ECAR1905-024	SAMPLE DRAWN BY	: Customer
COMPANY NAME & ADDRESS	: Aqua Matrix System Pvt Ltd., [Infosys Hubli] New No: 11/2, Old No: 21, L Block 26 <sup>th</sup> Street, Anna Nagar, Chennai-600 102 Ph: 044-2663 2760/ 2663 3760		
SAMPLE MARK	: STP Outlet		
QUANTITY OF SAMPLE REC'D	: 1*2 Ltrs		
SAMPLING METHOD	: ---		
SAMPLE COLLECTED ON	: ---		
SAMPLE RECEIVED ON	: 09.05.2019		
TEST COMMENCED ON	: 09.05.2019		
TEST COMPLETED ON	: 14.05.2019		

S.No	Parameters	APHA 23 <sup>rd</sup> Edition 2017	Result	Tolerance limits as per TNPCB	Unit
1.	pH @ 25°C	4500 H <sup>+</sup> B	7.28	6.5-9.0	---
2.	Total Dissolved Solids	2540 C	1086	2100	mg/L
3.	Total Suspended Solids	2540 D	12.0	20	mg/L
4.	Chemical Oxygen Demand	5220 B	36	50	mg/L
5.	Biochemical Oxygen Demand	5210 B	5.2	10	mg/L
6.	Oil & Grease	5520 B	1.8	10	mg/L

For Eau Chemical (Mfg) Pvt. Ltd

Authorized signatory  
D. Janagiraman-Tech. Manager

#### NOTE:

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 7 days from the date of issue of the test report.

\*\*\*End of Report\*\*\*

Page 1 of 1

*Solutions for Water, Process, Effluent & Air*



**Eau Chemical (Mfg) Pvt. Ltd.,**  
 EauChem Towers, Plot No.90-A, Ambal Nagar Main Road,  
 Keelkattalai, Chennai – 600 117. Tamil Nadu.  
 Ph: 22470205 / 22470206 Fax:22472027  
 Email: [ecmpl@vsnl.net](mailto:ecmpl@vsnl.net) / [eauchem@vsnl.net](mailto:eauchem@vsnl.net)  
 Web: <http://www.eauchem.com>



### TEST REPORT

<b>SAMPLE CODE NO.</b> : EW1906-043-01	<b>REPORT DATE</b> : 08.06.2019
<b>REPORT NO.</b> : ECAR1906-043	<b>SAMPLE DRAWN BY</b> : Customer
<b>COMPANY NAME &amp; ADDRESS</b> : Aqua Matrix System Pvt Ltd., [Infosys Hubli] : New No: 11/2. Old No: 21, L Block 26 <sup>th</sup> Street, Anna Nagar, Chennai-600 102 Ph: 044-2663 2760/ 2663 3760	
<b>SAMPLE MARK</b> : STP Inlet	
<b>QUANTITY OF SAMPLE REC'D</b> : 1*2 Ltrs	
<b>SAMPLING METHOD</b> : ---	
<b>SAMPLE COLLECTED ON</b> : ---	
<b>SAMPLE RECIEVED ON</b> : 03.06.2019	
<b>TEST COMMENCED ON</b> : 03.06.2019	
<b>TEST COMPLETED ON</b> : 08.06.2019	

S.No	Parameters	APHA 23 <sup>rd</sup> Edition 2017	Result	Unit
1.	pH @ 25°C	4500 H <sup>+</sup> B	7.45	---
2.	Total Dissolved Solids	2540 C	2766	mg/L
3.	Total Suspended Solids	2540 D	134	mg/L
4.	Chemical Oxygen Demand	5220 B	336	mg/L
5.	Biochemical Oxygen Demand	5210 B	123	mg/L
6.	Oil & Grease	5520 B	30	mg/L

For Eau Chemical (Mfg) Pvt. Ltd

**Authorized signatory**  
**D.Janagiraman-Tech.Manager**

**NOTE:**

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 7 days from the date of issue of the test report.

\*\*\*End of Report\*\*\*





## Eau Chemical (Mfg) Pvt. Ltd.,

Eauchem Towers, Plot No.90-A, Ambal Nagar Main Road,

Keelkattalai, Chennai – 600 117, Tamil Nadu.

Ph: 22470205 / 22470206 Fax:22472027

Email: [ecmpl@vsnl.net](mailto:ecmpl@vsnl.net) / [eauchem@vsnl.net](mailto:eauchem@vsnl.net)

Web: <http://www.eauchem.com>



### TEST REPORT

SAMPLE CODE NO.	: EW1906-043-02	REPORT DATE	: 08.06.2019
REPORT NO.	: ECAR1906-043	SAMPLE DRAWN BY	: Customer
COMPANY NAME & ADDRESS	: Aqua Matrix System Pvt Ltd., [Infosys Hubli] New No: 11/2, Old No: 21, L Block 26 <sup>th</sup> Street, Anna Nagar, Chennai-600 102 Ph: 044-2663 2760/ 2663 3760		
SAMPLE MARK	: STP Outlet		
QUANTITY OF SAMPLE REC'D	: 1*2 Ltrs.		
SAMPLING METHOD	: ---		
SAMPLE COLLECTED ON	: ---		
SAMPLE RECIEVED ON	: 03.06.2019		
TEST COMMENCED ON	: 03.06.2019		
TEST COMPLETED ON	: 08.06.2019		

S.No	Parameters	APHA 23 <sup>rd</sup> Edition 2017	Result	Tolerance limits as per TNPGB	Unit
1.	pH @ 25°C	4500 H <sup>+</sup> B	7.08	6.5-9.0	---
2.	Total Dissolved Solids	2540 C	1124	2100	mg/L
3.	Total Suspended Solids	2540 D	11.6	20	mg/L
4.	Chemical Oxygen Demand	5220 B	40	50	mg/L
5.	Biochemical Oxygen Demand	5210 B	6.2	10	mg/L
6.	Oil & Grease	5520 B	2.0	10	mg/L

For Eau Chemical (Mfg) Pvt. Ltd

Authorized signatory  
D. Janagiraman-Tech. Manager

**NOTE:**

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 7 days from the date of issue of the test report.

\*\*\*End of Report\*\*\*

Page 1 of 1

*Solutions for Water, Process, Effluent & Air*

**Eau Chemical (Mfg) Pvt. Ltd.,**

Eauchem Towers, Plot No.90-A, Ambal Nagar Main Road,

Keelkattalai, Chennai – 600 117. Tamil Nadu.

Ph: 22470205 / 22470206 Fax:22472027

Email: [ecmpl@vsnl.net](mailto:ecmpl@vsnl.net) / [eauchem@vsnl.net](mailto:eauchem@vsnl.net)Web: <http://www.eauchem.com>**TEST REPORT**

SAMPLE CODE NO.	: EW1907-066-01	REPORT DATE	: 13.07.2019
REPORT NO.	: ECAR1907-066	SAMPLE DRAWN BY	: Customer
COMPANY NAME & ADDRESS	: Aqua Matrix System Pvt Ltd., [Infosys Hubli] New No: 11/2, Old No: 21, L Block 26 <sup>th</sup> Street, Anna Nagar, Chennai-600 102 Ph: 044-2663 2760/ 2663 3760		
SAMPLE MARK	: STP Inlet		
QUANTITY OF SAMPLE REC'D	: 1*2 Ltrs		
SAMPLING METHOD	: ---		
SAMPLE COLLECTED ON	: ---		
SAMPLE RECIEVED ON	: 08.07.2019		
TEST COMMENCED ON	: 08.07.2019		
TEST COMPLETED ON	: 13.07.2019		

S.No	Parameters	APHA 23 <sup>rd</sup> Edition 2017	Result	Unit
1.	pH @ 25°C	4500 H <sup>+</sup> B	7.87	---
2.	Total Dissolved Solids	2540 C	2708	mg/L
3.	Total Suspended Solids	2540 D	122	mg/L
4.	Chemical Oxygen Demand	5220 B	288	mg/L
5.	Biochemical Oxygen Demand	5210 B	84	mg/L
6.	Oil & Grease	5520 B	22	mg/L

For Eau Chemical (Mfg) Pvt. Ltd

Authorized signatory  
D. Janagiraman-Tech. Manager**NOTE:**

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 7 days from the date of issue of the test report.

\*\*\*End of Report\*\*\*

Page 1 of 1

**Solutions for Water, Process, Effluent & Air**



**Eau Chemical (Mfg) Pvt. Ltd.,**  
Eauchem Towers, Plot No.90-A, Ambal Nagar Main Road,  
Keelkattalai, Chennai – 600 117, Tamil Nadu.  
Ph: 22470205 / 22470206 Fax:22472027  
Email: [ecmpl@vsnl.net](mailto:ecmpl@vsnl.net) / [eauchem@vsnl.net](mailto:eauchem@vsnl.net)  
Web: <http://www.eauchem.com>



## TEST REPORT

SAMPLE CODE NO.	: EW1907-066-02	REPORT DATE	: 13.07.2019
REPORT NO.	: ECAR1907-066	SAMPLE DRAWN BY	: Customer
COMPANY NAME & ADDRESS	: Aqua Matrix System Pvt Ltd., [Infosys Hubli] New No: 11/2, Old No: 21, L Block 26 <sup>th</sup> Street, Anna Nagar, Chennai-600 102 Ph: 044-2663 2760/ 2663 3760		
SAMPLE MARK	: STP Outlet		
QUANTITY OF SAMPLE REC'D	: 1*2 Ltrs		
SAMPLING METHOD	: ---		
SAMPLE COLLECTED ON	: ---		
SAMPLE RECIEVED ON	: 08.07.2019		
TEST COMMENCED ON	: 08.07.2019		
TEST COMPLETED ON	: 13.07.2019		

S.No	Parameters	APHA 23 <sup>rd</sup> Edition 2017	Result	Tolerance limits as per TNPCB	Unit
1.	pH @ 25°C	4500 H <sup>+</sup> B	7.36	6.5-9.0	---
2.	Total Dissolved Solids	2540 C	1162	2100	mg/L
3.	Total Suspended Solids	2540 D	10.4	20	mg/L
4.	Chemical Oxygen Demand	5220 B	28	50	mg/L
5.	Biochemical Oxygen Demand	5210 B	4.8	10	mg/L
6.	Oil & Grease	5520 B	1.4	10	mg/L

For Eau Chemical (Mfg) Pvt. Ltd

Authorized signatory  
D. Janagiraman-Tech. Manager

**NOTE:**

1. The test results relate only to the items tested.
2. The test report shall not be reproduced anywhere except in full and in the same format without the permission of the laboratory.
3. Unless informed by customer, the test items will not be retained for more than 7 days from the date of issue of the test report.

\*\*\*End of Report\*\*\*

Page 1 of 1

*Solutions for Water, Process, Effluent & Air*

**SHRI KRISHNA AQUA ENGINEERING WORKS**ISO-9001 : 2008 Certified Company, OHSAS-18001-2007  
NABL Accredited Laboratory TC-8137**Environmental Lab, Pollution Control Consultants**Limbuwala Building, 1<sup>st</sup> Cross, Pragati Colony,  
Vidyanagar, HUBLI - 580 021 Tel. (Lab) 0836-2375678,  
Mobile : +91 94480 51534, +91 94800 26018,  
E-mail - radhabengeri@gmail.com, krishnapandhari@gmail.comPage 1 of 1  
SKAEW/W/11/01  
Print Date: 29/04/2019

Ref: SKAEW/ANAL/ 12/19-20

**TEST REPORT**  
**(Inspection and Certification of Pollution levels)**

1	Name and Address of the Customer	M/s. Infosys LTD, (MR Construction) Hubli Campus.
2	Sample Description	Bore well Water
3	Sample Supplied by	Client
4	Sample Reference Number	04/228
5	Date of sample collected	25/04/2019
6	Sampling Method adopted	As per APHA 23 <sup>rd</sup> Edition-2017
7	Type of sampling	Grab Sampling
8	Date of Sample taken for analysis	26/04/2019
9	Date of Completion of test	29/04/2019
10	Environmental condition during sampling	34°C

Sl. No.	Parameters	Protocol as per APHA 23 <sup>rd</sup> Edition-2017	UNIT	Result Bore well	Standard IS 10500-2012	
					Requirement (Acceptable Limits)	Permissible Limits
1	Total Alkalinity as CaCO <sub>3</sub>	2320B	mg/L	390	200 Max	600 Max
2	Colour	2120 B	Hazen	5	Agreeable	
3	Calcium (as Ca)	3500-Ca,B	mg/L	92	75 Max	200 Max
4	Chloride (as Cl)	4500-Cl,B	mg/L	142.89	250 Max	1000 Max
5	Electrical Conductivity @ 25°C	2510-B	µ-mhos/cm	1280	Not Specified	
6	Magnesium (as Mg)	3500-Mg,B	mg/L	17.01	30 Max	100 Max
7	Nitrate Nitrogen (as NO <sub>3</sub> -N)	4500-NO <sub>3</sub> ,E	mg/L	0.360	45 Max	No relaxation
8	Nitrite Nitrogen as NO <sub>2</sub> -N	4500-NO <sub>2</sub> ,B	mg/L	0.0521	Not Specified	
9	Odour	2150 B	---	Agreeable	Agreeable	
10	pH @ 25°C	4500 H <sup>+</sup> ,B	---	7.39	6.5-8.5	No relaxation
11	Sulphate (as SO <sub>4</sub> )	4500-SO <sub>4</sub> <sup>2-</sup> ,E	mg/L	3.71	200 Max	400 Max
12	Total Dissolved Solids (TDS)	2540 C	mg/L	590	500 Max	2000 Max
13	Total Hardness as CaCO <sub>3</sub>	2340-C	mg/L	300	200 Max	600 Max
14	Total (MPN) Coliforms/100ml	9221 C	MPN	<1.8	Shall not be detected in any 100 ml sample	

ND-Not Specified, ND-Not Detected, NA-Not Analyzed, BCL-Below Detection Limit, C-C (arbitrary unit)

**NOTE**

- The Results listed above pertain only to the tested sample and applicable parameters.
- Samples which are degradable will be disposed immediately after testing and others will be disposed after fifteen days from the date of sample receipt unless otherwise specified.
- Total liability of our laboratory is limited to the service amount.
- This report is not to be reproduced either wholly or in part and cannot be used as an evidence in the court of Law and should not be used in any advertising media without written approval of the laboratory.
- In case any re-confirmation of contents of this Test Report is required, please contact our office.
- Subjected to Hubli-Jurisdiction.

Inference	Parameters listed are within permissible limits.
-----------	--------------------------------------------------

  
VERIFIED BY


  
AUTHORIZED SIGNATORY  
Radha Bengeri

\*\* End of the test report\*\*

# COMPUTERISED POLLUTION UNDER CHECK CENTERS

(Rule 231(B)(8) of KMV Rules 1989)

Licence No : 1320/2013-14

Center Name : Hubli Emission Testing Centre

CTC, #196/1A, Ward No.36,  
Center Building No.1+2+3, Wali Complex,  
Address : Apoorva Nagar, Gokul Road, Hubli-  
580030 Ph: 9986597003

Customer Name : INFOSYS LTD

Customer Mobile : 8970821262

Pucc No : DS49KA101328

Vehicle No : KA51C9701

Year of Regn : 04-01-2016

Type of Vehicle : OTHERS

Make : Force Motors

Model : Ambulance

Test Date : 04-07-2019

Time : 12:52

Valid UpTo : 03-01-2020

Photo of Vehicle



Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Certificate price: ₹ 125

### Test Data

Flushing Cycle			
Avg	RPM Min	RPM Max	Temp
811		3525	99

Srno	RPM Min	RPM Max	Km.	HSU%	Temp
1	811	3487	0.22	9.2	99
2	811	3470	0.23	9.4	99
3	812	3525	0.22	9.2	99
Mean			0.22	9.2	

Pres Limit for Diesel vehicle	K(Light Absorption Co-efficient)	Harridge Units %
Free Acceleration	2.45	65

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and one year for Bharat Stage IV vehicles.

HUBLI EMISSION TESTING CENTER

Authorised Signatory  
Proprietor

Seal of Testing Station

Testing Station Code

D849

KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.

Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.

Print

**COMPUTERISED POLLUTION UNDER CHECK CENTERS ( Rule 231(8)(8) of KMV Rules 1989)**

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and one year for Bharat Stage IV vehicles.

Licence No : 1320/2013-14

Center Name : Hubli Emission Testing Centre

CTC, #196/1A, Ward No.36, Building No.1+2+3, Wali

Center Address : Complex, Apoorva Nagar, Gokul Road, Hubli-580030 Ph: 9986597003

Customer Name : INFOSYS LTD

Customer Mobile : 9148976523

Pucc No : P849KA103509

Vehicle No : KA51U4084

Year of Regn : 15-01-2010

Type of Vehicle : 2 Wheeler

Type of Engine : 4 STROKE

Make : Hero Honda Motors

Model : SPLENDOR PLUS

Fuel : PETROL

Catalyst : Catalyst

Test Date : 27-07-2019 17:06

Valid Date : 26-01-2020

Photo of Vehicle



	Petrol Test		Gas Test		Unit
	Pres STD	Measured level	Pres STD	Measured level	
CO	3.5	1.62	--	--	%
HC	4500	473	--	--	Vol
CO2	--	3.30	--	--	PPM
O2	--	15.0	--	--	%Vol
					PPM

Hologram

Certificate price: 500/-  
**HUBLI EMISSION TESTING CENTER**

Authorized Signatory  
*[Signature]*



Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Seal of Testing Station Testing Station Code (P849) Authorized Signatory

**KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.**  
**"Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.**

# COMPUTERISED POLLUTION UNDER CHECK CENTERS

(Rule 231(B)(8) of KMV Rules 1989)

Licence No : 1320/2013-14

Center Name : Hubli Emission Testing Centre

CTC, #196/1A, Ward No.36,  
Center Building No.1+2+3, Wali Complex,  
Address : Apoorva Nagar, Gokul Road, Hubli-  
580030 Ph: 9986597003

Customer Name : infosys

Customer Mobile : 9008877451

Pucc No : DB49KA101780

Vehicle No : KA633509

Year of Regn : 23-08-2018

Type of Vehicle : M.G.V

Make : Eicher Motors

Model : 10.95

Test Date : 20-08-2019

Time : 11:10

Valid UpTo : 19-02-2020

Photo of Vehicle



## Test Data

Flushing Cycle			
Avg	RPM Min	RPM Max	Temp
769		3302	81

Srno	RPM Min	RPM Max	Km	HSU%	Temp
1	769	3302	0.26	10.7	81
2	769	3302	0.26	10.8	81
3	769	3302	0.26	10.7	81
Mean			0.26	10.7	

Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Certificate price: ₹ 125

Pres Limit for Diesel vehicle	K(Light Absorption Co-efficient)	Harridge Units - %
Free Acceleration	2.45	65

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and one year for Bharat Stage IV vehicles.

HUBLI EMISSION TESTING CENTER

*(Signature)*

Seal of Testing Station

Testing Station Code

Authorised Signatory

D849

KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.

"Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.

Print

## COMPUTERISED POLLUTION UNDER CHECK CENTERS

(Rule 231(B)(8) of KMV Rules 1989)

Licence No : 1320/2013-14

Center Name : Hubli Emission Testing Centre  
CTC, #196/1A, Ward No.36, Building No.1+2+3, Wall

Center Address : Complex, Apoorva Nagar, Gokul Road, Hubli-580030 Ph: 9986597003

Customer Name : infosys

Customer Mobile : 9008877451

Pucc No : D849KA101781

Vehicle No : KA19AA210

Year of Regn : 05-04-2013

Type of Vehicle : BUS

Make : Tata Motors

Model : BUS

Test Date : 20-08-2019

Time : 12:07

Valid UpTo : 19-02-2020

Photo of Vehicle



Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Certificate price: ₹ 125

### Test Data

Flushing Cycle			
Avg	RPM Min	RPM Max	Temp
763		1932	83

Sl.No	RPM Min	RPM Max	CO	HC	Temp
1	763	1822	0.28	11.4	83
2	763	1932	0.28	11.5	84
3	763	1932	0.28	11.5	83
Mean			0.28	11.4	

Pres Limit for Diesel vehicle	K(Light Absorption Co-efficient)	Harridge Units %
Free Acceleration	2.45	65

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and one year for Bharat Stage IV vehicles.

COMMISSION FOR HUBLI EMISSION TESTING CENTER

*M. Yousuf*

Seal of Testing Station

Testing Station Code  
D849

Authorised Signatory

KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.

"Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.

Print Close



# COMPUTERISED POLLUTION UNDER CHECK CENTERS

(Rule 231(B)(8) of KMV Rules 1989)

Licence No : 1320/2013-14

Center Name : Hubli Emission Testing Centre

Center Address : CTC, #196/1A, Ward No.36,  
Building No.1+2+3, Wali Complex,  
Apoorva Nagar, Gokul Road, Hubli-  
580030 Ph: 9986597003

Customer Name : Infosys Limited

Customer Mobile : 9513327828

Pucc No : D849KA101122

Vehicle No : KA51ME7342

Year of Regn : 04-12-2013

Type of Vehicle : L.M.V

Make : Mahindra & Mahindra

Model : SCORPIO

Test Date : 12-06-2019

Time : 12:02

Valid UpTo : 11-12-2019

Photo of Vehicle



Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Certificate price: ₹ 125

## Test Data

Flushing Cycle			
Avg	RPM Min	RPM Max	Temp
	815	2028	68

Srno	RPM Min	RPM Max	Km	HSU%	Temp
1	815	2028	0.25	10.4	69
2	1170	2028	0.25	10.4	68
3	815	2028	0.25	10.4	69
			0.25	10.4	

Pres Limit for Diesel vehicle	K(Light Absorption Co-efficient)	Harridge Units %
Free Acceleration	2.45	65

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and one year for Bharat Stage IV vehicles.

For HUBLI EMISSION TESTING CENTER



Seal of Testing Station

Testing Station Code

D849

Authorised Signatory

Proprietor

KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.

"Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.

Print

# COMPUTERISED POLLUTION UNDER CHECK CENTERS

(Rule 231(B)(8) of KMV Rules 1989)

Licence No : 1320/2013-14

Center Name : Hubli Emission Testing Centre

Center Building No.1+2+3, Wali Complex,  
Address : Apoorva Nagar, Gokul Road, Hubli-580030 Ph: 9986597003

Customer Name : INFOSYS LTD

Customer Mobile : 9513327828

Pucc No : D849KA101123

Vehicle No : KA51ME7338

Year of Regn : 08-06-2013

Type of Vehicle : L.M.V

Make : Mahindra & Mahindra

Model : SCORPIO

Test Date : 12-06-2019

Time : 12:09

Valid UpTo : 11-12-2019

Photo of Vehicle



Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Certificate price: ₹ 125

### Test Data

Flushing Cycle			
Avg	RPM Min	RPM Max	Temp
	815	2400	68

Srno	RPM Min	RPM Max	Km	HSU%	Temp
1	815	2306	0.26	10.7	69
2	815	2355	0.26	10.7	68
3	815	2286	0.25	10.5	69
Mean			0.26	10.6	

Pres Limit for Diesel vehicle	K(Light Absorption Co-efficient)	Harridge Units %
Free Acceleration	2.45	65

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and one year for Bharat Stage IV vehicles.

HUBLI EMISSION TESTING CENTER

*[Signature]*

Testing Station	Testing Station Code	Authorized Signatory
	D849	Proprietor

KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.  
"Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.



Print

**COMPUTERISED POLLUTION UNDER CHECK CENTERS**  
(Rule 231(B)(8) of KMV Rules 1989)

Licence No : 1479/2015-16  
 Center Name : Noorain Emission Testing Center  
 Plot no 67/253, Near Bypass, P.B.Road, New Gabbar, Hubli-580021 NO No-9945111284  
 Customer Name : SURESH ENTERPRISES  
 Customer Mobile : 9591853188  
 Pucc No : D1000112212  
 Vehicle No : KA25C6454  
 Year of Regn : 06-11-2010  
 Type of Vehicle : H.G.V  
 Make : Ashok Leyland Ltd  
 Model : CARGO  
 Test Date : 30-01-2019  
 Time : 16:22  
 Valid UpTo : 29-01-2020

Photo of Vehicle



Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Certificate price: ₹ 125

**Test Data**

Flushing Cycle			
Avg	RPM Min	RPM Max	Temp
883		2558	69

Srno	RPM Min	RPM Max	Km	HSU%	Temp
1	899	2558	0.19	8.1	69
2	1078	2558	0.20	8.2	70
3	1002	2558	0.20	8.3	70
Mean			0.19	8.2	

Pres Limit for Diesel vehicle	R(Light Absorption Co-efficient)	Harridge Units %
Free Acceleration	2.45	65

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and one year for Bharat Stage IV vehicles.

For Noorain Emission Testing Centre

Seal of Testing Station: HUBLI  
 Testing Station Code: D1000  
 Authorized Signatory: Proprietor

KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.  
 "Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.

Print

## COMPUTERISED POLLUTION UNDER CHECK CENTERS

(Rule 231(B)(8) of KMV Rules 1989)

Licence No : 1479/2015-16

Center Name : Noorain Emission Testing Center

Plot no 67/293, Near

Center Bypass, P.B.Road, New

Address : Gabbar, Hubli-580021 MO No-  
9945111284

Customer Name : SURESH

Customer Mobile : 7353311020

Pucc No : D1000112224

Vehicle No : KA25CG453

Year of Regn : 22-11-2010

Type of Vehicle : H.G.V

Make : Ashok Leyland Ltd

Model : TRANSIT MIXERS

Test Date : 30-01-2019

Time : 17:49

Valid Up To : 29-01-2020

Photo of Vehicle



Certificate is not acceptable without Hologram Sticker & Get Renewed the Certificate within the Expiry Date.

Certificate price: ₹ 125

### Test Data

Flushing Cycle			
Avg	RPM Min	RPM Max	Temp
1128	3213	79	

SINO	RPM Min	RPM Max	Km	MSL%	Temp
1	1128	3213	0.19	7.9	79
2	1430	3213	0.19	7.9	79
3	1324	3213	0.21	8.6	79
Mean			0.19	8.1	

Pres Limit for Diesel vehicle	K(Light Absorption Co-efficient)	Harridge Units %
Free Acceleration	2.45	65

This Vehicle meets Emission Standards Prescribed by Rule 115(2) of CMVR 1989. Certificate is All India valid, Six Months for Bharat Stage III or below and One year for Bharat Stage IV vehicles.

For Noorain Emission Testing Centre

Seal of Testing Station 	Testing Station Code <b>D1000</b>	Authorized Signatory <b>Proprietor</b>
-----------------------------	--------------------------------------	-------------------------------------------

KINDLY DESTROY THE OLD CERTIFICATE & DO NOT HAND OVER TO ETC IN ANY CIRCUMSTANCES.  
"Penalty for Air Pollution" Not exceeding for Rs. 1000 for the 1st offence and Not exceeding for Rs. 2000 for the 2nd & subsequent offence.

[Print](#)