

Date: 29th May 2023

State Level Environment Impact Assessment Authority Punjab Ministry of Environment, Forest and Climate Change Government of India O/o Directorate of Environment and Climate Change MGSIPA Complex, Sector-26 Chandigarh 160019

Sub: Submission of Six-Monthly EC Compliance Report

Sir,

In response to the above-mentioned subject, please find attached Six Monthly EC Compliance Report for the period of October 2022 till March 2023 for Environmental Clearance under EIA notification dated 14.09.2006 for establishment of IT/ITES project namely "Infosys Campus" located at Plot no-I3, Sector 83-Alpha, IT city, SAS Nagar (Mohali), Punjab by M/s Infosys Limited (Proposal no- SIA/PB/MIS/141329/2020)

Infosys has not undertaken any construction work during this period; hence no workers were employed for the same.

This information is correct to the best of our knowledge.

Thanking You,

For Infosys Limited,

Puneet Randhawa

Sr. Regional Head - Facilities

Environmental Clearance under EIA notification dated 14.09.2006 Subject: for establishment of IT/ITES Project namely "Infosys Campus" located at Plot no. 1-3, Sector-83 Alpha, IT City, S.A.S. Nagar (Mohali), Punjab by M/s Infosys Limited (Proposal No. SIA/PB /MIS/141329 /2020).

This is in reference to your online Proposal No. SIA/PB/MIS/141329/2020 for obtaining Environmental Clearance under the EIA notification dated 14.09.2006 for establishment of IT/ITES namely "Infosys Campus" located at Plot no. 1-3, Sector-83 Alpha, IT City, S.A.S. Nagar (Mohali), Punjab by M/s Infosys Limited. The proposal has been appraised as per procedure prescribed under the provisions of EIA Notification dated 14.09.2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, 1-A and the additional clarifications furnished in response to the observations of the SEAC. The salient features of the project are as under

Name &Location of the project:

"Infosys Campus" at Plot no. 1-3, Sector-83 Alpha, IT City, S.A.S. Nagar

(Mohali), Punjab

Nature of project

: Fresh EC

Activity 8 (a) - 'Building & Construction Project' Category as per EIA Notification, 2006: Category B2

Total Cost of the project : Rs. 356.79 Crores.

Latitude & Longitude

Corner Latitude

Longitude

Corner A 30°38'12.74"N 76°43'53.55"E

Corner B

30°37'59.07"N

76°44'4.20"E

Corner C

30°37'53.30"N

76°43'51.30"E

30°38'6.81"N 76°43'53.55"E Corner D

Statutory	comp	liance:

from the competent authority

Statute of the state of the sta	
i) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work.	Noted and complied
The approval of the Competent Authority shall be obtained for structure of buildings due to earthquakes, adequacy of firefighting equipment, per National Building Code including protection measures from lightening.	Noted and will be complied
The project proponent shall obtain forest clearance under the provision to Forest (Conservation) Act, 1986, in case of the diversion of forest Iand, forest purpose involved in the project.	NOC from Forest department already taken.
The project proponent shall obtain clearance from the National Board if applicable.	Not applicable
The project proponent shall obtain Consent to Establish /Operate under provisions of the Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State Pollution Control Board / Committee	Consent to Establish and Consent to Operate under Air and Water Act from PPCB will be applied when the campus will be operational.
The project proponent shall obtain the necessary permission for drawing Industrial water/ surface water required for the project	Approval from GMADA received



A certificate of adequacy of available power from the agency supplying to the project should be obtained. All other statutory clearances such as the approvals for storage of diesel from Controller of Explosives, Fire Department, Civil Aviation Department to be obtained, as applicable, by project proponents from the respective department. The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Sonstruction & Demolition Maste Rules, 2016 and Plastics Waste (Management) Rules, 2016, shall be followed. The project proponent shall follow the ECBC/ISCBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project is shall confirm to the suitability as prescribed under the laid down under the mater plan of respective city (Your, For dat, proponent shall either to submit; the NGC/ land use conformity certificate from Deptt, of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, stundard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Noted and will be complied Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. Noted and will b		
diesel from Controller of Explosives, Fire Department, Civil Aviation Department to be obtained, as applicable, by project proponents from the respective department. The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project sie shall confirm to the suitability as prescribed under the laid down under the master plan of respective city town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at profi in consonance of the project proposal for which this environment clearance H. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PMI) and PMC.25 covering upwind and downwind directions during the construction preriod. Diesel power generating sets proposed as source of backup power should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets ma	supplying to the project along with the load allowed for the project	Noted and will be complied
diesel from Controller of Explosives, Fire Department, Civil Aviation Department to be obtained, as applicable, by project proponents from the respective department. The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at profi in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /eriterion parameters relevant-to the main pollutants released (e.g. PMI) and PMC.2 covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets ma	All other statutory clearances such as the approvals for storage of	Airport NOC from Civil Aviation
obtained, as applicable, by project proponents from the respective department. The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Dept. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at profin consonance of the project proposal for which this environment clearance H. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PMIO and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needs of the Combined capacity of all proposed DG sets. Use of low sulphur		department already received.
The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be domain up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PMI0 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation w		
The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance. II. Air quality monitoring and preservation Notication GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PMI) and PMZ-S, covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Provisional Fire NOC already received
The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules, 2016, Construction & Demolition Waste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project sie shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the ant Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Noted and will be complied Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PMI) and PMZ.5 covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be decided wit	department.	
E-Waste (Management) Rules, 2016, Construction & Demolition Maste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance H. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets shove decided with in consultation with State		Others will be complied as per plan.
E-Waste (Management) Rules, 2016, Construction & Demolition Maste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance H. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets shove decided with in consultation with State	The provisions of the Solid Waste (Management) Rules 2016	Noted and will be complied
Waste Rules, 2016 and Plastics Waste (Management) Rules, 2016 shall be followed. The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall cither to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be decided with in consultation with State		Troise and min of Joinpine
The project proponent shall follow the ECBC/ECBC-R prescribed by Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. Noted and will be complied.		8
hy Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance H. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	shall be followed.	7
hy Bureau of Energy Efficiency, Ministry of Power strictly. The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance H. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		U ¹² ia
The project site shall confirm to the suitability as prescribed under the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at profin consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Noted and will be complied
the laid down under the master plan of respective city/ town. For that, proponent shall either to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Nated and will be complied
that, proponent shall cither to submit: the NOC/ land use conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PMI0 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Noted and will be compiled
conformity certificate from Deptt. of Town and Country Planning or other concerned Authority or jurisdiction, the site falls. Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
Besides above, the project proponent shall also comply with statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3rt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	conformity certificate from Deptt. of Town and Country Planning	ŭ.
statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. Noted and will be complied.		# S
statutory guidelines, standard operating practices, code of practice and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. Noted and will be complied.		£.
and guide prescribed by the SPCB/CPCB/MoEF&CC for such type of projects. The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. Noted and will be complied. Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. Noted and will be complied. Noted and will be		Noted and will be complied
The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
The project proponent shall get the layout plans approved from the 3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. Noted and will be complied Noted and will be complied. On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	of projects.	
3nt Authority for the activities / establishments to be set up at prof in consonance of the project proposal for which this environment clearance II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	The project proponent shall get the layout plans approved from the	Noted and will be complied
II. Air quality monitoring and preservation Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	3nt Authority for the activities / establishments to be set up at prof	•
Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
regarding Mandatory Implementation of Dust Mitigation Measures for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	II. Air quality monitoring and preservation	
for Construction and Demolition Activities for projects requiring Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Noted and will be complied
Environmental Clearance shall be complied with, A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	regarding Mandatory Implementation of Dust Mitigation Measures	
A management plan shall be drawn up and implemented to contain the current exceedance in ambient air quality at the site. On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
the current exceedance in ambient air quality at the site. On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		NT . 1 . 1 . 11 . 1 . 1
On monthly basis, ambient air monitoring is being done at 3 locations each. The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Noted and will be compiled.
The project proponent shall install system to carryout Ambient Air Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State	and carrent exceedance an amorem an quarty at the site.	On monthly basis, ambient air monitoring
Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		is being done at 3 locations each.
Quality monitoring for common /criterion parameters relevant-to the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
the main pollutants released (e.g. PM10 and PM2.5) covering upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Noted and will be complied
upwind and downwind directions during the construction period. Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		Noted and will be complied
Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		P
should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State		
of the DG sets may be decided with in consultation with State	should be equal to the height needed for the combined capacity of	
Pollution Control Board.		
	Pollution Control Board.	(01)

Construction site shall be adequately barricaded before the	Noted and will be complied
construction begins. Dust, smoke & other air pollution prevention	
measures shall be provided for the building as well as the site.	
These measures shall include screens for the building under	
construction, continuous dust/ wind breaking walls all around the	
site (at least 3m height or 1/3rd of the building height and	
maximum upto 10m). Plastic/tarpaulin sheet covers shall be	
provided for vehicles bringing in sand, cement, murram and other	
construction materials prone to causing dust pollution at the site as	
well as taking out debris from the site.	
No Excavation of soil shall be carried out without adequate dust	Noted and will be complied
mitigation measures in place.	
No loose soil or sand or construction & demolition waste or any	Noted and will be complied
other construction material that causes dust shall be left uncovered.	
No uncovered vehicles carrying construction material and waste	Noted and will be complied
shall be permitted	37 . 1 1 111
All the topsoil excavated during construction activities should be	Noted and will be complied
stored for use in horticulture / landscape development within the	
project site. Grinding and Cutting of building material in open area shall be	Nieted and will be a 12 1
prohibited. Wet jet shall be provided for grinding and stone cutting.	Noted and will be complied
Unpaved surfaces and loose soil shall be adequately sprinkled with	NT-4-111111 12 1
water to suppress dust	Noted and will be complied
All construction and demolition debris shall be stored at the site	Noted and will be a smalled
within earmarked area and roadside storage of construction	Noted and will be complied
material and waste shall be prohibited.	
All demolition and construction waste shall be managed as per the	
provisions of the Construction and Demolition Waste Rules 2016.	
The diesel generator sets to be used during construction phase shall	Noted and will be complied
be low sulphur diesel type and shall conform to Environmental	Trouca and will be complied
(Protection) prescribed for air and noise emission standards.	
Will Hold Bull State of State	Noted and will be complied
The gaseous emissions from DG set shall be dispersed through	Trobba dila Will do Sompiloa
adequate stack height as per CPCB standards. Acoustic enclosure	
shall be provided to the DG sets to mitigate the noise pollution.	
Low sulphur diesel shall be used. The location of the DG set and	
exhaust pipe height shall be as per the provisions of the Central	
Pollution Control Board (CPCB) norms.	
For indoor air quality the ventilation provisions as per National	Noted and will be complied
Building Code of India.	•
Roads leading to or at construction site must be paved and	Noted and will be complied
blacktopped (i.e.metallic road).	-
Dust Mitigation measures shall be displayed prominently at the	Noted and will be complied
construction site for easy public viewing.	•
Construction and Demolition Waste Processing and Disposal site	Noted and will be complied
shall be identified and required dust mitigation measure be notified	·
at the site.	
III. Water quality monitoring and preservation	
	Noted and will be complied
The natural drain system should be maintained for ensuring	1
unrestricted flow of water.	
No construction shall be allowed to obstruct the natural drainage	Noted and will be complied
through the site, on wetland and water bodies. Check dams, bio-	CISIN
	103/ NO.

swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water.		
Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	Noted and will be complied	. v
The total water requirement for the project will be 542 KL/day, out of which fresh water demand of 138 KL /day shall be met through GMADA supply and remaining through recycling of treated waste water from the STP of the project and from the nearby STPs	Noted and will be complied	į.
Total fresh water use shall not exceed the proposed requirement as provided in the project details. Total fresh water use shall not exceed the proposed requirement as provided in the project details.	Noted and will be complied	
a)The total wastewater generation from the project will be 198 KL/day, which will be treated in STP of capacity of 200 KL/day to be installed within the project site. As proposed, reuse of treated wastewater obtained from STP shall be as under:- Sr. Season For Flushing Green Area HVAC / Sewer No. purposes (KLD) in an (KID) area of 51,500 sqm	Noted and will be complied	
1. Summer 110 84 - 2. Winter 110 84 - 3. Rainy 110 26 58		
 b) Storage tank of adequate capacity shall be provided for the storage of treated wastewater and all efforts shall be made to supply the same for construction purposes. c) During construction phase, the project proponent shall ensure that the wastewater being generated from the labour quarters/toilets 	Noted and will be complied	r
shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such wastewater and treated effluents shall be utilized for green area/plantation		9
The project proponent shall ensure safe drinking water supply to the habitants. Adequate treatment facility for drinking water shall be provided, if required.	Noted and will be complied	
The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Noted and will be complied	20
A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance	Noted and will be complied	
	13/	

water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.	
At least 20% of the open spaces as required by the local building bye-Jaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	Noted and will be complied
Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Noted and will be complied
The respective project proponent shall discourage the installation of R.O. plants in their projects in order to save the wastage in form of RO reject. However, in case the requirement of installing RO plant is utmost necessary then the rejected stream from the RO shall be separated and shall be utilized by storing the same within the particular component i.e. (Tower/Mall) or in a common place in the project premises.	Noted and will be complied
The project proponent shall also adopt the new/innovating technologies like less water discharging taps (faucet with aerators)/urinals with electronic sensor system /water less urinals / twin flush cisterns/ sensor based alarming system for overhead water storage tanks and make it a part of the environmental management plans / building plans so as to reduce the water consumption/ground water abstraction in their Building Construction & Industrial projects.	Noted and will be complied
The project proponent will provide plumbing system for reuse of treated wastewater for flushing/ HVAC/ other purposes etc. and colour coding of different pipe lines carrying water/wastewater from different sources / treated wastewater as follows: Sr.Nature of the Stream Color code No a) Fresh water Blue b) Untreated wastewater from Toilets/ urinal & from Black	Noted and will be complied
Kitchen c) Untreated wastewater from Bathing/shower area, hand Grey washing (Washbasin / sinks) and from Cloth Washing d) Reject water streams from RO plants & AC condensate White (this is to be implemented wherever centralized AC system and common RO has been proposed in the Project). Further, in case of individual houses/establishment this proposal may also be implemented wherever possible. e) Treated wastewater (for reuse only for plantation Green purposes) from the STP treating black water	



f) Treated wastewater (for reuse for flushing purposes or	
Green with any other activity except plantation) from the STP strips	
treating grey water	
g) Storm water Orange	
Water demand during construction should be reduced by use of	Noted and will be complied
pre-mixed concrete, curing agents and other best practices referred.	
The CGWA provisions on rain water harvesting should be	Noted and will be complied
followed. As per the proposal submitted by the project proponent 32 no. rain water recharging pits, one recharging tanks having	
capacity 365 m3 and two retention ponds having total capacity of	
9.6 million litres tank shall be provided for ground water	
recharging as per the CGWB norms. The ground water shall not be	
withdrawn without approval from the Competent Authority.	4 - 1 T - 2 T - 2
All recharge should be limited to shallow aquifer	Noted and will be complied
No ground water shall be used during construction phase of the	Noted and will be complied
project. Only treated sewage/wastewater shall be used. A proper record in this regard should be maintained and available at site.	
coold in this regard should be maintained and available at site.	
Any ground water dewatering should be properly managed and	Noted and will be complied
shall conform to the approvals and the guidelines of the CGWA in	
he matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering.	7
The quantity of fresh water usage, water recycling and rainwater	Noted and will be complied
narvesting shall be measured and recorded to monitor the water	•
balance as projected by the project proponent. The record shall be	
submitted to the Regional Office, MoEF&CC along with six	
monthly Monitoring reports.	
Sewage shall be treated in the STP with tertiary treatment. STP	Noted and will be complied
shall be installed in a phased manner viz a viz in the module system	
designed in such a way so as to efficiently treat the wastewater with an increase in its quantity due to rise in occupancy. The treated	
effluent from STP shall be recycled/reused for flushing, AC make	
up water and gardening. No treated water shall be disposed of into	
he municipal storm water drain.	
No sewage or untreated effluent water would be discharged	Noted and will be complied
hrough storm water drains. Onsite sewage treatment of capacity of	
reating 100% waste water to be installed. The installation of the	
Sewage Treatment Plant (STP) shall be certified by an independent	
expert and a report in this regard shall be submitted to the Ministry perfore the project is commissioned for operation. Treated waste	
water shall be reused on-site for landscape, flushing, cooling tower,	
and other end-uses. Excess treated water shall be discharged as per	
statutory norms notified by the Ministry of Environment, Forest	,
and Climate Change. Natural treatment systems shall be promoted.	
Periodical monitoring of water quality of treated sewage shall be	Noted and will be complied
conducted. Necessary measures should be made to mitigate the	615 1
odour problem from STP.	(0)
	ZI INICO STO
	14
	Page as a second

Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Noted and will be complied
IV. Noise monitoring and prevention	
Ambient noise levels shall conform to residential area/commercial area/industrial area/silence zone both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.	Noted and will be complied
ii) Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.	Noted and will be complied
iii) Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.	Noted and will be complied
V. Energy Conservation measures	
1) Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC.	Noted and will be complied
ii) Outdoor and common area lighting shall be LED.	Noted and will be complied
iii) Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	Noted and will be complied
iv) Energy conservation measures like installation of LEDs for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning.	Noted and will be complied
v) Solar, wind or other Renewable Energy shall be installed to meet electricity generation equivalent to 1 % of the demand load or as per the state level/ local building bye-laws requirement, whichever is higher.	Noted and will be complied
vi) Solar power by utilizing at least 30% of the roof top area shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters, as far as possible.	Noted and will be complied



*** ***	
VI. Waste Management	[57 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 .
i) A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project shall be obtained.	Noted and will be complied
ii) Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Noted and will be complied
iii) Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials.	Noted and will be complied
iv) Organic waste compost/ Vermiculture pit/ Organic Waste Converter within the premises with a minimum capacity of 0.3 kg /person/day must be installed for treatment and disposal of the waste.	Noted and will be complied
v) All non-biodegradable waste shall be handed over to authorized recyclers for which a written tie up must be done with the authorized recyclers.	Noted and will be complied
vi) Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	Noted and will be complied
vii) Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials	Noted and will be complied
viii) Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.	Noted and will be complied
ix) Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Rules, 2016.	Noted and will be complied
x) Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/ rules of the regulatory authority to avoid mercury contamination.	Noted and will be complied
VII. Green Cover	
i) No tree can be felled/transplant unless exigencies demand. Where absolutely necessary, tree felling shall be with prior permission from the concerned regulatory authority. Old trees should be retained based on girth and age regulations as may be	Noted and will be complied
prescribed by the Forest Department. Plantations to be ensured	1.57

species (cut) to species (planted).	
ii) At least single line plantation all around the boundary of the project as proposed shall be provided. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous species/variety. A minimum of one tree for every 80 sqm of total project land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. The plantation should be provided as per SEIAA guidelines.	Noted and will be complied
iii) Where the trees need to be cut with prior permission from the concerned local Authority, compensatory plantation in the ratio of 1: 10 (i.e. planting of 10 trees for every 1 tree that is cut) shall be done and maintained. Plantations to be ensured species (cut) to species (planted). Area for green belt development shall be provided as per the details provided in the project document.	Noted and will be complied
iv) Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	Noted and will be complied
v) The project proponent shall not use any chemical fertilizer /pesticides /insecticides and shall use only Herbal pesticides/insecticides and organic manure in the green area.	Noted and will be complied
vi) The green belt along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use.	Noted and will be complied
VIII. Transport	1
 i) The project proponent shall design the road network as per the plan approved by the GMADA. Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. a. Traffic calming measures. b. Proper design of entry and exit points. c. Parking norms as per local regulation. 	Noted and will be complied
ii) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.	Noted and will be complied
iii) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out	Noted and will be complied
6	48 17

by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./ competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments. iv) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	
IX. Human health issues	
i) All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Noted and will be complied
ii) For indoor air quality the ventilation provisions as per National Building Code of India.	Noted and will be complied
iii) Emergency preparedness plan based on the Hazard identification and Risk Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Noted and will be complied
iv) Occupational health surveillance of the workers shall be done on a regular basis.	Noted and will be complied
v) A First Aid Room shall be provided in the project both during construction and operations of the project.	Noted and will be complied
X. Corporate Environment Responsibility	
i) The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.IE dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility. The project proponent shall adhere to the commitments made in the proposal for CER activities for spending at least a minimum amount of Rs. 2.8 Cr. towards the following CER activities. The details are given below: - Sr. Activities Timeline Total No. Expenditure (in Lakhs)	Noted and will be complied
 Adoption of Village Manauli 2 Years 140 Constructing Public Health services i.e. water supply network, trunk sewer, street light, solid waste management and its maintenance etc. Health check-up camps, provision of 2 Years 70 medicines and blood donation camps. 	
3. Provision of solar panels in Govt. Smart 2 Years 70	(2(10/00/5) [2)
	124

Senior Secondary School, Manauli and premises of facilities as per requirement.	
Total amount to be spent on CER 2 Years Rs. 280 Lakhs	
ii) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper	HSE policy already in place approved by COO.
checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined	Same will be applicable for this project also.
system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of sixmonthly report.	Process in place to capture deviations or incident from multiple stakeholders
iii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly to the head of the	HSE team already set up at company and project level.
organization.	Same will be applicable for this project also.
iv) Action plan for implementing EMP and environmental conditions along with the responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year-wise funds earmarked for environmental protection measures shall be kept in separate accounts and not to be diverted for any other purpose. The project proponent shall spend the minimum amount of Rs 451 Lacs towards the capital cost and Rs 8.6 Lacs/annum towards recurring cost in the construction phase of the project including the environmental monitoring cost and shall spend the minimum amount of Rs 18.00 lacs/year towards recurring cost in operation phase of the project including the environmental monitoring cost. The entire cost of the environmental management plan will continue to be borne by the project proponent until the responsibility of the environmental management plan is transferred to the occupier/residents society under proper MOU under intimation to SEIAA, Punjab. Year-wise progress of implementation of the action plan shall be reported to the Ministry/Regional Office along with the Six-monthly Compliance Report.	Noted and will be complied
XI. Validity	132
i) This environmental clearance will be valid for a period of seven years from the date of its issue or till the completion of the project, whichever is earlier.	Noted
XII. Miscellaneous	
The project proponent before allowing any occupancy shall obtain completion and occupancy certificate from the Competent Authority and submit a copy of the same to the SEIAA, Punjab.	Noted and will be complied
i) The project proponent shall comply with the conditions of CLU, if any.	Noted
ii) The project proponent shall prominently advertise it at least in	Noted and complied



in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF&CC/SEIAA website where it is displayed.	Same has been published in two local newspaper of the state.
	funds e an 3 stated acc eva nita e 3 ha funds e 3 ha fund
iv) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	Noted and complied
v) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.	Noted and will be complied
vi) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at Environment Clearance portal.	Noted and will be complied
vii) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.	Noted and will be complied
viii) The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.	Noted and will be complied
ix) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.	Noted and will be complied

x) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and that during their presentation to the Expert Appraisal Committee.	Noted and will be complied
xi) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Noted and will be complied
xii) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted
xiii) The SEIAA/Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory	Noted
xiv) The SEIAA/ Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	Noted
xv) The Regional Office of this Ministry and Punjab Pollution Control Board shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Noted and will be complied
xvi) The above conditions shall be enforced, inter-alia under the provisions of the Water(Prevention & Control of Pollution) Act, 1974, the Air(Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	Noted
xvii) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted
Additional Conditions:	
The project proponent shall not use fresh water for gardening/horticulture purpose and the requirement of the same shall be met from the treated wastewater from the nearby STPs.	Noted and will be complied
The wastewater generated from water bodies shall not be discharged and the same shall be reused within the premises for purposes such as horticulture, HVAC, etc.	Noted and will be complied





Test Report

Document QF: 2501 Page 1 of 3

Issued To

Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Mohali

Sample Reg. No. :E01-2303070276 Sample Reg. Date: 07-03-2023

Report Date

:18-03-2023

Report No.

:ICE-2303181028 (2)

Customer Ref. No.: PO No.2300190990

Letter Dated

:24.02.2022

Test	Report as per IS:EPA Act 1986/PCLS/2010	With Amendment No.(s);
PAR	T A : PARTICULARS OF SAMPLE SUBMITT	ED
a)	Nature of Sample#	STP Outlet Water
b)	Sample Condition	Good
c)	Grade / Variety / Type / Class / Size etc.	NA
d)	Brand Name	NA
e)	Declared Values,if any	NA
f)	Code No.	
g)	Batch Number#	NA
h)	D.O.M#	NA
i)	Date of Expiry#	NA
j)	Sample Quantity#	2 Ltr 100ml
k)	Batch Size/Location#	NA
1)	Mode of Packing	Packed in can & in plastic container
m)	Date of Receipt	07-03-2023
n)	Date of Start	07-03-2023
o)	Date of Completion	17-03-2023
p)	Seal (Intact/Not Intact/Unsealed)	NA
q)	IO'S Signature (Signed/Unsigned)	Unsigned
r)	Any Other Information	Sample Collected by lab rep. on: 07.03.2023
s)	Test Request Submitted By	Infosys LimitedMohali (Punjab)

17-03-2023 Deepika Heera [Authorized Signatory]

Samety Saurabh Sharma

18-03-2023 Reviewer

18-03-2023 PremKumar [Authorized Signatory]

Disclaimer:

- The report is only for the sample tested.
- · Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com



Test Report

Document QF: 2501 Page 2 of 3

Issued To

Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Nagar

Mohali

Sample Reg. No. :E01-2303070276 **Sample Reg. Date** :07-03-2023

Report Date

:18-03-2023

Report No.

:ICE-2303181028 (2)

Customer Ref. No.:PO No.2300190990

Letter Dated

:24.02.2022

t)	Manufactured By#	NA			
u)	Supplied By#	NA	· ·		
PART B: SUPPLIMENTARY INFORMATIONS					
a.	Reference to sampling procedure, whenever applicable	: N/A			
b.	Supporting documents for the measurement taken and results derived 1 photographs as appropriate to test reports, if any	: N/A			
c.	Deviation from the test methods as prescribed in relevant ISS/WORK	: N/A			

Descrip	otion				_
Descrip	tion	STP Outlet Water			· · · · · · · · · · · · · · · · · · ·
S.No.	Parameters	Instrument	Method	Specification	Result
Discipline : Chemical					
	Group : Pollution & Environment				
1.	1. General Parameters a. Bio-chemical Oxygen Demand, mg/L (5 days at 20°C) BOD Incubator APHA 23rd Edition 2017, 5210B Max. 30 2.1				
a.					

^{&#}x27;#' represents Customer Defined Fields

17-03-2023 Deepika Heera [Authorized Signatory] Saurabh Sharma

18-03-2023 Reviewer



18-03-2023 PremKumar [Authorized Signatory]

Disclaimer:

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- · Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com



Test Report

Document QF: 2501 Page 3 of 3

Issued To

Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Nagar Mohali Sample Reg. No. :E01-2303070276 Sample Reg. Date :07-03-2023

Report Date

:18-03-2023

Report No.

:ICE-2303181028 (2)

Customer Ref. No.: PO No.2300190990

Letter Dated

:24.02.2022

NOTE: NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantificatio, Requirements as per EPA Act 1986/PCLS/2010, Sampling Procedure: SOP/ITC/EW/030,

REMARKS: N/A

*****End Of Report****

17-03-2023 Deepika Heera [Authorized Signatory]

Saurabh Sharma 18-03-2023 Reviewer



PremKumar [Authorized Signatory]

Disclaimer:

- · The report is only for the sample tested.
- · Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- · If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com Visit us :www.itclabs.com





Test Report

Document OF: 2501

		_	Reg. No. :E01-2303070276		
			Reg. Date :07-03-2023		
Infosys Limited.					
	ohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS	Report I			
Naga			ILR No. :TC592623000003226F		
Moh	alı	1	er Ref. No.:PO No.2300190990		
		Letter D			
Test.	Report as per IS:EPA Act 1986/PCLS/2010	With An	nendment No.(s):		
PAR	T A : PARTICULARS OF SAMPLE SUBMITTED				
a)	Nature of Sample#	S	TP Outlet Water		
b)	Sample Condition	G	ood		
c)	Grade / Variety / Type / Class / Size etc.	N.	A		
d)	Brand Name		NA		
e)	Declared Values,if any	N.	NA		
f)	Code No.				
g)	Batch Number#	N.	NA		
h)	D.O.M#	N	NA		
i)	Date of Expiry#	N	NA		
j)	Sample Quantity#		2 Ltr 100ml		
k)	Batch Size/Location#	N	NA		
1)	Mode of Packing	Pa	Packed in can & in plastic container		
m)	Date of Receipt	07	-03-2023		
n)	Date of Start	07	07-03-2023		
o)	Date of Completion		-03-2023		
p)	Seal (Intact/Not Intact/Unsealed)	N	A		
q)	IO'S Signature (Signed/Unsigned)	Uı	nsigned		
r)	Any Other Information	Sa	mple Collected by lab rep. on: 07.03.2023		

17-03-2023 Deepika Heera [Authorized Signatory] Saurabh Sharma 18-03-2023 Reviewer

(69.)

18-03-2023 PremKumar [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com

Visit us :www.itclabs.com

Disclaimer:

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.



Issued To

Interstellar Testing Centre Pvt. Ltd.



Test Report

Sample Reg. No. :E01-2303070276 **Sample Reg. Date** :07-03-2023 Document QF: 2501 Page 2 of 3

	s Limited. hali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, A	Alpha, SAS Rep		2023 03181028 (1) 623000003226F		
Mohal			tomer Ref. No.:PO No.			
		Lett	er Dated :24.02.2	.022		
s)	Test Request Submitted By		Infosys LimitedMo	hali (Punjab)		
t)	Manufactured By#		NA		_	
u)	Supplied By#		NA			
PART	B: SUPPLIMENTARY INFORMATIONS					
a.	Reference to sampling procedure, whenever applic	cable		: N/A		
	Supporting documents for the measurement taken and results derived like graphs, tables, sketches and / or photographs as appropriate to test reports, if any:					
c.	Deviation from the test methods as prescribed in re-	elevant ISS/WORK	Instruments, if any	: N/A		
Descrij	ption	···································				
Descrip	otion	STP Outlet Water				
S.No.	Parameters	Instrument	Method	Specification	Result	
	Discipline : Chemical	_				
	Group : Pollution & Environment					
1.	General Parameters					
a.	Colour	Visual	IS: 3025 (P-4)-2021	Not Specified	Colourless	
b.	pH Value	pH Meter	IS: 3025 (Part 11): 2017	5.5-9	7.33	
c.	Total Suspended Solids,(mg/L)	Gravimetric	IS 3025 (Part 17):	Max. 100	2	

17-03-2023 Deepika Heera [Authorized Signatory]

d.

Saurabh Sharma 18-03-2023 Reviewer

Gravimetric

COD Reflux

Assembly

18-03-2023 PremKumar [Authorized Signatory]

878

8.8

Disclaimer:

• The report is only for the sample tested.

2017 IS 3025 (Part 16) :

2017

IS 3025 (Part 58):

2017

- · Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.

Not Specified

Max. 250

- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd.

Total Dissolved Solids (mg/L)

Chemical Oxygen Demand(mg/L)

86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





Test Report

Document OF: 2501 Page 3 of 3

			Samp	le Reg. No. :E01-23	303070276	
Issue	d To		Samp	le Reg. Date :07-03-	2023	
Infosy	rs Limited.		Repor	rt Date :18-03-	2023	
IL Mo	ohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83,	Alpha, SAS	Repor	rt No. :ICE-23	303181028 (1)	
Nagar			NABI	ULR No. :TC592	623000003226F	
Moha	11		Custo	mer Ref. No.:PO No	.2300190990	
			Letter	Dated :24.02.2	2022	
f.	Oil & Grease(mg/L)	Gravimet	ric	IS 3025 (Part 39) : 2021	Max. 10	<4.0
g.	Total Residual Chlorine(mg/L)	Titration		IS: 3025 (P-26): 2021	Max. 1.0	BLQ(LOQ:1,0)
h.	Ammonical Nitrogen(as N)(mg/L)	Titrimetry		APHA 23rd Edition 2017, 4500 NH3 C	Max. 50	1.8
i.	Total Kjeldahl Nitrogen (as N), (mg/L)	Titrimetry		IS 3025 (Part 34): 2019	Max. 100	2.6
j.	Silica as SiO2(mg/L)	UV- Spectrophotometer		APHA 23rd Edition 2017 4500 SiO2 C	Not Specified	4.2
k.	Turbidity(NTU)	Turbidity Meter		IS 3025 (Part 10) : 2017	Not Specified	1.21
	Discipline : Biological					
	Group : Pollution & Environment					
1.	. Microbiological Tests					
a.	Faecal Coliform, MPN/100ml	Microbiological		APHA-23 rd Edn 17- 9221 F	Not Specified	<1.8
b.	E. Coli MPN/100ml	Microbiolog	ical	APHA-23 rd Edn 17- 9221 F	Not Specified	<1.8

^{*} represents categories/test parameters not covered under NABL # represents Customer Defined Fields

NOTE: NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantificatio, Requirements as per EPA Act 1986/PCLS/2010, Sampling Procedure: SOP/ITC/EW/030,

REMARKS: N/A

*****End Of Report****

17-03-2023 Deepika Heera [Authorized Signatory]

Saurabh Sharma 18-03-2023 Reviewer

PremKumar [Authorized Signatory]

Disclaimer:

- · The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- · If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com



Page 1 of 2

Document QF: 2501

Test Report

	1/
Issued To Infosys Limited. IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS Nagar Mohali	Sample Reg. No. :E01-2303240894 Sample Reg. Date :24-03-2023 Report Date :28-03-2023 Report No. :ICE-2303281432 (2) Customer Ref. No.:PO No.2300190990 Letter Dated :24.02.2022
Test Report as per :	: EPA Act 1986/PCLS/2010
Sampling Information :	
Date of Monitoring	: 22-03-2023
Time of Monitoring	: 14:25 to 15:01 hrs
Name of the emission source monitored	: Stack Emission of DG Set
Rated Capacity	: 160 kVA
Capacity on sampling day	: 87 %
Type of fuel used & its consumption	: HSD & 20 ltr/hrs
Normal operating schedule	: As Required
Stack Identification	: Stack attached to DG Set (160 kVA) Engine No. 71A84361921
Type of Stack/Duct	: Metal
Stack Height from Ground Level(m)	: 3.048
Diameter of the Stack(cm)	: 15.24
Sampling Duration(minutes)	: 56
Purpose of Monitoring	: For Self Monitoring
Air Pollution control measure	: Not Applicable
Status	:-
Recovery of Material	:-
Fugitive Emission,if any	: Nil
Observations:	
Flue Gas Temperature, °C,Avg.	: 148
Flue Gas Velocity(m/s),Avg.	: 13.30

Samety

Saurabh Sharma 28-03-2023 Reviewer



29-03-2023 Saurabh Sharma [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana)
Phone: (O) 0172-2561543, 2565825
Email: customersupport@itclabs.com

Visit us :www.itclabs.com

Disclaimer:

- · The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.



Page 2 of 2

Document QF: 2501

Test Report

Issued To Infosys Limited. IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS Nagar Mohali	Sample Reg. No. Sample Reg. Date Report Date Report No. Customer Ref. No Letter Dated	
Volumetric Flow Rate(Nm ³ /hr.)	: 592.71	
Ambient Air Temperature, °C	: 30	

S.No.	Parameters	Instrument	Method	Specification	Result
	Discipline : Chemical				
Group : Water					
1. General Parameters					
a.	Non Methane Hydrocarbon, mg/Nm ³	GC	IS:13270	Not Specified	18

^{&#}x27;#' represents Customer Defined Fields

NOTE: NA- Not Applicable, Requirements as per EPA Act 1986/PCLS/2010 (General Emission Standard), Sample Collected by lab rep. on dated 22.03.2023. Instrument used for Sampling: Stack Sampler (109-DTL-2016), Calibration Done on: 04-10-2022, Calibration Due on: 03-10-2023

REMARKS: The above referred sample of Stack Emission of DG Set conforms to EPA Act 1986/PCLS/2010 with upto date amdts with respect to the above tests.

*****End Of Report****

Samety

Saurabh Sharma 28-03-2023 Reviewer 29-03-2023 Saurabh Sharma

[Authorized Signatory]

Disclaimer:

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- · Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





Test Report

Document QF: 2501

Page 1 of 2

		Sample Reg. No.	:E01-2303240894
	Issued To	Sample Reg. Date	:24-03-2023
	Infosys Limited.	Report Date	:28-03-2023
	IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS	Report No.	:ICE-2303281432 (1)
- 1		NABL ULR No.	:TC592623000003710F
	Mohali	Customer Ref. No.	:PO No.2300190990
ı		Letter Dated	:24.02.2022

Test Report as per :	: EPA Act 1986/PCLS/2010
Sampling Information :	
Date of Monitoring	: 22-03-2023
Time of Monitoring	: 14:25 to 15:01 hrs
Name of the emission source monitored	: Stack Emission of DG Set
Rated Capacity	: 160 kVA
Capacity on sampling day	: 87 %
Type of fuel used & its consumption	: HSD & 20 ltr/hrs
Normal operating schedule	: As Required
Stack Identification	: Stack attached to DG Set (160 kVA) Engine No. 71A84361921
Type of Stack/Duct	: Metal
Stack Height from Ground Level(m)	: 3.048
Diameter of the Stack(cm)	: 15.24
Sampling Duration(minutes)	: 56
Purpose of Monitoring	: For Self Monitoring
Air Pollution control measure	: Not Applicable
Status	:-
Recovery of Material	1 -
Fugitive Emission,if any	: Nil
Observations :	

Samety

Saurabh Sharma 28-03-2023 Reviewer



29-03-2023 Saurabh Sharma [Authorized Signatory]

Disclaimer:

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com Visit us:www.itclabs.com





10 - 3920

Document QF: 2501

Page 2 of 2

Test Report

	Sample Reg. No.	:E01-2303240894
Issued To	Sample Reg. Date	:24-03-2023
Infosys Limited.	Report Date	:28-03-2023
	Report No.	:ICE-2303281432 (1)
	NABL ULR No.	:TC592623000003710F
Mohali	Customer Ref. No	.:PO No.2300190990
	Letter Dated	:24.02.2022

Flue Gas Temperature, °C,Avg.	: 148
Flue Gas Velocity(m/s),Avg.	: 13.30
Volumetric Flow Rate(Nm ³ /hr.)	: 592.71
Ambient Air Temperature, °C	: 30

S.No.	Parameters	Instrument	Method	Specification	Result
	Discipline : Chemical			<u> </u>	
	Group : Water				
1.	General Parameters				
a.	Particulate Matter,mg/Nm3	Gravimetric	IS:11255(P-1)	Max. 150	27.32
b.	Sulphur Dioxide(SO ₂),mg/Nm3	Titration	IS:11255(P-2)	Max. 50	9.71
c.	Oxides of Nitrogen(NO2),mg/Nm3	UV- Spectrophotometer	IS:11255(P-7)	-	120.30
d.	Carbon Monoxide(as CO)(mg/Nm3)	GC	IS:13270	Not Specified	52

^{&#}x27;*' represents categories/test parameters not covered under NABL '# represents Customer Defined Fields

NOTE: NA- Not Applicable, Requirements as per EPA Act 1986/PCLS/2010 (General Emission Standard), Sample Collected by lab rep. on dated 22.03.2023. Instrument used for Sampling: Stack Sampler (109-DTL-2016), Calibration Done on: 04-10-2022, Calibration Due on: 03-10-2023

REMARKS: The above referred sample of Stack Emission of DG Set conforms to EPA Act 1986/PCLS/2010 with upto date amdts with respect to the above tests.

*****End Of Report****

Saurabh Sharma

28-03-2023 Reviewer 29-03-2023 Saurabh Sharma [Authorized Signatory]

Disclaimer:

- · The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- · Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-I, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





TC - 5926

Document QF: 2501

Page 1 of 2

Test Report

Sample Reg. No. :E01-2303240895 Sample Reg. Date :24-03-2023 **Issued To** Report Date :28-03-2023 Infosys Limited. Report No. :ICE-2303281435 IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS NABL ULR No. :TC592623000003670F Mohali Customer Ref. No.: PO No.2300190990 Letter Dated :24.02.2022

Test Report as per :	: EPA Act 1986/PCLS/2010,G.S.R 281(E),Dated- 07.03.2016
Sampling Information :	
Date of Monitoring	: 22-03-2023
Time of Monitoring	: 10:15 hrs
Purpose of Monitoring	: For Self Monitoring
Source of Noise Pollution Monitored	: DG Set (160 kVA)
Engine No.	: 71A84361921
Make : Cummins	
Date of mfg of DG Set	: 25-01-2017
Date of Installation	: Not Provide by Party
Type approval No.	: ARAI/MOEF/DGTA/CIL-F40/2016-01
Pollution Control Device (if any)	: Acoustic Enclosure
Stack Height from Ground level to Top,m	: 3.048
Stack Height from Roof level,m	:-
Location of noise Generating Source	: Ground Floor

Descrip	otion				
Descrip	tion	Noise DG Set (160 kV.	A) Monitoring		
17					
S.No.	Parameters	Instrument	Method	Specification	Result
	Discipline : Chemical				

Saurabh Sharma 28-03-2023 Reviewer

28-03-2023 **PremKumar** [Authorized Signatory]

Disclaimer:

· The report is only for the sample tested.

· Total liability of ITC Labs is limited to the invoiced amount.

· The test report shall not be reproduced except in full without the written approval of the laboratory.

· If samples not consumed during analysis, it will be stored and retain as per company policy.

· Samples not drawn by us unless otherwise stated.

Test report in full or parts shall not be used for promotional or publicity purposes.

· Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com Visit us :www.itclabs.com





Test Report

Document QF: 2501

Page 2 of 2

PremKumar

[Authorized Signatory]

Issued To

Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Mohali

Sample Reg. No. :E01-2303240895 Sample Reg. Date :24-03-2023 Report Date :28-03-2023

Report No.

:ICE-2303281435

NABL ULR No. :TC592623000003670F

Customer Ref. No.:PO No.2300190990

Letter Dated

:24.02.2022

	Group : Atmospheric Pollution				
1.	General Parameters				
a,	1 mtr away from Acoustic Enclosure, dB (A)	Noise Meter	CPCB Guidelines	Max. 75.0	72.2

^{&#}x27;#' represents Customer Defined Fields

NOTE: NA- Not Applicable, Requirements as per EPA Act 1986/PCLS/2010, G.S.R 281(E), Dated- 07.03.2016, Sampling Procedure -SOP/ITC/EW/056, Instrument used for Sampling: Sound Level Meter (Sr. No. HE:000075H), Calibration Done on: 04-10-2022, Calibration Due on: 03.10-2023

REMARKS: The above referred sample of Noise DG Set conforms to EPA Act 1986/PCLS/2010, G.S.R 281(E), Dated-07.03.2016 respect to the above tests.

*****End Of Report****

Saurabh Sharma

28-03-2023 Reviewer

Disclaimer:

· The report is only for the sample tested.

Total liability of ITC Labs is limited to the invoiced amount.

- · The test report shall not be reproduced except in full without the written approval of the laboratory.
- · If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Harvana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





Document QF: 2501

Page 1 of 2

Test Report

Sample Reg. No. :E01-2303240914 Sample Reg. Date :24-03-2023 Issued To Report Date :28-03-2023 Infosys Limited. Report No. :ICE-2303281443 IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS NABL ULR No. :TC592623000003810F Mohali Customer Ref. No.: PO No.2300190990 Letter Dated :24.02.2022

Test Report as per :	: NAAQS 2009
Sampling Information :	
Location of Sampling Point	: Near STP
Date of Monitoring	: 22-03-2023
Time of Monitoring	: 14:10 hrs
Purpose of Monitoring	: To assess the Pollution level
Duration of Monitoring, minutes	: 1440
Avg. Flow Rate of Sampling,m3/min	: 1.26
Volume of air sampled,m3	: 1732.19
Avg. Ambient Temperature,°C	: 26

Descrip	ption					
Description A		Ambient Air Quality I	Monitoring			
S.No.	Parameters	Instrument	Method	Specification	Result	
1.	Ambient Air Quality Parameters(Time weighted Avg- 24 Hours)					
a.	Sulphur Dioxide(SO2),µg/m3	UV- Spectrophotometer	IS: 5182 (P-2): 2017	80 Max	8.49	
b.	Nitrogen Dioxide(NO2),µg/m ³	UV- Spectrophotometer	IS: 5182 (P-6): 2017	80 Max	16.27	
c.	Particulate Matter (PM10),µg/m3	Gravimetric	IS: 5182 (P-23): 2017	100 Max	78.22	
d.	Particulate matter (PM 2.5),µg/m3	Gravimetric	IS: 5182 (P-24)-2019	60 Max	42.51	

Saurabh Sharma 28-03-2023 Reviewer

29-03-2023 Saurabh Sharma [Authorized Signatory]

Disclaimer:

- · The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- · The test report shall not be reproduced except in full without the written approval of the laboratory.
- · If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





Document QF: 2501

Page 2 of 2

Test Report

Issued To

Infosys Limited. IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Mohali

Sample Reg. No. :E01-2303240914 Sample Reg. Date :24-03-2023

Report Date

:28-03-2023

Report No.

:ICE-2303281443

NABL ULR No. :TC592623000003810F

Customer Ref. No.:PO No.2300190990

Letter Dated

:24.02.2022

				-	
e.	Ammonia(NH3),µg/m³	UV- Spectrophotometer	IS: 5182 (P-25):2018	400 Max	27.16
f.	Lead(As Pb),μg/m3	ICPOES	STP/ITC/EW/002	1.0 Max	BLQ(LOQ:0.1)
2.	Ambient Air Quality Parameters(Time weigh	nted Avg- 8 Hours)	-		<u> </u>
a.	Ozone(O3),µg/m3	UV- Spectrophotometer	IS: 5182 (P-9): 2019	100 Max.	24.50
ъ.	Carbon Monoxide(CO),mg/m3	GC	IS: 5182 (P-10): 2019	2 Max.	1.4
3.	Ambient Air Quality Parameters(Time weigh	nted Avg- Annual*)		_	
a.	Benzene(C6H6),μg/m3	GC	IS: 5182 (P-11): 2017	5 Max	BLQ(LOQ:1.0)
b.	Benzo(a) Pyrene Particulate Phase only,ng/m3	GCMSMS	IS: 5182 (P-12): 2019	1 Max	BLQ(LOQ:0.5)
c.	Arsenic(as As),ng/m3	ICPOES	STP/ITC/EW/002	6 Max.	BLQ(LOQ:1.0)
d.	Nickel(As Ni),ng/m3	ICPOES	STP/ITC/EW/002	20 Max.	BLQ(LOQ:1.0)

^{&#}x27;#' represents Customer Defined Fields

NOTE: NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAQQS 2009. Sampling Procedure: SOP/ITC/EW/056. Instrument used for Sampling: Respirable Dust Sampler (16-I-456), Calibration Done on: 04-10-2022, Calibration Due on: 03-10-2023

REMARKS: *Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

*****End Of Report****

Saurabh Sharma 28-03-2023

Reviewer

29-03-2023 Saurabh Sharma [Authorized Signatory]

Disclaimer:

- · The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- · The test report shall not be reproduced except in full without the written approval of the laboratory.
- · If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





TC - 5926

Document QF: 2501

Page 1 of 2

Test Report

Issued To Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Mohali

Sample Reg. No. :E01-2303240915 Sample Reg. Date :24-03-2023

Report Date

:28-03-2023

Report No.

:ICE-2303281440

NABL ULR No. :TC592623000003809F

Customer Ref. No.:PO No.2300190990 :24.02,2022

Letter Dated

Test Report as per :	: NAAQS 2009	
Sampling Information :		
Location of Sampling Point	: Employee Engagement Area	
Date of Monitoring	: 22-03-2023	
Time of Monitoring	: 14:25 hrs	
Purpose of Monitoring	: To assess the Pollution level	· · ·
Duration of Monitoring, minutes	: 1440	-
Avg. Flow Rate of Sampling,m3/min	: 1.21	
Volume of air sampled,m3	: 1665.74	
Avg. Ambient Temperature, °C	: 26	

Descrip	otion					
Descrip	tion	Ambient Air Quality I	Monitoring			
S.No.	Parameters	Instrument	Method	Specification	Result	
1.	Ambient Air Quality Parameters(Time weighted Avg- 24 Hours)					
a.	Sulphur Dioxide(SO2),µg/m3	UV- Spectrophotometer	IS: 5182 (P-2): 2017	80 Max	6.22	
b.	Nitrogen Dioxide(NO2),µg/m ³	UV- Spectrophotometer	IS: 5182 (P-6): 2017	80 Max	11.99	
c.	Particulate Matter (PM10),μg/m3	Gravimetric	IS: 5182 (P-23): 2017	100 Max	72.52	
đ.	Particulate matter (PM 2.5),µg/m3	Gravimetric	IS: 5182 (P-24)-2019	60 Max	34.09	

Comety

Saurabh Sharma 28-03-2023 Reviewer

29-03-2023 Saurabh Sharma [Authorized Signatory]

Disclaimer:

- The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





Document QF: 2501

Page 2 of 2

Test Report

Issued To Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Mohali

Sample Reg. No. :E01-2303240915

Sample Reg. Date :24-03-2023

Report Date

:28-03-2023

Report No.

:ICE-2303281440

NABL ULR No. :TC592623000003809F

Customer Ref. No.:PO No.2300190990

Letter Dated

:24.02.2022

e.	Ammonia(NH3),μg/m ³	UV- Spectrophotometer	IS: 5182 (P-25):2018	400 Max	27.59		
f.	Lead(As Pb),µg/m3	ICPOES	STP/ITC/EW/002	1.0 Max	BLQ(LOQ:0.1)		
2.	Ambient Air Quality Parameters(Time weighted Avg- 8 Hours)						
a.	Ozone(O3),µg/m3	UV- Spectrophotometer	IS: 5182 (P-9): 2019	100 Max.	23.13		
b.	Carbon Monoxide(CO),mg/m3	GC	IS: 5182 (P-10): 2019	2 Max.	1.2		
3.	Ambient Air Quality Parameters(Time weighted Avg- Annual*)						
a.	Benzene(C6H6),µg/m3	GC	IS: 5182 (P-11): 2017	5 Max	BLQ(LOQ:1.0)		
b.	Benzo(a) Pyrene Particulate Phase only,ng/m3	GCMSMS	IS: 5182 (P-12): 2019	1 Max	BLQ(LOQ:0.5)		
c.	Arsenic(as As),ng/m3	ICPOES	STP/ITC/EW/002	6 Max.	BLQ(LOQ:1.0)		
d.	Nickel(As Ni),ng/m3	ICPOES	STP/ITC/EW/002	20 Max.	BLQ(LOQ:1.0)		

^{&#}x27;#' represents Customer Defined Fields

NOTE: NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAQQS 2009. Sampling Procedure: SOP/ITC/EW/056. Instrument used for Sampling: Respirable Dust Sampler (2917-DTJ-2020), Calibration Done on: 02-11-2022, Calibration Due on: 01-11-2023

REMARKS: *Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

*****End Of Report****

Saurabh Sharma 28-03-2023 Reviewer

29-03-2023 Saurabh Sharma [Authorized Signatory]

Disclaimer:

· The report is only for the sample tested.

Total liability of ITC Labs is limited to the invoiced amount.

- The test report shall not be reproduced except in full without the written approval of the laboratory.
- · If samples not consumed during analysis, it will be stored and retain as per company policy.
- Samples not drawn by us unless otherwise stated.
- · Test report in full or parts shall not be used for promotional or publicity purposes.
- · Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana)

Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com





TC - 5926

Document QF: 2501

Page 1 of 2

Test Report

Issued To
Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Nagar Mohali Sample Reg. No. :E01-2303240916

Sample Reg. Date :24-03-2023 **Report Date** :28-03-2023

Report No. :ICE-22

:ICE-2303281445

NABL ULR No. :TC592623000003717F Customer Ref. No.:PO No.2300190990

Letter Dated :24.02.2022

Test Report as per :	: NAAQS 2009
Sampling Information :	
Location of Sampling Point	: Parking Area
Date of Monitoring	: 22-03-2023
Time of Monitoring	: 14:40 hrs
Purpose of Monitoring	: To assess the Pollution level
Duration of Monitoring,minutes	: 1440
Avg. Flow Rate of Sampling,m3/min	: 1.21
Volume of air sampled,m3	: 1665.74
Avg. Ambient Temperature, °C	: 26

Descrip							
Description		Ambient Air Quality I	Ambient Air Quality Monitoring				
S.No.	Parameters	Instrument	Method	Specification	Result		
1.	Ambient Air Quality Parameters(Time weighted Avg- 24 Hours)						
a.	Sulphur Dioxide(SO2),µg/m3	UV- Spectrophotometer	IS: 5182 (P-2): 2017	80 Max	10.24		
b.	Nitrogen Dioxide(NO2),µg/m³	UV- Spectrophotometer	IS: 5182 (P-6): 2017	80 Max	16.31		
c.	Particulate Matter (PM10),μg/m3	Gravimetric	IS: 5182 (P-23): 2017	100 Max	85.31		
đ.	Particulate matter (PM 2.5),µg/m3	Gravimetric	IS: 5182 (P-24)-2019	60 Max	38.30		

Camely

Saurabh Sharma 28-03-2023 Reviewer 29-03-2023

29-03-2023 Saurabh Sharma [Authorized Signatory]

Interstellar Testing Centre Pvt. Ltd.

86, Industrial Area, Phase-1, Panchkula-134109 (Haryana)

Panchkula-134109 (Haryana)
Phone: (O) 0172-2561543, 2565825
Email: customersupport@itclabs.com

Visit us :www.itelabs.com

Disclaimer:

- The report is only for the sample tested.
- · Total liability of ITC Labs is limited to the invoiced amount.
- The test report shall not be reproduced except in full without the written approval
 of the laboratory.
- If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.





Test Report

Document QF: 2501

Page 2 of 2

Issued To

Infosys Limited.

IL Mohali, SEZ Unit-1, Plot No.1-3, IT City Sector-83, Alpha, SAS

Nagar

Mohali

Sample Reg. No. :E01-2303240916

Sample Reg. Date :24-03-2023

Report Date

:28-03-2023

Report No.

:ICE-2303281445

NABL ULR No.

:TC592623000003717F

Customer Ref. No.:PO No.2300190990

Letter Dated

:24.02.2022

e.	Ammonia(NH3),µg/m ³	UV- Spectrophotometer	IS: 5182 (P-25):2018	400 Max	30.47		
f.	Lead(As Pb),µg/m3	ICPOES	STP/ITC/EW/002	1.0 Max	BLQ(LOQ:0.1)		
2.	Ambient Air Quality Parameters(Time weighted Avg- 8 Hours)						
a.	Ozone(O3),µg/m3	UV- Spectrophotometer	IS: 5182 (P-9): 2019	100 Max.	24.50		
b.	Carbon Monoxide(CO),mg/m3	GC	IS: 5182 (P-10): 2019	2 Max.	1.3		
3.	Ambient Air Quality Parameters(Time weighted Avg- Annual*)						
a.	Benzene(C6H6),μg/m3	GC	IS: 5182 (P-11): 2017	5 Max	BLQ(LOQ:1.0)		
b.	Benzo(a) Pyrene Particulate Phase only,ng/m3	GCMSMS	IS: 5182 (P-12): 2019	1 Max	BLQ(LOQ:0.5)		
c.	Arsenic(as As),ng/m3	ICPOES	STP/ITC/EW/002	6 Max.	BLQ(LOQ:1.0)		
d.	Nickel(As Ni),ng/m3	ICPOES	STP/ITC/EW/002	20 Max.	BLQ(LOQ:1.0)		

^{&#}x27;#' represents Customer Defined Fields

NOTE: NA- Not Applicable, BLQ- Below limit of Quantification, LOQ- Limit of Quantification, Requirement as per NAOOS 2009. Sampling Procedure: SOP/ITC/EW/056. Instrument used for Sampling: Respirable Dust Sampler (2907-DTJ-2020), Calibration Done on: 02-11-2022, Calibration Due on: 01-11-2023

REMARKS: *Annual arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals

*****End Of Report****

Saurabh Sharma 28-03-2023 Reviewer

29-03-2023 Saurabh Sharma [Authorized Signatory]

Disclaimer:

- · The report is only for the sample tested.
- Total liability of ITC Labs is limited to the invoiced amount.
- · The test report shall not be reproduced except in full without the written approval of the laboratory.
- · If samples not consumed during analysis, it will be stored and retain as per company policy.
- · Samples not drawn by us unless otherwise stated.
- Test report in full or parts shall not be used for promotional or publicity purposes.
- Legal disputes are subjected to Panchkula Jurisdiction only.

Interstellar Testing Centre Pvt. Ltd. 86, Industrial Area, Phase-1, Panchkula-134109 (Haryana) Panchkula-134109 (Haryana) Phone: (O) 0172-2561543, 2565825 Email: customersupport@itclabs.com